


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



DIRECTORY OF U. S. REGISTER OF MERIT SIRES AND DAMS

(Including a Summary of their Family Performance)

and

HONOR ROLL FOR HIGH VIABILITY

1940-41 Trap-nest Record Year

Contents

	<u>Page</u>
Introduction.....	2
Single-Comb White Leghorn Sires	9
Single-Comb White Legorn Dams	20
Single-Comb Rhode Island Red Sires	81
Single-Comb Rhode Island Red Dams	83
New Hampshire Sires	90
New Hampshire Dams	92
Barred Plymouth Rock Sires	98
Barred Plymouth Rock Dams	99
White Plymouth Rock Sires	103
White Plymouth Rock Dams	104
White Wyandotte Dams	108
Rose-Comb Rhode Island White Dams	109
Single-Comb White Minorca Dams	110
Honor roll for sires and dams of daughters with high viability	111

Introduction

The Directory of U.S.R.O.M. Sires and Dams is published for the purpose of giving official recognition to the family records of birds that, during each trap-nest record year, met the progeny-test requirements of the highest breeding stage of the National Poultry Improvement Plan. This third directory contains the records of 337 U.S.R.O.M. sires and 1,919 U.S.R.O.M. dams that qualified on the basis of their daughters' records during the 1940-41 trap-nest record year.

Each year an increasing number of breeders are coming to the conclusion that the selection of breeding birds on the basis of family records results in more rapid progress than selection on the basis of individual performance. It has been conclusively demonstrated that the average performance of the daughters is the index of greatest value in determining the breeding potentiality of an individual sire or dam. Proved sires and dams should be remated whenever possible. The qualified sons and daughters of U.S.R.O.M. matings are likely to be better than average breeding birds and should be used in U.S.R.O.P. matings.

The records show that pullets entered in Record of Performance are definitely superior to average farm chickens in egg-laying ability. The records of 59,600 pedigreed R.O.P. candidates show a hen-housed average egg production of 171 eggs in 1940-41 as compared to an average farm production of 110 eggs per layer for 1941.

Likewise the daughters of U.S.R.O.M. sires and dams are definitely superior to the average pedigreed R.O.P. candidates. The 25,178 daughters of U.S.R.O.M. sires averaged 198 eggs per bird, and the 19,592 daughters of U.S.R.O.M. dams averaged 207 eggs per bird.

The requirements for U.S.R.O.M. males and U.S.R.O.M. females, as given in the National Poultry Improvement Plan (Miscellaneous Publication No. 300), are quoted as follows:

For the purpose of qualifying for the U. S. Register of Merit stage, the progeny records for one breeding season only shall be considered.

U.S.R.O.M. MALE.— A U.S.R.O.M. male is a male which, when mated to U.S.R.O.P. females, has at least one-third of his daughters that are entered in U.S.R.O.P. qualify for U.S. R.O.P. and a minimum of 20 that qualify.

U.S.R.O.M. FEMALE.—A U.S.R.O.M. female is a U.S.R.O.P. female which, when mated to a U.S.R.O.P. male in an individual pedigree mating, has at least one-third of her daughters that are entered in U.S.R.O.P. qualify for U.S.

R.O.P. and a minimum of four that qualify. The females in U.S.R.O.P. candidate matings which qualify as U.S.R.O.P. may qualify as U.S.R.O.M. through the performance of their daughters.

In the past, only U.S.R.O.P. males or females have been eligible for U.S.R.O.M. qualification. As a result of a change adopted at the 1942 National Poultry Improvement Plan conference, non-U.S.R.O.P. birds used in trial matings may qualify if they meet the progeny-test requirements.

During the 1939 National Poultry Improvement Plan conference in Cleveland, Ohio, a committee was appointed to develop a procedure to be followed in supplying published information concerning U.S.R.O.M. sires and dams. In order to obtain the information as developed and approved by the committee, officials of the U. S. Department of Agriculture have developed a system of transferring the U.S.R.O.P. records to punch cards, analyzing the data on a family basis, and preparing a U.S.R.O.P. Production and Pedigree Report for the breeder and the official State agency. Since the report shows the performance records for all daughters entered in U.S.R.O.P. by families, it supplies the necessary information on the U.S.R.O.M. sires and dams for these publications.

Only those sires and dams that qualified for U.S.R.O.M. on the basis of reports submitted to the Bureau for analysis are included in these publications. The number of 1940-41 records received for analysis, the number of breeders having U.S.R.O.M. sires and dams, and the number of U.S.R.O.M. birds by States are shown in Table 1. The 1940-41 production records for 175 breeders located in 33 States were received for analysis.

The number of U.S.R.O.M. birds given certification during each of the past three years are tabulated according to breed and variety in table 2. A general increase is shown for each breed. The Single-Comb White Leghorns constituted 83 percent of the U.S.R.O.M. birds in 1938-39 and 75 percent in 1940-41.

The number of U.S.R.O.M sires and dams qualifying by years and the number of States, breeders, and flocks having U.S.R.O.M. birds are shown in table 3. Practically as many sires and dams qualified for U.S. R.O.M. on the basis of the 1940-41 trap-nest record year as for the two previous years combined. This growth is particularly gratifying since this is evidence of increased interest in the selection of breeding birds on the basis of family performance or progeny testing.

The U.S.R.O.M. birds are listed by breeds; under each breed the birds are listed by sex (sires and dams); and under both sires and dams the breeders' names are listed alphabetically.

Table 1. -- Summary of U. S. Register of Merit analysis for the 1940-41 trap-nest record year

State	Reports sub- mitted (pedigreed candidates)		Reports sub- mitted (non- pedigreed candidates)		Number breeders with U.S.R.O.M. birds		Number U.S.R.O.M. birds	
	Breeders	Flocks	Breeders	Flocks	Breeders	Flocks	Sires	Dams
Arizona	1	1	1	2	0	0	0	0
Arkansas	2	3			0	0	0	0
Colorado	1	1			1	1	0	8
Connecticut	9	13	1	1	9	12	14	72
Delaware	2	3			0	0	0	0
Florida	2	2	2	2	2	2	11	97
Georgia	1	1			1	1	1	3
Idaho	2	2			2	2	11	58
Indiana	3	3			3	3	58	305
Iowa	6	15	1	3	3	3	8	46
Kansas	5	5			4	4	7	61
Maryland	3	4			1	2	1	5
Massachusetts	1	1			1	1	8	32
Michigan	2	2			2	2	2	12
Missouri	12	19	3	3	5	5	2	13
New Hampshire	9	9			8	8	22	114
New Jersey	4	5			3	4	3	17
New Mexico	1	1			0	0	0	0
New York	5	5			5	5	14	94
North Carolina	4	4			4	4	12	69
North Dakota	2	2			2	2	1	5
Ohio	14	16	4	6	12	12	33	154
Oklahoma	8	10			6	6	2	34
Oregon	6	6	1	1	6	6	46	296
South Carolina	6	8	5	5	4	4	2	11
South Dakota	1	3			0	0	0	0
Texas	6	7	2	2	4	5	18	113
Utah	6	7			5	5	13	50
Virginia	8	8	4	4	7	7	12	85
Washington	10	10			10	10	23	114
West Virginia	4	5	3	5	4	5	10	38
Wisconsin	1	1			1	1	3	12
Wyoming	1	1			1	1	0	1
TOTAL	148	183	27	34	116	123	337	1,919

Table 2. -- The number of U.S.R.O.M. sires and dams
by breeds and varieties

Breed and variety	1938-39		1939-40		1940-41	
	Sires	Dams	Sires	Dams	Sires	Dams
Single-Comb White Leghorns	129	670	161	921	251	1,438
Single-Comb Rhode Island Reds	15	73	4	59	28	156
New Hampshires	5	34	15	88	27	143
Barred Plymouth Rocks	3	13	8	62	18	95
White Plymouth Rocks	3	19	1	15	13	78
White Wyandottes			2	6		2
White Minorcas				2		3
Single-Comb Rhode Island Whites						4
TOTAL	155	809	191	1,153	337	1,919

Table 3. -- Birds qualifying as U.S.R.O.M. by years, 1935-41

Item	Trap-nest record year --					
	1935-36	1936-37	1937-38	1938-39	1939-40	1940-41
States	5	6	6	24	24	28
Breeders	18	22	21	65	92	116
Flocks	18	24	24	68	96	123
U.S.R.O.M. sires	36	52	89	155	191	337
U.S.R.O.M. dams	144	310	418	809	1,153	1,919

The data reported for each U.S.R.O.M. sire can best be explained by referring to the first sire listed, M-1527 (page 9). This sire was leg-banded with No. M-1527 when he qualified as a U.S.R.O.P male. His dam laid 276 eggs during her first trap-nest record year, and the average of all eggs weighed during her first laying year was 24.4 ounces per dozen. Her body weight was 3.9 pounds, which is the average of two or more weights taken by the R.O.P. inspector between January 1 and August 1 of the first laying year. Of the 8 dams that were mated to this sire, 6 qualified as U.S.R.O.M.

The records of the daughters are considered to be the most important measure of the breeding qualities of a sire or a dam. Sire M-1527 had 72 daughters entered in U.S.R.O.P., and 42 qualified as U.S.R.O.P. females. The 72 daughters entered averaged 228 eggs per bird on the basis of a hen-housed average. The hen-housed average is computed by dividing the total number of eggs laid by the number of birds entered. The average egg weight of all daughters for which egg weights were reported was 25.1 ounces per dozen. The average body weight of all daughters for which body weights were reported was 4.6 pounds. Of the 14 daughters that completed the year but failed to qualify, one failed because she laid less than 200 eggs, 12 failed because the average egg weight of each was less than 24 ounces to the dozen, and one failed because her body weight was below the minimum requirement.

The second U.S.R.O.M. dam listed for G. W. Avery & Son (page 20) is 8-83. This dam was one of the 6 U.S.R.O.M. mates of Sire M-1527. She laid 263 eggs averaging 25.4 ounces to the dozen during her first laying year, and her average body weight was 3.9 pounds. She had 16 daughters entered in U.S.R.O.P. and 8 qualified. The average egg production of the 16 daughters on a hen-housed basis was 224 eggs. The average egg weight of all daughters entered on which official weights were obtained was 24.4 ounces per dozen, and the average body weight of all daughters having two or more weights reported was 4.5 pounds. Of the five daughters that completed the year but failed to qualify, one failed because she laid less than 200 eggs, and four failed because the average egg weight of each was less than 25 ounces per dozen.

The abbreviations used in the tables are as follows:

U.S.R.O.P.	-	U. S. Record of Performance
U.S.R.O.M.	-	U.S. Register of Merit
No.	-	Number
Prod.	-	Production
Wt.	-	Weight
Oz.	-	Ounces
Doz.	-	Dozen
Lbs.	-	Pounds
Comp.	-	Completing

Honor Roll for High Viability

During the 1942 National Poultry Improvement Plan conference a recommendation was made and approved that an Honor Roll for High Viability be established in the U. S. Record of Performance breeding stage and published as a part of this directory. This gives added recognition to the importance of family breeding for high viability. Birds listed in the honor roll must meet the requirement of having 90 percent or more of all daughters entered in U.S.R.O.P. alive at the completion of the trap-nest record year; the minimum number of daughters entered must be 40 for each sire and 8 for each dam.

The U.S.R.O.P. Production and Pedigree Reports also supplied the initial data necessary to determine the sires and dams that met the requirements for the Honor Roll for High Viability. The number of daughters of each sire and dam completing their trap-nest record year was determined by subtracting from the number of daughters entered the number died, the number culled (out of condition), and the number culled for market.

A list of the sires and dams that apparently qualified for the honor roll was furnished the R.O.P. supervisors. They in turn checked the records of the daughters of those particular birds and certified the accuracy of the data with respect to the number of daughters entered and the number alive at the end of the year.

A total of 27 sires and 298 dams were given certification as having met the requirements. This year's honor roll is very short, due to the fact that it has been customary to cull heavily for market those birds which, in the owner's opinion, would not meet U.S.R.O.P. requirements if kept in the flock.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Produced (no.)	Average performance			No. comp. year but failing to qualify because of low -									
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body								
Avery, G. W., & Son Tualatin, Oreg.	M-1527	276	24.4	3.9	6	8	72	42	228	25.1	4.6	1	12	1							
	M-1539	303	24.2	4.1	5	10	98	41	232	24.5	4.2	1	25	0							
	M-1582	280	26.4	4.0	3	9	51	28	238	24.3	4.3	4	13	0							
	M-1617	311	24.7	3.8	7	9	74	44	223	25.3	4.2	5	7	0							
	M-1869	262	24.3	4.1	5	9	64	42	238	25.7	4.4	3	6	0							
	M-1916	289	24.2	4.5	6	10	80	43	221	24.9	4.5	3	12	0							
Becker's Ravenswood Leghorn Farm Oxford, Fla.	202	260	27.1	4.1	10	17	162	86	196	26.0	4.4	45	14	1							
	207	251	26.5	4.1	8	20	192	74	174	25.3	4.3	47	29	1							
	212	271	27.1	3.5	8	14	168	78	188	25.2	4.3	54	21	2							
	219	260	27.1	4.1	8	12	159	71	180	25.9	4.1	40	14	6							
	222	282	26.1	4.1	15	19	230	125	206	25.1	4.0	50	32	6							
	226	251	26.3	4.1	8	17	173	69	181	25.5	4.3	59	16	0							
	227	260	27.1	4.1	11	15	199	100	188	26.1	4.1	52	15	14							
	230	336	25.6	4.5	12	16	230	122	196	26.0	4.3	63	16	6							
	232	260	27.1	4.1	12	19	209	113	189	26.0	4.2	47	9	6							
	5	294	27.3	4.5	1	12	39	21	204	25.6	4.1	7	1	0							
Bangtson Brothers Puyallup, Wash.	9-43	307	26.7	4.2	2	10	30	24	254	26.0	4.4	5	0	0							
	9-64	267	29.7	5.4	3	14	53	37	217	26.0	4.5	6	0	0							
Bodine, Eli H. Chemung, N. Y.	K-20804	316	26.4	4.7	3	11	60	24	168	24.4	4.5	10	7	1							
	K-22305	307	26.4	4.3	3	7	43	20	172	26.3	4.6	4	0	0							
	L-11484	304	24.0	4.3	3	9	61	26	180	25.6	4.8	13	3	0							
Bower's Poultry Farm Route 5 Circleville, Ohio	A-993	308	24.0	--	4	12	39	22	174	25.5	4.7	2	2	0							
	G-372	312	24.5	--	2	8	50	20	183	25.1	5.0	6	5	0							
Bowles, H. T. Charlottesville, Va.	C-3508	330	24.0	4.3	3	9	54	27	172	25.9	4.8	9	2	0							

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record		Number of mates		No. of daughters	Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Broad Acres Farm M. E. Jones West Cheshire, Conn.	803	245	24.8	4.5	2	10	27	195	25.6	5.1	3
	808	214	25.9	4.7	1	12	20	171	25.1	5.1	2
Bunnell, C. A. Route 1 Caldwell, Idaho	91	219	25.5	4.3	1	9	21	161	26.0	3.9	1
											3
Carter, L. W. Route 3 Alexandria, Va.	C-6170	258	27.2	4.6	6	8	50	208	25.8	4.8	2
	M-506	330	24.5	--	3	7	21	175	25.3	4.7	6
Coles, W. B. Airpoint, Va.	C-3540	252	26.5	--	6	10	34	200	24.6	4.3	1
	C-4504	302	25.6	4.1	2	12	30	177	25.4	4.2	0
	C-5182	301	24.6	4.9	2	9	27	202	25.4	4.7	0
	C-5211	290	26.4	3.9	7	12	41	194	25.6	4.3	1
	C-5221	253	25.2	4.2	10	20	65	183	26.2	4.6	0
	C-6295	302	25.6	4.1	5	12	34	180	25.8	4.2	0
Coombs, J. O., and Son Sedgwick, Kans.	I-17	307	24.4	4.1	4	14	37	168	24.7	4.2	4
	I-136	289	25.1	4.8	13	19	80	175	25.0	4.2	5
	K-323	298	24.7	4.3	9	15	36	164	24.4	4.1	4
	K-500	316	25.8	--	10	16	69	165	25.8	4.4	2
	K-1517	276	27.8	4.9	4	13	29	165	25.2	4.2	0
	K-4162	280	24.6	3.7	10	19	73	195	24.5	4.3	0
Creighton Brothers Warsaw, Ind.	F-2628	308	24.2	5.0	5	14	40	197	26.0	4.9	7
	F-3705	281	26.1	5.3	3	15	39	165	26.6	4.9	0
	F-3792	285	24.5	4.9	3	13	29	187	25.4	4.6	0
	F-3960	275	24.8	5.5	4	15	41	198	24.7	4.7	11
	F-6210	301	26.2	4.6	5	14	47	169	25.4	4.8	23

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Parents (no.)	Offspring (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Creighton Brothers Warsaw, Ind. (Continued)	F-6696	303	24.1	4.8	11	16	175	108	214	26.3	4.5	23	6	0
	9-389	300	24.8	4.5	3	14	66	34	197	25.5	4.7	4	3	0
	9-465	311	24.4	4.5	6	12	72	29	173	25.4	4.7	17	4	1
	9-580	262	24.8	4.4	6	18	82	46	213	25.9	5.0	6	5	0
	9-595	263	25.8	4.8	4	13	104	42	173	25.8	4.9	29	4	0
	9-695	296	25.3	4.6	4	14	68	25	171	25.2	4.6	6	9	1
	9-747	295	25.1	--	6	17	120	52	173	26.4	4.9	27	2	0
	9-755	300	24.8	4.5	4	11	70	29	189	24.9	4.8	10	12	0
	9-786	263	25.8	4.8	4	14	98	34	141	25.9	4.8	11	0	0
	9-870	282	25.2	4.9	6	14	74	38	197	26.2	5.1	8	4	0
	9-912	280	24.4	4.6	5	15	78	45	209	25.4	4.6	5	6	0
	9-1079	258	25.1	5.0	9	15	105	72	226	26.2	4.5	7	4	0
	9-1087	264	26.5	5.8	5	15	70	40	217	26.7	4.5	4	6	0
	9-1091	266	24.3	4.6	3	15	90	39	180	25.6	4.8	19	6	0
	9-1128	264	26.5	5.8	5	16	88	52	214	26.3	4.9	19	6	0
	9-1136	252	27.3	4.9	5	11	63	33	193	27.0	4.9	10	0	0
	9-1144	257	26.1	4.9	3	9	56	30	208	25.5	4.6	5	6	0
	9-1259	239	27.3	4.6	4	13	77	48	204	27.2	4.9	4	0	0
	9-1362	252	27.3	4.9	4	14	84	41	172	26.8	4.9	7	0	0
	9-1364	276	24.9	--	7	13	76	43	200	25.9	4.8	3	3	0
	9-1379	252	27.3	4.9	5	12	81	36	183	25.7	4.5	13	4	0
	9-1453	285	24.5	4.7	4	13	73	39	204	25.3	4.5	9	6	0
	9-1601	271	26.6	4.9	6	12	84	46	219	25.2	4.5	9	12	0
	9-1602	275	24.6	4.5	6	10	70	45	217	25.3	4.5	7	8	1
	9-1606	276	24.9	--	6	13	107	50	217	24.6	4.7	9	22	0
	9-1640	265	27.0	4.7	6	17	86	56	214	26.5	4.8	12	1	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Daughters			Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal		Produced (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Creighton Brothers Warsaw, Ind. (Continued)	9-1714	289	25.6	4.9	6	15	123	48	167	26.2	4.6	17	4	0	
	9-1727	254	26.2	4.8	3	16	74	33	196	25.6	4.8	11	10	0	
	9-1857	282	25.7	5.4	6	15	93	43	175	26.6	4.9	10	1	0	
	9-2094	297	24.3	4.8	6	13	97	45	204	24.9	4.6	4	13	0	
	9-2100	280	25.3	--	5	18	134	57	185	25.7	4.7	17	10	0	
	9-2112	256	25.0	4.9	8	16	99	72	224	25.8	4.7	5	5	0	
	9-2198	297	25.0	4.0	7	17	132	69	183	25.7	4.5	12	4	0	
	9-2320	253	25.2	--	2	15	72	34	207	24.8	4.5	11	14	1	
	9-2327	267	25.5	4.3	9	12	121	82	244	25.4	4.7	4	9	0	
	9-2423	269	24.5	4.2	5	15	111	50	176	25.7	5.0	17	7	0	
	9-2489	255	25.1	4.6	3	15	74	32	162	26.4	4.6	19	1	0	
	9-2580	251	24.9	4.5	3	15	66	39	209	25.9	4.8	2	5	1	
	9-2623	296	25.3	4.6	2	12	67	30	203	24.8	4.5	6	8	1	
Crescent Farms Bradenton, Fla.	244	317	24.1	--	3	10	47	23	177	26.0	4.1	8	1	2	
	1118	323	26.8	--	5	6	61	28	172	26.1	4.3	10	1	0	
	E-1544	310	26.7	4.3	2	15	68	28	162	24.7	4.8	1	6	0	
	E-1546	285	27.4	4.8	1	13	68	25	153	25.0	4.6	3	4	0	
Denamore Poultry Farm Roanoke, Va.	C-4308	276	25.8	4.0	5	15	134	47	156	26.5	4.4	50	3	0	
	1447	291	26.5	4.3	3	8	44	30	206	26.5	4.2	11	1	2	
	1536	303	25.9	4.1	3	8	45	22	213	24.9	4.0	11	13	4	
	Puyallup, Wash.	1543	303	26.9	4.1	5	15	92	45	190	25.6	4.2	24	8	4
Dickey, P. S. Puyallup, Wash.	2724	318	26.6	3.6	5	11	48	30	204	26.4	4.0	11	0	3	
	K-22957	230	24.2	4.2	5	8	46	26	200	25.5	4.3	7	2	2	
	K-23524	--	--	--	4	7	42	21	205	25.2	4.2	4	6	4	
	K-23596	265	25.2	4.4	2	7	62	21	168	25.1	4.3	14	8	7	
Egg and Apple Farm Trumansburg, N. Y.															

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.	
Egg and Apple Farm Trumansburg, N. Y. (Continued)	L-12154	272	27.6	4.5	4	8	72	30	172	25.1	4.5	8	5	0
	L-12348	307	25.2	4.0	7	8	105	52	118	25.3	4.1	17	6	13
	L-12388	307	25.2	4.0	4	6	63	25	197	24.5	4.4	9	15	5
	L-13507	272	27.6	4.5	2	9	72	26	167	25.6	4.5	20	2	2
	L-13571	215	32.4	4.1	2	10	68	28	194	25.0	4.5	15	11	2
Empire Hatchery and H. I. Weller Columbus Grove, Ohio	G-3000	300	26.3	6.1	4	9	60	28	211	24.3	4.6	1	14	0
	H-4164	276	25.8	4.6	3	10	53	27	195	25.4	6.0	1	3	0
	H-4581	257	26.1	5.5	3	10	48	26	206	24.9	4.7	2	8	0
	H-4584	253	26.9	5.1	0	16	51	24	183	26.6	4.6	9	0	0
Gasson's Poultry Farms Versailles, Ohio	F-367	299	25.6	--	4	12	65	36	191	25.7	5.0	12	4	0
	G-1059	313	25.1	4.7	4	15	70	43	200	25.8	4.8	3	0	0
	H-491	292	24.9	5.2	3	13	37	22	232	24.8	4.8	5	5	0
	H-528	291	25.8	5.4	1	15	51	22	185	24.8	4.7	3	5	0
	H-774	291	26.5	--	4	22	149	62	166	25.5	4.9	21	7	1
	H-806	291	25.6	5.5	5	16	92	41	184	24.8	4.9	5	10	0
	H-901	291	26.5	--	7	17	91	42	175	25.3	4.8	10	5	0
	H-937	293	26.4	4.6	6	18	84	49	210	26.1	4.5	6	2	0
	H-1147	286	25.9	--	5	13	56	37	205	26.0	4.7	2	2	0
	H-1203	312	24.9	4.5	6	14	95	45	199	25.0	4.7	8	10	0
	H-1252	302	24.9	--	3	18	69	32	182	25.2	4.8	6	5	0
	H-1254	291	26.5	--	4	19	116	39	168	24.6	4.7	22	15	0
	H-1267	293	26.4	4.6	7	21	139	58	179	24.9	4.8	14	10	1
	H-1281	291	25.6	5.5	5	17	86	39	188	25.2	5.1	13	7	0
	H-1283	291	25.6	5.5	1	16	53	24	177	25.9	5.0	3	1	0
	H-1441	292	24.9	5.2	0	21	75	27	173	24.7	4.9	10	7	0
H-1454	291	25.8	5.4	3	17	70	38	193	25.6	4.8	6	3	0	

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record		Number of mates		Entered (no.)	No. living (no.)	Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M. tal.			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Gasson's Poultry Farms Versailles, Ohio (Continued)	H-1652	286	25.9	--	1 16	54	28	188	25.9	4.8	4	2 0
Gauss, C. B. Holcomb, N. Y.	L-12994 L-15098	282 244	25.2 25.2	4.9 4.8	6 9 2 11	44 55	25 20	211 175	26.2 25.3	4.3 4.3	4 9	0 4 5 6
Goetgeluck, Oscar St. Marys, W. Va.	D-1719 D-1724	224 264	26.3 24.8	4.1 4.7	2 15 2 14	58 47	23 20	168 171	26.2 26.4	4.5 4.3	22 17	3 0 1 1
Golden Rule Poultry Farm Bryan, Tex.	376 377	-- --	-- --	-- --	4 12 3 13	68 63	29 24	210 195	24.3 24.4	4.1 4.6	10 7	13 0 10 0
Hansen's Leghorn City Puyallup, Wash.	325 340 354 2339 2419 2435	318 303 304 318 300 320	26.8 24.8 26.4 26.8 25.4 24.8	4.9 4.7 4.2 4.9 5.0 4.7	2 10 7 11 2 11 5 13 4 9 5 10	35 79 29 45 33 44	27 61 24 39 26 37	242 270 241 249 244 243	27.2 25.1 27.5 25.8 25.4 26.7	4.4 4.8 4.4 4.6 4.4 4.5	2 3 1 1 0 2	0 0 0 0 0 0 0 0 0 0 0 0
Hanson, J. A. Corvallis, Oreg.	6-1 6-690 6-753 7-709 8-1087 8-1452 8-1525 8-1663 8-1679 8-1739 9-906	332 300 323 321 323 321 303 354 303 327 301	24.0 27.0 25.3 25.5 28.3 29.0 26.8 25.6 26.8 25.8 24.9	-- -- -- 5.4 4.9 5.2 5.2 5.6 5.2 5.4 3.8	4 7 6 10 9 11 5 7 10 13 4 6 15 19 8 12 15 20 7 13 12 16	67 78 90 74 114 28 115 51 160 77 137	45 54 66 47 77 23 89 33 96 59 104	261 263 256 228 257 240 252 237 268 250 258	25.2 25.8 25.6 26.1 25.4 27.3 26.2 25.8 25.2 26.0 25.8	4.6 5.0 4.9 5.0 4.9 4.8 5.0 5.1 4.8 4.9 4.9	3 1 4 2 11 3 7 6 12 8 13	11 4 9 2 13 0 5 3 25 1 11

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires

1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.	
Hanson, J. A. Corvallis, Oreg. (Continued)	9-916	304	26.8	4.7	4	9	49	37	234	26.2	5.0	4	1	0
	9-1037	354	25.4	5.6	5	8	62	44	257	25.8	5.0	4	8	0
	9-1051	301	24.9	3.8	7	14	42	30	271	25.5	4.9	1	4	0
	9-1092	316	26.7	5.4	4	12	86	45	224	25.8	5.2	10	7	0
	9-1175	317	25.1	4.3	7	14	53	33	240	25.0	4.7	3	8	0
	9-1182	325	26.1	5.1	3	12	54	32	236	25.6	5.2	9	9	0
	9-1196	310	25.4	5.5	9	11	73	58	252	26.2	5.2	2	4	0
	9-1313	328	27.0	5.3	9	14	123	90	244	25.9	5.3	11	7	0
	9-1384	325	26.1	5.1	6	11	55	32	238	25.0	4.8	7	10	0
	9-1431	329	25.6	4.6	6	14	84	60	236	26.5	5.0	8	3	0
	9-1465	354	25.4	5.6	9	12	35	26	262	25.6	5.3	5	2	0
	9-1475	317	28.8	5.8	7	14	73	48	238	25.6	4.8	6	6	0
	9-1518	354	25.4	5.6	2	7	35	20	226	25.5	5.2	6	4	0
	H-2668	312	25.3	5.0	2	13	77	31	127	26.2	4.8	1	2	0
	H-2880	298	27.5	5.4	4	20	134	48	134	25.5	4.7	8	6	0
H-2984	314	26.0	5.5	3	18	83	40	163	25.5	4.6	4	3	0	
Hutchings Breeding Farm & Hatchery Springville, Utah	E-6	254	27.6	3.8	2	15	58	25	203	25.3	5.3	15	3	10
	W-110	277	24.6	--	1	14	38	25	217	26.6	4.2	2	1	1
	W-1516	244	26.5	--	6	10	65	38	206	26.4	4.1	3	1	1
	L-5892	309	26.9	4.6	2	17	67	25	179	26.2	4.3	11	3	0
	L-5899	309	26.9	4.6	2	15	44	23	189	25.8	4.3	9	4	1
	L-5914	315	25.7	4.3	0	17	35	21	209	25.5	4.2	6	4	0
	M-77	318	25.2	4.8	2	14	50	26	188	25.9	4.9	7	3	0
	M-88	270	25.8	4.1	4	11	54	29	230	26.9	4.5	3	6	0
	M-2123	300	26.1	4.0	11	12	101	80	246	27.0	4.5	8	3	0
	Hile's Poultry Farm Mount Vernon, Ohio													
Hutchings Breeding Farm & Hatchery Springville, Utah														
Johnson, N. K. Route 4 Snohomish, Wash.														
Kellar and Cockell Ranier, Oreg.														

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Birew 1/

Daughters												
Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Survived (no.)	Average performance			No. comp. year but failing to qualify because of low -
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.C.M.	To- tal			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	
Kirk, U. J. St. Paul, Oreg.	M-1854	310	24.5	4.2	8	14	102	56	229	25.4	4.2	3 9 5
	M-1855	312	24.7	4.9	4	10	73	35	218	24.6	4.5	7 16 1
	M-1959	300	24.6	4.6	8	13	84	50	211	26.5	4.7	9 2 0
	1691	271	25.8	4.5	3	15	83	30	--	--	--	25 16 1
Kwaliti Farm Route 1 Cranbury, N. J. Larson, Archie M. Weiser, Idaho	140	252	26.0	4.3	6	8	66	47	227	25.9	4.6	3 3 0
	340	213	25.3	4.1	6	7	70	39	214	25.9	4.1	0 4 3
	439	246	24.7	3.6	5	8	62	38	213	26.3	4.2	3 1 3
	640	264	--	3.8	2	5	33	22	207	26.4	4.1	3 0 1
	839	246	24.7	3.6	4	6	64	33	204	25.9	3.9	5 5 3
	940	251	26.2	4.4	4	9	41	27	210	26.7	4.4	1 0 0
	1140	251	26.2	4.4	5	8	67	38	205	25.5	4.1	3 2 1
	1240	240	25.5	4.2	3	7	43	25	202	25.3	4.2	1 1 1
	1340	246	25.3	3.6	4	7	76	33	185	26.0	4.4	5 1 0
	1440	248	--	3.8	4	6	42	27	207	25.9	4.1	3 0 3
Manti-Apex Breeding Farm & Hatchery Manti, Utah	D-78	252	25.1	3.5	3	13	82	34	213	24.5	3.9	13 27 7
	D-141	240	25.4	3.7	7	14	126	54	169	25.3	4.2	19 9 2
	D-216	240	24.7	4.3	4	15	110	44	172	24.8	4.0	17 18 7
	D-298	232	25.6	4.2	2	14	72	28	185	24.8	4.2	7 7 2
	D-460	225	24.2	4.0	3	13	73	35	198	25.8	4.2	12 4 3
	D-562	236	24.1	3.4	4	18	139	53	182	25.0	4.1	20 24 7
	D-751	234	26.4	4.1	5	13	64	38	192	26.2	4.4	10 1 0
Manwaring Leghorn Farm Mentone, Ind.	9-2942	273	28.4	4.5	3	9	49	27	190	25.1	4.5	7 4 0
	9-2943	284	26.1	4.3	9	12	129	68	200	24.9	4.6	16 15 0
	9-2946	284	26.1	4.3	9	12	113	59	211	25.0	4.7	16 22 0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Man-housed family average.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered		Daughters		Average performance		No.comp.year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	Entered (no.)	Qualified (no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	No.comp.year but failing to qualify because of low -
Manwaring Leghorn Farm Mentone, Ind. (Continued)	9-2947	273	26.9	4.5	4	9	67	42	197	26.4	4.4	5	2	0	
	9-2948	294	24.3	4.3	4	7	71	39	195	25.4	4.6	16	3	0	
	9-2950	273	28.4	4.5	4	11	64	35	191	26.4	4.8	7	2	0	
	9-2951	284	26.1	4.3	6	12	83	40	203	24.7	4.6	11	15	0	
	9-2952	266	25.3	4.5	4	10	41	29	222	25.0	4.7	3	4	0	
	9-2953	284	26.1	4.3	4	9	57	37	206	25.5	4.9	6	5	0	
	9-2954	273	28.4	4.5	4	10	63	34	194	26.0	4.7	8	5	0	
	9-2955	284	26.1	4.3	2	8	34	20	203	24.9	4.6	4	3	0	
	D-40	242	27.3	4.6	2	15	50	20	182	26.5	4.5	13	1	1	
Michotte, G. Mount Clare, W. Va.	D-52	225	26.1	4.3	4	11	53	29	184	26.4	4.4	12	0	0	
	D-58	274	26.5	3.9	1	14	39	20	189	26.1	4.2	8	1	0	
	M-972	333	24.5	--	3	16	77	28	152	26.1	5.1	4	0	0	
Moll Breeding Farm Wauseon, Ohio	H-4267	309	26.5	--	3	15	86	31	151	26.7	4.9	4	3	0	
	H-4271	313	25.3	--	3	15	64	24	150	26.5	4.7	1	0	0	
	H-2208	288	26.3	5.4	3	16	91	35	175	25.8	5.0	9	2	0	
Peninsula Poultry Farms Fort Clinton, Ohio	E-117	259	27.9	4.4	1	14	51	22	172	26.0	3.9	3	4	0	
	E-142	259	27.9	4.4	2	13	66	24	166	25.3	4.1	4	4	2	
	Provo, Utah														
Rowley, H. K., (Monongalia County, W. Va.) Mt. Morris, Pa.	D-1243	257	28.9	4.8	4	12	61	39	211	26.8	4.4	14	3	1	
	D-1287	256	25.0	4.8	3	8	57	32	215	26.2	4.6	18	4	0	
	D-1294	240	26.3	4.6	3	7	47	29	228	25.0	4.4	5	9	1	
	D-1315	278	24.6	3.8	2	7	36	20	207	25.0	4.3	13	8	0	
	D-1353	255	25.0	4.0	3	5	37	26	227	26.0	4.3	7	1	0	
Rowley, P. B. Bryallup, Wash.	9-2193	284	24.4	4.1	3	15	58	30	218	24.5	3.8	11	11	1	
	9-2888	285	25.7	3.7	3	10	55	27	223	24.5	3.8	7	15	0	

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Hen-housed family average.

Single-Comb White Leghorn Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered no. (no.)	No. of daughters (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal			Egg/2 prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.	
Sand Springs Home-Farms Sand Springs, Okla.	3744	271	24.9	3.9	2	8	54	22	189	24.4	4.0	10	13	2
Seidel, W. A.	508	288	26.6	4.3	8	14	118	65	200	25.4	4.5	6	5	0
P. O. Box 1117	562	315	25.4	5.0	7	7	120	66	185	25.7	4.6	13	5	0
San Antonio, Tex.	569	278	26.2	4.3	9	13	229	125	186	25.5	4.7	34	2	1
	573	288	26.6	4.3	15	18	316	199	202	25.6	4.5	26	6	0
	638	292	28.6	5.2	5	7	70	50	215	25.8	4.9	3	0	0
	647	320	25.9	4.2	9	15	105	57	208	25.2	4.5	10	5	0
	649	336	25.4	4.5	4	5	55	29	196	25.4	4.6	7	2	0
	650	297	29.0	5.2	3	4	47	29	199	25.8	4.7	3	1	0
	1501	321	24.4	5.2	5	12	84	35	188	24.9	4.7	14	3	1
	1503	314	26.2	6.3	6	10	104	57	199	25.2	4.7	11	7	0
	1504	322	26.2	6.0	6	10	81	53	213	25.0	4.5	7	4	0
	1506	311	25.6	5.3	8	12	167	107	226	24.6	4.8	14	12	0
	1507	322	25.5	5.3	4	8	66	34	189	26.1	4.7	10	1	0
	1509	276	26.2	5.0	13	15	175	99	197	25.6	4.8	24	0	0
	1510	288	26.7	4.3	5	11	96	54	201	25.3	4.5	13	1	0
Seifert's White Leghorn Farm	34694	--	--	--	4	14	57	40	213	26.6	5.2	4	0	0
Green Bay, Wis.	37505	--	--	--	5	16	65	52	222	27.2	5.0	0	0	0
Stephens, Frank	37794	--	--	--	2	12	32	21	196	27.1	5.2	1	0	0
Star City, Ind.	9-62	279	24.7	4.8	2	13	48	23	--	--	--	1	4	0
	9-186	264	26.7	5.1	4	12	85	39	--	--	--	5	7	0
	9-345	267	24.4	5.5	8	27	163	76	--	--	--	3	11	0
Town Line Poultry Farm	L-2964	235	25.3	4.4	4	13	88	36	166	25.2	4.3	29	8	1
Zeeland, Mich.	L-2999	260	24.2	4.1	1	13	56	23	162	25.1	4.3	17	10	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/Hen-housed family average.

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Daughters				No.comp.year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.C.M. tal	Entered (no.)	Qualified (no.)	Average performance		Egg prod. wt.		Egg wt.		
								Egg2/ prod. (no.)	Body wt. (lbs.)					
													Egg wt. (oz. per doz.)	Body wt. (lbs.)
Whittenburg, D. H. Richfield, Utah	E-27	280	25.1	3.7	3	14	63	29	182	25.4	4.0	17	4	0
Winthrop Farm Rock Hill, S. C.	148	--	--	--	3	9	38	23	209	25.6	4.8	5	3	0
Young, B. C. Bellingham, Wash.	797	271	27.7	4.8	2	4	23	21	256	25.3	4.5	0	1	0
	9-983	297	26.0	4.5	3	6	42	27	226	25.0	4.2	1	6	0
	9-5186	275	28.3	4.1	3	9	47	31	226	26.0	4.5	10	3	0
	5200	281	27.8	4.1	2	7	35	29	265	25.7	4.4	3	1	0
	9-5204	270	26.2	4.3	4	7	40	27	223	26.1	4.5	4	3	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/Hen-housed family average.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Daughters		Average performance			No. completing year but failing to qualify because of low -	
			Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg				
									Egg2/ prod. (no.)	wt. (oz. per doz.)	Body wt. (lbs.)		
	Dam											Egg prod. wt.	Egg wt.
Alampi Breeding Farm Williamstown, N. J.	J-7	486	271	24.8	5.1	12	5	--	--	4	0	0	
	J-36	675	219	27.3	5.2	17	7	--	--	4	0	0	
Atha, P. C., Jr. Route 5 Fairmont, W. Va.	B-637	B-662	239	25.0	3.8	7	4	186	26.2	4.0	1	0	
	D-997	D-1160	282	25.7	4.2	8	5	202	25.9	3.9	1	1	
Avery, G. W., & Son Tualatin, Oreg.	8-3	M-1527*	260	26.4	4.5	7	6	247	25.9	4.5	0	0	
	8-83	M-1527*	263	25.4	3.9	16	8	224	24.4	4.5	1	4	
	8-113	M-1527*	278	24.2	4.6	8	4	149	25.8	4.7	0	0	
	8-286	M-1527*	250	27.2	4.7	13	7	253	25.0	4.6	0	2	
	8-412	M-1527*	301	24.2	4.5	9	7	216	25.8	5.2	0	0	
	8-488	M-1527*	281	26.0	4.8	10	6	276	24.5	4.6	0	4	
	8-14	M-1539*	296	24.9	5.0	19	9	264	24.5	4.3	0	4	
	8-210	M-1539*	276	25.3	4.9	7	5	270	24.4	4.1	1	2	
	8-345	M-1539*	293	26.8	4.8	18	11	209	25.6	4.3	0	2	
	8-352	M-1539*	260	26.6	4.5	8	4	228	24.5	4.1	0	3	
	8-578	M-1539*	253	25.2	4.4	9	5	254	24.5	4.1	0	3	
	7-204	M-1554	284	25.3	3.9	8	4	240	24.5	4.1	0	0	
	8-57	M-1554	286	25.5	4.8	5	4	289	25.2	4.6	0	1	
	8-299	M-1554	254	26.2	4.3	15	5	248	23.9	4.2	0	5	
	8-383	M-1554	286	25.1	4.1	10	5	276	23.9	3.9	0	3	
	8-177	M-1582*	274	26.8	4.2	5	4	283	24.3	4.4	0	1	
	8-214	M-1582*	269	25.2	4.3	14	11	265	24.8	4.6	0	3	
	8-550	M-1582*	283	25.0	4.5	12	7	253	24.5	4.2	2	3	
	7-119	M-1617*	296	24.4	4.2	8	4	248	23.8	4.2	1	2	
7-462	M-1617*	259	25.7	3.9	6	6	279	25.5	4.2	0	0		
8-1	M-1617*	260	26.2	4.8	11	6	198	25.3	4.2	1	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Avery, G. W., & Son Tualatin, Oreg. (Continued)	8-10	M-1617*	289	27.1	3.9	13	11	236	26.6	4.2	0	0	0
	8-64	M-1617*	254	26.2	4.7	11	4	174	25.7	4.3	2	0	0
	8-343	M-1617*	307	24.8	4.3	12	4	232	24.9	4.2	1	4	0
	8-509	M-1617*	281	24.0	3.8	8	4	199	24.8	4.2	0	1	0
	7-244	M-1869*	281	25.2	4.1	4	4	250	27.3	4.9	0	0	0
	8-334	M-1869*	289	24.5	4.7	11	7	251	24.7	4.4	0	3	0
	8-408	M-1869*	265	24.4	4.6	12	7	245	24.6	4.3	0	2	0
	8-467	M-1869*	293	24.5	4.0	12	9	231	26.8	4.3	0	0	0
	8-496	M-1869*	289	24.9	4.7	9	7	242	26.1	4.3	1	0	0
	8-53	M-1916*	299	24.2	4.2	11	8	236	25.5	4.7	0	1	0
	8-59	M-1916*	314	24.2	4.4	14	6	207	24.6	4.3	1	2	0
	8-346	M-1916*	296	25.9	4.2	10	7	219	25.5	4.6	0	0	0
	8-349	M-1916*	272	25.8	4.6	11	6	230	24.9	4.7	1	2	0
	8-354	M-1916*	277	26.4	4.6	9	4	204	25.4	4.6	0	2	0
Ayr lawn Farms Bethesda, Md. Baum, W. C. Route 1 Kaw City, Okla. Beall, L. C. Vashon, Wash.	8-430	M-1916*	276	24.6	3.9	12	6	229	24.7	4.2	0	2	0
	8-309	M-1930	277	26.1	4.7	14	5	186	24.9	4.2	2	0	0
	8-310	M-1930	265	27.1	4.2	4	4	229	25.7	4.1	0	0	0
	75	454	266	26.7	4.5	6	4	197	25.6	4.8	1	0	0
	2616	3330	206	25.2	4.1	12	4	128	25.4	4.5	2	1	0
	4110	3330	225	27.8	3.9	22	8	132	26.7	4.4	1	0	0
	4111	3331	247	24.0	3.8	12	4	117	26.6	4.2	1	0	0
	2594	3932	221	25.0	3.8	7	4	134	26.0	4.2	0	0	0
	J-72	9-1148	311	24.7	4.3	6	4	243	24.5	4.2	0	1	0
	J-320	9-1148	313	24.4	4.4	6	4	286	24.2	4.0	0	2	0
J-922 9-1163 303 24.6 4.0 8 6 263 24.5 4.2 0 1 0													

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Daughters				Average performance			No. completing year but failing to qualify because of low -		
			Entered (no.)	Qualified (no.)	Dam's first- year record			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (lbs.)	Body wt. (lbs.)
					Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					
Beall, L. C. Vashon, Wash. (Continued)	Dam	Sire mate	I-352	9-1669	300	24.8	3.9	220	24.9	4.1	0	0
			J-128	9-1676	302	26.7	5.2	239	24.0	4.1	0	0
			K-1421	9-2513	277	26.8	4.6	212	27.2	4.7	0	0
			K-1418	J-1427	284	26.3	4.1	234	24.7	3.8	0	0
			I-323	J-1441	303	24.4	4.0	174	25.8	4.4	0	0
Becker's Ravenswood Leghorn Farm Oxford, Fla.	Dam	Sire mate	8-49	202*	281	24.3	4.2	176	25.5	4.2	3	1
			8-103	202*	250	25.5	4.0	206	26.1	4.7	2	0
			8-119	202*	253	25.3	4.1	191	26.2	4.3	10	0
			8-145	202*	281	24.8	4.0	216	25.1	4.6	2	0
			8-148	202*	241	26.2	3.5	172	27.4	4.6	1	0
			8-162	202*	247	24.4	4.0	196	26.0	4.4	3	0
			8-183	202*	259	26.5	3.7	191	26.8	4.4	5	0
			8-219	202*	270	24.9	4.0	200	26.0	4.5	0	1
			8-230	202*	288	25.2	3.7	210	25.0	4.3	6	0
			8-235	202*	270	24.9	4.1	205	25.4	4.2	3	0
			9-13	207*	286	26.1	4.6	206	24.7	4.4	1	0
			9-37	207*	243	26.6	4.4	154	25.3	4.3	4	0
			9-64	207*	265	25.5	4.0	189	25.9	4.4	3	0
			9-88	207*	270	26.3	4.0	181	25.2	4.2	5	0
			9-111	207*	264	26.3	4.0	133	27.0	4.6	1	0
			9-133	207*	232	--	--	158	26.1	4.4	0	0
			9-169	207*	282	24.7	4.2	220	25.0	4.0	1	0
			9-179	207*	287	24.0	4.5	196	25.5	4.2	4	0
			8-27	212*	251	26.3	4.1	197	24.9	4.4	4	0
			8-50	212*	256	27.0	4.5	161	25.6	4.3	5	1
			8-53	212*	235	25.1	3.7	200	24.9	4.3	5	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered		Daughters			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Qualified	Average performance	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. wt.	Egg wt.
Becker's Ravenswood Leghorn Farm Oxford, Fla. (Continued)	8-79	212*	277	26.1	4.0	15	10	199	25.6	4.3	5	1	0
	8-182	212*	234	25.6	4.2	14	5	175	25.5	4.2	7	2	0
	8-216	212*	284	25.5	4.1	18	9	177	24.9	4.5	4	1	0
	8-254	212*	238	27.1	4.2	19	12	204	25.7	4.4	4	2	0
	8-382	212*	260	27.1	4.1	23	10	187	26.6	4.4	7	1	0
	9-20	219*	229	26.6	4.2	12	6	186	25.3	4.0	1	0	1
	9-50	219*	248	27.4	4.5	14	7	195	26.1	4.0	2	2	1
	9-55	219*	214	25.1	4.2	14	7	209	26.0	4.0	4	2	0
	9-67	219*	280	25.3	3.9	20	15	212	26.2	4.0	1	1	0
	9-97	219*	248	24.6	3.9	19	10	189	25.6	3.7	2	0	1
	9-118	219*	217	24.0	3.5	9	4	183	26.5	4.0	4	0	0
	9-151	219*	272	25.6	4.2	11	5	184	26.9	4.5	4	0	0
	9-157	(219* (226*	226	24.8	4.2	23	8	154	26.7	4.3	10	1	1
	9-29	222*	263	24.3	4.4	20	11	211	24.1	4.0	4	5	0
	9-45	222*	250	25.0	4.0	13	6	227	24.6	3.8	2	2	0
	9-47	222*	260	24.2	3.8	14	7	195	25.6	4.0	5	1	0
	9-52	222*	272	25.0	4.0	10	5	185	25.4	4.1	0	1	0
	9-57	222*	259	24.4	4.2	9	4	194	24.5	4.0	4	2	0
	9-61	222*	224	26.3	4.2	19	11	199	26.6	4.4	3	1	0
	9-69	222*	223	26.7	4.0	10	5	202	25.9	3.9	3	0	0
	9-71	222*	262	25.7	3.9	4	4	240	26.6	4.1	0	0	0
	9-81	222*	262	24.1	4.1	16	9	203	25.7	4.0	4	0	0
	9-83	222*	255	27.0	4.0	18	10	229	24.5	3.9	3	5	2
	9-86	222*	243	24.2	4.4	14	9	211	24.7	4.1	3	2	1
	9-102	222*	229	25.9	4.5	24	14	223	24.8	4.1	2	7	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -								
			Egg prod. (no.)		Egg wt. (oz. per doz.)				Body wt. (lbs.)		Egg wt. (oz. per doz.)		Body wt. (lbs.)		Egg prod. wt. (lbs.)		Egg wt. (oz.)		Body wt. (lbs.)	
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod. wt. (lbs.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod. wt. (lbs.)	Egg wt. (oz.)	Body wt. (lbs.)				
Becker's Ravenswood	9-126	222*	225	24.3	4.0	13	8	219	24.7	3.8	2	2	2	1	2	2	1			
Leghorn Farm	9-174	222*	268	24.6	4.8	12	6	197	25.4	4.2	4	4	2	1	2	2	1			
Oxford, Fla.	9-176	222*	228	27.0	3.5	10	8	233	25.7	3.9	2	2	0	0	0	2	0			
(Continued)	9-16	226*	242	26.4	3.9	21	13	205	25.5	4.1	2	2	1	0	0	2	0			
	9-24	226*	226	24.5	4.9	12	7	191	25.2	4.4	4	4	0	0	0	4	0			
	9-31	226*	230	25.5	4.0	14	6	162	25.9	4.1	4	4	1	0	0	4	0			
	9-44	226*	227	25.5	4.4	16	8	200	26.0	4.5	4	4	2	0	0	4	0			
	9-74	226*	274	26.0	4.5	12	8	230	25.2	4.6	2	2	1	0	0	7	0			
	9-141	226*	231	25.0	4.0	13	5	171	25.2	4.4	7	4	1	0	0	1	0			
	9-154	226*	221	26.1	3.9	9	5	189	25.8	4.3	4	4	0	0	0	4	0			
	8-2	227*	245	25.6	4.0	6	4	234	25.4	4.1	0	0	2	1	1	0	1			
	9-18	227*	257	26.9	4.2	21	13	176	27.2	4.4	6	6	0	0	0	6	0			
	9-62	227*	239	24.8	4.5	14	6	187	26.4	4.1	7	7	1	1	1	7	1			
	9-73	227*	257	25.6	3.8	17	7	169	25.6	4.0	6	6	0	1	1	6	1			
	9-76	227*	245	28.7	4.0	12	5	152	26.4	4.1	1	1	0	1	1	1	1			
	9-90	227*	262	25.0	4.2	17	6	183	25.9	3.7	5	5	1	3	3	5	3			
	9-96	227*	270	25.3	4.0	13	8	219	26.3	3.9	1	1	2	0	0	1	0			
	9-110	227*	248	26.3	5.0	19	12	200	27.1	4.3	5	5	0	0	0	5	0			
	9-114	227*	251	24.1	4.8	9	4	169	26.1	4.3	5	5	0	0	0	5	0			
	9-171	227*	261	24.8	4.0	17	11	203	26.1	4.3	2	2	2	2	2	2	2			
	9-181	227*	228	26.1	4.0	18	13	228	26.1	4.3	3	3	3	3	3	3	3			
	8-11	230*	226	27.3	5.0	23	12	185	27.1	4.5	6	6	0	0	0	6	0			
	8-40	230*	247	25.6	4.6	20	16	224	25.3	4.1	3	3	2	0	0	3	0			
	8-41	230*	254	25.8	4.2	8	5	197	25.4	4.5	3	3	0	0	0	3	0			
	8-45	230*	263	24.1	4.5	18	9	211	24.9	4.1	5	5	3	1	1	5	1			
	8-72	230*	274	24.4	4.6	25	15	201	26.2	4.4	5	5	2	2	2	5	2			

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. Leg- band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Egg		Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)
		prod. (no.)	wt. (oz.)										
Becker's Ravenswood Leghorn Farm Oxford, Fla. (Continued)	Dam	Sire mate											
	8-80	230*	282	26.1	4.1	23	10	185	26.5	4.4	8	2	1
	8-96	230*	259	24.2	4.0	10	5	184	26.6	4.2	1	0	0
	8-166	230*	231	25.1	5.0	12	8	216	25.7	4.0	1	2	2
	8-180	230*	292	25.1	4.1	11	10	245	25.0	4.4	0	1	0
	8-191	230*	259	26.5	4.5	16	10	194	27.1	4.4	4	0	0
	8-213	230*	234	26.3	4.5	18	9	202	27.2	4.2	7	0	0
	8-252	230*	281	24.0	5.2	20	11	209	25.5	4.6	4	3	0
	8-68	232*	285	26.8	4.2	14	9	201	26.2	4.0	3	1	1
	8-75	232*	262	27.1	4.2	11	9	219	26.7	4.1	2	0	0
	8-85	232*	237	24.0	4.0	11	4	194	26.3	4.4	2	0	0
	8-106	232*	274	25.4	4.2	19	15	216	26.3	4.6	2	2	0
	8-129	232*	278	25.1	4.2	14	8	182	26.8	4.4	3	0	0
	8-151	232*	264	24.5	4.7	18	7	182	26.5	4.5	8	0	0
	8-156	232*	260	24.0	3.5	13	6	172	25.6	4.2	3	0	0
	8-224	232*	265	26.1	4.3	4	4	220	27.6	4.7	0	0	0
Bengtson Brothers Puyallup, Wash.	8-226	232*	235	24.2	4.7	23	13	191	25.7	4.2	6	0	0
	8-253	232*	271	26.2	4.1	14	10	211	25.9	4.4	3	1	0
	8-256	232*	307	24.8	4.7	8	4	218	25.2	3.9	2	1	1
	8-264	232*	290	24.9	3.7	8	6	215	25.6	3.7	1	0	1
	K-302	5*	260	25.6	4.5	9	4	196	25.5	4.3	2	1	0
	K-573	9-43*	280	24.3	3.8	9	9	284	26.0	4.4	0	0	0
	K-633	9-43*	337	24.6	4.4	7	5	240	26.3	4.4	2	0	0
	K-346	9-64*	289	26.1	4.6	5	4	263	25.7	4.4	1	0	0
	K-452	9-64*	281	25.5	4.3	5	5	243	26.3	4.6	0	0	0
	K-560	9-64*	291	26.6	4.3	6	4	222	26.0	4.3	1	0	0
	K-461	9-65	252	25.0	4.7	5	4	238	25.2	4.6	1	0	0

For explanation of abbreviations, units, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Filtered (no.)		Rejected (no.)		Daughters			No. completing year but failing to qualify because of low -		
			Average performance												
			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)										
	Dam	Sire mated	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)				
Bengtson Brothers Puyallup, Wash. (Continued)	K-609	9-77	304	26.2	4.0	5	5	300	26.4	4.2	0	0	0		
	K-502	9-79	316	25.0	4.0	7	4	267	23.9	4.0	1	2	0		
	K-598	9-79	290	25.4	4.5	6	4	231	25.4	4.6	2	0	0		
	K-453	9-1897	296	24.6	--	6	4	248	25.1	4.3	1	1	0		
	H-5386	J-23917	271	24.0	4.5	15	6	178	24.5	4.9	4	2	0		
Bodine, Eli H. Cheung, N. Y.	I-7009	J-23917	275	27.6	4.9	14	7	148	25.8	4.7	2	0	0		
	K-97	J-23917	310	26.4	4.4	13	5	147	25.3	4.7	3	0	0		
	K-2554	K-20859	241	26.4	3.9	8	5	231	25.8	4.7	2	0	0		
	J-8284	K-20804	271	25.2	4.6	12	4	182	25.6	4.3	0	0	0		
	K-214	K-20804	314	25.2	4.1	9	5	157	25.6	4.7	0	0	0		
	K-1111	K-20804	302	25.2	4.6	9	7	236	24.8	4.7	1	0	0		
	K-183	K-20878	271	25.2	3.8	10	4	236	24.6	4.3	0	2	1		
	J-8136	K-22305	278	25.2	4.4	8	4	175	25.2	4.6	1	0	0		
	J-8308	K-22305	271	25.2	4.5	15	9	197	26.3	4.6	0	0	0		
	J-8459	K-22305	276	25.2	4.5	11	6	191	27.1	4.6	1	0	0		
	J-8528	K-22419	252	24.0	3.9	18	8	168	26.2	4.5	6	1	0		
	K-120	K-22427	267	26.4	4.4	5	4	222	27.8	4.6	0	0	0		
	J-8297	K-23300	307	24.0	4.9	20	7	158	24.7	4.6	3	3	0		
	J-8208	L-11484	311	25.2	4.7	9	6	211	25.4	4.8	0	0	0		
	J-8800	L-11484	278	26.4	4.1	9	5	188	25.5	4.8	1	1	0		
	J-8862	L-11484	237	24.0	4.6	7	5	211	25.5	4.6	0	0	0		
	K-2056	L-11923	290	25.2	4.2	8	5	232	24.9	4.3	1	0	0		
	K-2620	L-11975	306	27.6	4.4	5	4	264	25.0	4.2	0	0	1		
	K-1234	L-11981	270	27.6	5.8	8	4	190	26.2	5.1	0	1	0		
	K-2917	L-12695	283	25.2	4.5	12	6	238	24.4	4.7	1	2	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Han-housed family average.

* Sire mated also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Daughters			Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)					Egg wt. (oz. per doz.)							
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)			Egg wt. (oz. per doz.)			Body wt. (lbs.)			
	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)						
Bower's Poultry Farm Route 5 Circleville, Ohio	J-23	(A-993* (E-1202	253	26.7	4.3	13	8	192	25.3	4.6	2	1	0		
	J-35	(A-993* (E-1202	287	27.7	4.7	9	4	164	24.7	4.7	0	1	0		
	J-67	(A-993* (E-1202	233	25.8	4.6	10	4	154	26.2	5.0	1	0	0		
	J-76	(G-100 (G-372*	249	26.9	4.0	14	7	199	25.7	5.0	0	1	0		
	J-174	(G-100 (G-372*	291	24.8	4.4	17	10	212	25.0	5.2	3	2	0		
	J-190	(A-993* (E-1202	270	27.9	5.0	12	5	169	25.1	4.8	2	1	0		
Bowles, H. T. Charlottesville, Va.	1098	C-2793	275	27.5	4.4	10	4	121	27.4	4.5	2	0	0		
	681	C-3508*	299	25.5	4.6	13	8	196	26.7	4.7	2	0	0		
	769	C-3508*	311	26.1	4.4	7	4	192	25.8	4.7	2	0	0		
	1004	C-3508*	274	26.5	4.8	9	5	180	25.7	4.8	1	0	0		
	1020	C-5290	310	25.2	4.4	6	4	208	27.4	4.8	0	1	0		
	717	C-5358	266	27.1	4.6	10	6	203	26.3	4.5	2	0	0		
	700	C-5451	272	25.9	5.2	11	7	199	26.7	5.5	0	0	0		
Broad Acres Farm M. E. Jones West Cheshire, Conn.	5283	803*	271	26.2	5.5	11	7	242	25.3	5.4	2	2	0		
	5368	803*	229	26.0	5.0	7	5	208	25.6	4.9	1	0	0		
	5364	808*	250	24.7	4.3	9	4	193	25.1	4.9	1	1	0		
	E-79	91*	260	27.2	3.5	6	4	205	26.6	3.6	1	0	0		
Bunnell, C. A. Route 1 Caldwell, Idaho	C-37	D-711	266	26.3	4.1	7	4	162	26.7	4.2	1	0	0		
	C-103	D-711	241	24.9	4.1	9	6	187	26.5	3.9	0	0	0		
	C-106	D-711	288	24.1	4.0	9	4	213	24.9	3.9	0	3	1		

For explanation of abbreviations, units, symbols, etc., see Introduction.

✓ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.P.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Filtered (no.)	Egg prod. (no.)	Average performance			No. completing year but failing to qualify because of low -		
		Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Bunnell, C. A. Route 1 Caldwell, Idaho (Continued)	D-114 C-66 C-311 E-262	D-722 D-798 D-798 D-708	270 215 222 222	25.1 25.2 24.9 26.1	3.6 3.8 3.5 3.5	9 6 4 6	4 4 4 4	173 197 241 225	25.3 26.1 28.3 24.7	3.5 3.9 4.0 3.6	1 0 0 1	
Carter, L. W. Route 3 Alexandria, Va.	E-199 E-084 E-140 E-146 E-183 E-215 E-247 E-007 E-120 E-162 E-195	E-23 E-23 C-6170* C-6170* C-6170* C-6170* C-6170* M-506* M-506* M-506* M-915	256 200 229 211 253 225 226 222 220 264 220	26.5 25.5 25.8 24.4 25.5 24.1 24.6 24.1 26.0 25.9 25.8 26.7	3.8 3.9 3.8 4.1 4.1 4.3 4.3 4.1 4.2 5.2 4.6	6 9 13 14 9 7 18 10 14 15 6	4 5 8 10 6 6 11 6 7 4 7 4	213 176 210 212 225 228 198 197 206 145 172 196	26.9 26.7 25.9 25.7 25.7 25.2 26.1 26.0 26.0 26.0 25.3 27.8	5.3 5.3 4.6 4.6 4.5 4.9 4.9 5.4 5.2 4.6 4.8 4.9	0 0 0 1 0 1 0 0 0 1 1 0	
Coles, W. B. Airpoint, Va.	E-14 E-83 E-727 E-808 E-811 E-839 E-332 E-440 E-405	C-3540* C-3540* C-3540* C-3540* C-3540* C-4504* C-4504* (C-5182* (C-2291*	283 262 246 271 265 248 281 278 271	24.3 26.1 25.6 25.0 27.5 26.4 25.0 25.7 25.9	4.2 4.0 4.2 4.4 4.9 4.1 3.8 3.6 3.9	8 11 11 10 15 7 13 10 11	4 6 6 4 5 4 5 5 7	249 229 206 219 177 184 174 161 225	24.3 24.5 24.5 24.5 25.1 25.3 24.3 25.6 25.8	4.2 4.2 4.4 4.4 4.5 4.5 3.8 4.3 4.4	0 1 1 1 1 0 0 0 1	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Pen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered Exhibited		Daughters			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg prod. wt.	Egg wt.
Bower's Poultry Farm Route 5 Circleville, Ohio	J-23	(A-993* (E-1202	253	26.7	4.3	13	8	192	25.3	4.6	2	1	0
	J-35	(A-993* (E-1202	287	27.7	4.7	9	4	164	24.7	4.7	0	1	0
	J-67	(A-993* (E-1202	233	25.8	4.6	10	4	154	26.2	5.0	1	0	0
	J-76	(G-100 (G-372*	249	26.9	4.0	14	7	199	25.7	5.0	0	1	0
	J-174	(G-100 (G-372*	291	24.8	4.4	17	10	212	25.0	5.2	3	2	0
	J-190	(A-993* (E-1202	270	27.9	5.0	12	5	169	25.1	4.8	2	1	0
Bowles, H. T. Charlottesville, Va.	1098	C-2793	275	27.5	4.4	10	4	121	27.4	4.5	2	0	0
	681	C-3508*	299	25.5	4.6	13	8	196	26.7	4.7	2	0	0
	769	C-3508*	311	26.1	4.4	7	4	192	25.8	4.7	2	0	0
	1004	C-3508*	274	26.5	4.8	9	5	180	25.7	4.8	1	0	0
	1020	C-5290	310	25.2	4.4	6	4	208	27.4	4.8	0	1	0
	717	C-5358	266	27.1	4.6	10	6	203	26.3	4.5	2	0	0
	700	C-5451	272	25.9	5.2	11	7	199	26.7	5.5	0	0	0
	5253	803*	271	26.2	5.5	11	7	242	25.3	5.4	2	2	0
M. E. Jones West Cheshire, Conn. Bunnell, C. A. Route 1 Caldwell, Idaho	5368	803*	229	26.0	5.0	7	5	208	25.6	4.9	1	0	0
	5364	808*	250	24.7	4.3	9	4	193	25.1	4.9	1	1	0
	E-79	91*	260	27.2	3.5	6	4	205	26.6	3.6	1	0	0
	C-37	D-711	266	26.3	4.1	7	4	162	26.7	4.2	1	0	0
	C-103	D-711	241	24.9	4.1	9	6	187	26.5	3.9	0	0	0
	C-106	D-711	288	24.1	4.0	9	4	213	24.9	3.9	0	3	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Un- tilted (no.)	Average performance			No. completing year but failing to qualify because of low -																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Coombs, J. O., and Son Sedgwick, Kans.	Dam	Sire mate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -		
		Egg		Body wt. (lbs.)	Egg wt. (oz. per doz.)			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
		prod. (no.)	wt. (oz.)										
		Dam	Sire	rate									
Coombs, J. O., and Son Sedgwick, Kans. (Continued)	J-1708	I-613	256	25.4	3.6	6	4	238	24.6	4.0	0	0	0
	J-1782	K-1517*	250	24.7	3.7	10	5	183	24.9	4.0	0	0	0
	J-1839	K-1517*	246	24.2	4.8	10	4	222	25.1	4.3	0	1	0
	J-1861	(K-1517*	258	27.0	4.7	8	4	158	26.8	4.3	0	0	0
		(K-2153											
	J-1939	I-17*	288	27.4	5.3	11	4	149	26.4	4.8	0	0	0
		(K-1517*											
		(K-2153											
	J-1951	K-2153	291	24.7	5.2	19	10	192	24.4	4.4	0	0	0
	J-1953	K-2153	202	24.1	4.6	11	4	151	24.5	4.5	0	0	0
	K-1413	I-17*	267	24.5	4.0	8	7	238	25.6	4.4	0	0	0
	K-1946	(I-211	296	24.9	4.2	33	12	171	24.4	4.0	0	1	0
		(K-1750											
	K-2412	K-4162*	269	27.0	4.5	9	4	192	25.1	4.6	0	0	0
	K-2437	K-4162*	269	24.6	4.0	6	4	222	25.0	4.1	0	1	1
	K-2586	K-4162*	274	27.0	4.8	18	10	197	25.4	4.5	0	0	0
	K-2595	K-4162*	265	25.3	4.5	15	7	169	24.7	4.4	0	1	0
	K-2656	K-4162*	261	25.3	4.3	14	7	220	24.2	4.2	0	2	1
	K-2659	I-136*	256	26.3	4.4	10	6	210	25.0	4.1	0	0	0
	K-2662	I-136*	276	25.5	4.0	14	6	167	25.3	4.1	2	1	0
	K-2751	(K-323*	270	26.4	3.9	12	7	186	26.6	4.7	0	0	0
		(K-500*											
	K-2758	K-323*	257	24.9	3.7	9	4	212	24.8	3.8	0	0	0
	K-2779	I-211	263	25.0	4.0	14	6	184	25.4	4.5	0	0	0
	K-2836	(K-500*	256	25.8	4.3	23	8	150	25.1	4.4	0	1	0
		(K-4162*											
	K-3074	K-500*	258	25.6	3.8	13	5	167	26.2	4.2	0	0	0

For explanation of abbreviations, mits, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see introduction.
 2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record				Daughters			No. completing year but failing to qualify because of low -		
		Egg		Body		Qualified	Average performance		Egg prod.	Egg wt.	Body wt.
		(no.)	(oz. per doz.)	(lbs.)	(no.)		(no.)	(no.)			
Coombs, J. O., and Son Sedgwick, Kans. (Continued)	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	(no.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)
	K-3301	(K-1750 I-211	269	24.1	3.9	16	6	169	25.6	4.3	0
	K-3320	K-500*	282	26.3	4.2	12	4	149	26.3	4.6	0
	K-3327	I-17*	288	24.2	4.2	22	8	156	25.1	4.4	0
	K-3425	I-18	283	24.5	4.8	15	8	171	25.2	4.5	0
	K-3469	(I-211 K-4162*	254	24.2	3.9	23	14	192	24.8	4.2	0
	K-3484	I-136*	270	24.6	4.2	14	5	158	25.2	4.2	0
	18-1	I-136*	263	24.8	--	10	5	189	24.5	4.2	0
	18-2	I-136*	274	24.1	--	14	8	165	25.1	4.5	0
	B62-3	9-2489*	227	25.8	--	11	4	161	26.3	4.9	0
Creighton Brothers Warsaw, Ind.	B62-4	9-2423*	211	24.2	--	23	14	197	25.2	4.9	0
	B62-9	9-2327*	285	25.8	--	6	5	227	25.9	5.3	0
	B76-9	F-3960*	298	25.7	--	14	6	197	24.7	4.7	0
	C8-5	(9-580* 9-1425 F-6210*	275	24.6	4.5	11	8	221	27.2	4.9	0
	C8-18	(9-870* 9-1640* 9-2094* 9-2094* 9-1079* 9-2327* 9-2489* 9-1079* F-3960*	260	24.4	5.4	15	9	186	25.8	5.1	0
	E48-8	9-1640*	217	25.8	--	10	9	248	27.2	4.8	0
	E48-9	9-2094*	274	25.4	--	17	8	204	25.4	4.4	0
	E48-10	9-2094*	273	25.0	--	13	6	222	24.6	4.5	0
	E48-13	9-1079*	233	25.8	--	9	8	241	26.3	4.6	0
	F45-3	9-2327*	265	24.6	4.4	19	14	266	25.1	4.3	0
	F45-5	9-2489*	250	24.9	5.8	7	4	162	25.9	4.5	0
	F45-6	9-1079*	270	26.2	4.8	7	6	249	26.8	4.5	0
	F45-9	F-3960*	294	25.0	4.3	11	6	215	24.9	4.8	0
	F45-10	F-3960*	294	25.0	4.3	11	6	215	24.9	4.8	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg 2/ prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
	Dam	Sire mate												
Creighton Brothers Warsaw, Ind. (Continued)	F45-9	9-2327*	265	25.2	4.3	9	9	287	25.5	4.6	0	0	0	
	F68-3	9-2327*	297	25.0	4.8	20	13	246	25.3	4.6	0	2	0	
	F68-7	9-2327*	283	25.2	4.4	17	13	262	25.7	5.1	0	2	0	
	H32-9	9-1079*	244	25.6	--	7	4	227	26.6	4.7	1	1	0	
	H32-13	9-580*	275	24.6	--	9	5	212	25.2	5.2	1	1	0	
	J-9005	F-2628*	296	25.3	4.6	4	4	262	26.1	4.8	0	0	0	
	K-80	(9-595* (9-2423*)	216	24.7	5.1	14	5	186	25.3	4.7	6	1	0	
	K-284	9-1601*	226	26.3	5.1	8	4	219	25.2	4.3	0	1	0	
	K-359	(9-673 (9-695*)	273	26.5	5.1	8	6	222	25.6	5.0	1	0	0	
	K-566	9-1362*	204	25.0	5.3	15	12	225	26.1	5.2	0	0	0	
	K-979	9-1602*	250	25.5	4.7	11	5	188	24.8	4.4	2	2	1	
	K-1031	9-1362*	223	25.5	4.1	15	5	166	26.6	4.6	2	0	0	
	K-1082	9-1062	259	26.4	5.1	9	6	216	24.7	4.0	0	1	0	
	K-1158	9-1364*	267	25.5	4.3	10	6	223	25.7	4.7	1	1	0	
	K-1281	9-1364*	251	24.5	5.0	9	4	205	24.3	4.7	0	1	0	
	K-1403	9-1606*	270	26.2	4.6	12	7	201	24.6	4.5	1	1	0	
	K-1624	9-1601*	247	27.0	4.3	11	6	180	25.9	4.5	2	0	0	
	K-1776	9-870*	244	26.3	5.1	9	4	202	25.7	5.2	1	1	0	
	K-1937	9-2100*	255	26.8	5.5	12	6	188	26.0	4.7	1	0	0	
	K-1973	9-2100*	263	26.5	4.5	17	11	234	26.1	4.5	3	1	0	
	K-2002	F-3705*	257	24.8	4.1	9	4	196	26.3	4.8	2	0	0	
	K-2069	9-2112*	266	26.1	5.0	10	7	246	26.0	4.9	0	2	0	
	K-2095	9-2423*	232	27.2	5.3	9	4	173	26.3	5.3	2	0	0	
	K-5119	9-1128*	209	25.0	4.5	7	6	233	25.9	4.9	1	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams

1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				No. of eggs set	No. of chicks hatched	No. of chicks lost	No. completing year but failing to qualify because of low -	Average performance			No. completing year but failing to qualify because of low -																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Egg prod.		Body wt. (lbs.)	Egg wt. (oz.) per doz.					Egg 2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			(no.)	(no.)											(no.)	(no.)	(no.)	(no.)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Creighton Brothers Warsaw, Ind. (Continued)	Dam	Sire	mate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Dis- abled (no.)	Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)			Egg 2/ prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod.	Egg wt.
Creighton Brothers Warsaw, Ind. (Continued)	Dam	Sire mate	290	24.7	5.5	7	6	247	26.3	4.5	0	0
			303	26.3	4.9	8	6	253	25.4	4.4	0	0
	M-2039	F-6696*	255	24.4	4.3	7	5	209	25.9	4.4	1	0
	M-2062	9-1087*	222	24.9	5.6	10	7	223	26.4	5.0	2	0
	M-2071	9-1136*	306	24.1	5.5	7	4	199	25.6	5.3	2	0
	M-2078	9-1640*	225	25.5	5.3	12	11	251	27.3	5.0	1	0
	M-2100	9-1091*	254	26.6	5.7	12	8	196	26.9	4.9	1	0
	M-2173	9-1259*	295	27.6	5.6	11	5	188	27.4	4.9	1	0
	M-2175	(9-1136* (9-2496	237	26.3	5.6	11	6	200	26.5	5.2	1	0
	M-2185	9-1714*	273	24.9	4.7	11	5	201	25.5	4.7	2	0
	M-2189	9-2580*	257	27.8	6.1	5	5	250	26.5	4.7	0	0
	M-2220	9-786*	259	25.7	5.4	9	5	200	25.2	4.8	1	0
	M-2224	9-1602*	236	25.3	5.1	6	4	185	26.7	4.9	1	0
	M-2225	(9-673 (9-695*	307	26.7	5.1	12	9	200	25.6	4.7	1	0
	M-2230	9-1144*	223	25.9	5.4	7	6	233	27.5	5.0	1	0
	M-2236	9-1091*	218	26.4	6.0	5	4	257	26.2	4.8	1	0
	M-2257	9-1640*	281	24.0	5.3	16	7	204	25.1	4.8	4	3
	M-2265	9-1640*	219	26.8	5.4	12	8	255	25.2	4.8	2	1
	M-2280	9-1091*	256	24.5	4.9	6	4	223	26.4	4.8	0	0
	M-2283	9-1601*	282	26.7	5.2	10	5	182	25.1	4.8	0	0
	M-2301	9-1136*	237	25.2	5.2	11	7	216	25.7	4.5	1	0
	M-2323	9-1606*	262	27.5	5.0	9	6	183	26.7	5.0	1	0
	M-2338	9-1727*	254	27.0	5.4	16	7	179	26.9	4.8	3	0
	M-2339	9-786*										
	M-2345	(9-1136* (9-2496										

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Brecker's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)			Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.	
Daughters													
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.	Egg wt.	
Creighton Brothers Warsaw, Ind. (Continued)	M-4010 F-6696*	307	26.4	4.5	29	17	226	25.9	4.3	4	3	0	
	M-4016 9-870*	232	27.8	5.6	8	5	250	26.0	5.1	1	1	0	
	M-4040 9-1857*	218	26.0	5.2	14	5	167	26.1	4.8	2	1	0	
	M-4068 9-870*	246	25.2	5.8	13	6	175	25.6	4.3	0	0	0	
	M-4069 9-747*	222	29.5	5.9	11	4	162	27.5	5.3	5	0	0	
	M-4084 9-1857*	220	27.2	5.1	8	4	164	27.5	4.9	0	0	0	
	M-4094 9-2580*	245	28.6	6.3	9	8	236	26.8	5.0	0	0	0	
	M-4103 9-1714*	270	24.5	5.8	7	5	207	25.8	4.9	0	0	0	
	M-4138 9-1364*	263	27.1	4.7	7	6	237	26.8	4.6	0	0	0	
	M-4140 9-870*	246	27.8	6.0	7	4	173	25.7	5.2	0	0	0	
	M-4142 9-2198*	261	27.6	6.4	19	11	174	27.1	5.1	1	0	0	
	M-4145 9-1714*	273	26.3	4.8	11	4	162	26.0	4.5	4	0	0	
	M-4205 9-870*	234	25.3	4.7	6	5	238	26.3	5.1	1	0	0	
	M-4208 (9-673 (9-695*	261	26.3	5.1	9	7	201	25.6	4.5	0	0	0	
	M-4232 9-2119	252	24.8	4.8	16	7	144	24.7	4.3	1	1	0	
	M-4319 9-1857*	217	25.7	6.1	6	4	203	25.5	4.6	0	0	0	
	M-4336 9-1857*	211	24.9	4.9	8	4	193	25.9	4.8	1	0	0	
	M-4357 9-1802*	253	26.1	5.3	11	9	237	25.1	4.6	1	0	0	
	M-4358 9-389*	273	24.7	5.0	6	5	236	26.3	4.7	0	0	0	
	M-4416 9-595*	227	27.1	5.5	14	7	171	25.9	5.0	4	0	0	
	M-4436 9-1714*	286	25.9	5.6	12	5	187	25.9	4.5	3	0	0	
	M-4482 9-1714*	270	25.9	4.6	13	5	145	26.5	4.6	1	0	0	
	M-4490 9-2580*	230	26.2	4.5	10	5	213	25.2	4.3	1	1	1	
	M-4494 9-747*	222	27.3	6.6	8	5	165	27.5	5.5	0	0	0	
	M-4547 9-580*	285	26.0	4.9	4	4	256	26.6	4.9	0	0	0	

For explanation of abbreviations, units, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered no. (no.)		Daughters			No. completing year but failing to qualify because of low -		
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)
Creighton Brothers Warsaw, Ind. (Continued)	M-4563 9-2100*	299	25.0	6.0	13	223	25.0	4.8	2	3	0	0	0
	M-4579 9-2100*	281	26.4	4.9	12	194	25.5	4.4	2	0	0	0	0
	M-4588 9-389*	272	25.4	4.6	6	282	26.1	4.8	0	0	0	0	0
	M-4656 9-747*	221	25.3	4.3	11	208	26.6	4.5	0	1	0	0	0
	M-4664 9-1364*	286	24.8	5.2	6	222	25.2	4.5	0	0	0	0	0
	M-4666 9-595*	247	26.7	5.7	10	195	26.1	5.1	3	0	0	0	0
	M-4675 9-465*	300	24.1	4.3	10	191	26.3	4.7	1	0	0	0	0
	M-4679 9-2112*	281	24.1	4.7	8	223	25.4	4.6	0	0	0	0	0
	M-4716 9-1144*	228	25.8	5.4	10	193	26.0	4.7	2	0	0	0	0
	M-4718 9-2100*	260	28.7	6.2	8	189	26.0	4.8	3	0	0	0	0
	M-4738 9-595*	228	25.4	5.4	11	131	26.0	5.1	1	1	0	0	0
	M-4757 9-2112*	288	25.2	4.4	11	226	25.4	4.1	2	1	0	0	0
	M-4782 9-2112*	283	26.1	5.0	10	259	26.5	4.6	0	0	0	0	0
	M-4812 F-3792*	251	27.2	4.2	7	237	25.3	4.3	1	1	0	0	0
	M-4836 9-1453*	259	27.3	4.7	13	187	26.2	4.7	0	0	0	0	0
	M-4840 F-6896*	260	25.0	4.6	11	193	26.5	4.6	4	0	0	0	0
	M-4849 F-2628*	259	24.1	4.4	9	208	24.8	4.4	1	0	0	0	0
	M-4853 9-1453*	255	25.9	4.2	5	264	24.4	4.2	0	1	0	0	0
	M-4858 9-2112*	298	24.8	5.0	4	226	25.8	4.6	0	0	0	0	0
	M-4870 9-1640*	216	25.9	4.4	12	213	26.1	4.7	0	0	0	0	0
	M-4915 9-1362*	242	26.1	5.9	8	175	27.0	5.2	0	0	0	0	0
	M-4918 9-393	269	26.1	4.4	14	158	25.2	4.4	2	0	0	0	0
	M-4924 9-747*	216	26.0	6.0	12	183	26.1	5.3	3	0	0	0	0
	M-4926 9-393	265	25.5	6.5	10	174	25.0	4.6	2	1	0	0	0
	M-4927 9-2112*	280	24.9	4.5	9	211	26.1	4.6	0	0	0	0	0
	M-4928 9-2112*	276	28.4	5.5	10	229	27.0	4.9	0	0	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	Daughters										No. completing year but failing to qualify because of low -		
	Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			Egg prod. wt.	Body wt.			
	U.S.R.O.P. leg- band number of -		Egg wt. (oz. per doz.)			Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)				Body wt. (lbs.)	
	Dam	Sire mate											
Creighton Brothers Warsaw, Ind. (Continued)	M-4929	9-2112*	281	25.9	5.0	12	10	231	25.4	4.6	0	1	0
	M-4946	9-1606*	255	26.4	4.9	9	6	232	25.3	4.5	0	0	0
	M-4961	9-1602*	288	24.6	5.7	9	6	231	25.4	4.7	0	1	0
	M-4967	9-1453*	255	24.7	5.3	10	8	226	25.7	4.8	0	0	0
	M-4970	9-393	269	28.1	4.6	9	4	174	26.5	4.6	4	0	0
	M-4984	F-2628*	262	26.8	4.8	10	8	246	26.4	5.2	0	0	0
	M-5033	(9-465* (9-850	316	25.7	5.6	15	5	170	25.2	5.1	4	1	0
	M-5045	F-3792*	292	24.4	4.8	12	4	200	24.3	4.1	0	4	0
	M-5046	9-2320*	291	26.6	5.7	11	8	242	25.5	4.6	0	1	0
	M-5056	9-2320*	295	24.3	5.6	12	5	233	24.0	4.4	0	4	0
	M-5071	9-1601*	239	26.9	5.2	9	6	231	25.3	4.5	0	2	0
	M-5072	9-1606*	295	28.2	5.2	13	8	211	25.8	4.9	2	0	0
	M-5094	F-2628*	288	27.0	5.2	9	6	213	26.4	4.9	1	0	0
	M-5152	9-1144*	202	26.7	4.4	16	9	231	25.3	4.3	0	3	0
	M-5159	(9-465* (9-850	306	24.8	4.5	5	4	255	25.0	4.4	0	1	0
	M-5174	9-1714*	275	25.8	5.2	11	5	182	25.5	4.3	0	1	0
	M-5190	F-6210*	300	25.6	5.5	12	8	190	26.6	5.2	0	0	0
	M-5211	9-2623*	277	25.2	5.1	8	4	214	25.0	4.6	0	1	0
	M-5216	9-1453*	255	29.1	5.4	9	6	250	25.8	4.4	1	2	0
	M-5236	9-2623*	279	24.7	5.0	18	12	245	24.7	4.6	1	2	0
	M-5237	9-465*	306	24.1	4.4	11	4	184	24.9	4.3	3	1	1
	M-5240	9-393	265	27.1	5.5	15	6	148	26.2	4.7	1	0	0
	M-5255	9-2423*	239	24.2	4.6	9	4	181	25.5	4.5	0	1	0
	M-5268	9-2423*	238	26.3	5.4	19	9	179	25.6	5.0	3	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Unfiltered (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg wt. (oz.) per doz.		Body wt. (lbs.)	Egg wt. (oz.) per doz.			Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
			Egg prod. (no.)											
			Dam	Sire	mate									
Creighton Brothers Warsaw, Ind. (Continued)	M-5308	F-6210*	285	25.6	5.2	6	4	220	26.5	5.1	0	1	0	
	M-5314	F-6696*	283	25.7	5.4	6	4	214	26.0	4.8	0	0	0	
	M-5323	(9-882 (9-1379*	258	27.0	5.6	11	5	127	27.0	5.1	0	0	0	
	M-5343	9-465*	327	24.2	5.0	9	4	167	25.1	4.4	1	0	0	
	M-5355	(9-465* (9-850)	301	24.5	5.2	17	6	180	25.0	4.9	6	3	0	
	M-5364	9-393	260	27.5	4.9	11	6	165	26.3	5.0	1	0	0	
	M-5386	9-1364*	279	26.0	4.6	12	4	180	25.6	4.4	0	1	0	
	M-5404	9-1857*	224	27.1	5.3	8	6	222	26.7	5.0	1	0	0	
	M-5406	(9-882 (9-1379*	270	26.5	5.3	19	14	222	26.9	4.8	3	0	0	
	M-5427	9-1606*	293	26.6	5.1	10	5	240	25.4	4.9	2	2	0	
	M-5451	9-747*	221	26.2	5.0	8	4	165	26.4	4.7	0	0	0	
	M-5457	F-6696*	259	24.9	5.2	15	10	203	26.1	4.5	1	0	0	
	M-5470	F-6696*	253	25.2	4.9	12	5	181	27.1	4.5	4	0	0	
	M-5474	(9-673 (9-695*	316	25.1	5.0	7	4	242	25.8	4.7	1	1	0	
	M-5476	9-912*	308	24.1	4.7	7	5	195	25.0	4.7	0	0	0	
M-5484	9-1379*	256	25.3	5.6	12	8	215	25.9	4.9	2	0	0		
M-5490	9-1606*	271	26.1	4.8	10	7	243	24.8	4.9	0	1	0		
M-5516	9-912*	302	28.7	4.7	9	6	228	26.1	4.5	0	0	0		
M-5544	(9-580* (9-1425)	292	25.6	5.5	8	6	239	26.0	4.9	1	0	0		
M-5557	(9-580* (9-1425)	281	26.4	4.9	7	5	190	26.8	5.4	0	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	Daughters														
	U.S.R.O.P. leg- band number of -		Dam's first- year record		Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -					
							Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)			
Creighton Brothers Warsaw, Ind. (Continued)	M-5558	9-755*	273	26.0	4.7	9	5	176	26.4	4.9	0	0	0		
	M-5562	9-1601*	227	25.0	4.7	11	4	224	24.3	4.4	2	3	0		
	M-5567	9-912*	278	24.3	5.4	10	6	214	25.6	4.9	0	1	0		
	M-5589	9-1601*	237	25.5	5.0	9	6	246	25.3	4.7	0	1	0		
	M-5643	9-755*	274	25.5	4.9	10	5	212	25.0	4.9	2	2	0		
	M-5648	9-1379*	260	24.8	5.2	12	6	209	25.3	4.6	2	2	0		
	M-5657	F-6696*	295	24.3	4.7	28	20	235	25.9	4.4	1	1	0		
	M-5666	(9-882 (9-1379*)	259	26.3	4.5	13	6	185	25.8	4.5	1	0	0		
	M-5669	9-912*	275	25.2	4.5	5	4	258	25.0	4.6	0	1	0		
	M-5671	9-912*	277	25.2	4.2	6	5	232	25.7	4.2	1	0	0		
	M-5672	F-6210*	291	24.3	4.7	9	6	197	25.8	4.7	0	1	0		
	M-5697	9-755*	265	25.4	5.2	10	7	267	25.1	5.1	1	2	0		
	M-5702	9-1067*	298	28.1	5.4	9	5	203	25.6	4.5	1	0	0		
	M-5711	9-1259*	239	26.6	5.5	6	5	252	27.6	4.9	0	0	0		
	M-5762	F-2628*	252	25.8	5.6	10	5	182	26.1	5.5	1	1	0		
	M-5767	9-755*	273	26.3	5.5	10	5	230	24.1	4.7	0	3	0		
	M-5789	9-1087*	277	26.1	4.5	7	4	201	26.5	4.0	0	0	0		
	M-5808	9-1087*	293	25.1	5.4	4	4	286	25.8	4.6	0	0	0		
	M-5848	9-1259*	234	27.5	5.1	4	4	239	27.4	5.2	0	0	0		
	M-5854	9-1857*	223	28.5	5.7	13	8	206	27.6	5.2	1	0	0		
	M-5883	9-786*	276	25.7	5.5	11	6	193	26.4	5.0	2	0	0		
	M-5923	9-2198*	276	24.1	5.5	15	9	200	25.2	4.8	2	1	0		
	M-5942	9-786*	263	26.1	5.4	17	6	137	25.9	4.9	1	0	0		
	M-5951	9-1136*	259	27.7	5.7	5	4	220	26.2	4.8	0	0	0		
	M-5954	9-2327*	271	24.3	5.7	9	4	219	24.3	4.9	0	1	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Total (no.)		Average performance		No. completing year but failing to qualify because of low -		
Daughters	Sire		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	No. completing year but failing to qualify because of low -
	Dam	mate										
Creighton Brothers Warsaw, Ind. (Continued)	M-5956	9-2198*	293	26.2	5.5	9	184	25.4	4.7	0	0	0
	M-5962	9-2198*	279	26.1	6.0	18	186	25.9	4.5	0	0	0
	M-5966	9-2198*	286	25.9	6.2	13	222	25.8	4.7	0	0	0
	M-5982	9-2327*	266	27.9	5.4	12	275	25.7	4.8	0	0	0
	M-5997	9-2198*	325	24.5	5.5	12	151	25.4	4.1	3	0	0
	N94-15	F-6696*	285	24.8	--	6	200	27.4	5.4	1	0	0
	P38-5	9-1079*	231	24.8	--	14	200	26.1	4.4	0	0	0
	P38-12	9-1602*	279	25.6	--	11	234	26.0	4.8	0	0	0
	P39-B	9-1640*	217	25.0	--	11	184	27.6	5.0	3	0	0
	P39-2	F-6210*	266	25.4	--	8	167	26.3	4.7	1	0	0
	P39-3	9-580*	270	25.4	--	14	205	26.7	5.3	1	0	0
	P39-13	F-3960*	267	24.6	--	11	177	25.9	5.0	3	0	0
	R28-1	9-1079*	241	25.2	--	20	223	25.8	4.4	4	1	0
	R28-10	9-1079*	246	24.4	--	7	290	25.0	4.8	0	1	0
Crescent Farms Bradenton, Fla.	R34-11	F-3792*	280	25.0	--	7	241	24.8	4.7	0	1	0
	T16-1	9-2094*	294	25.0	--	11	174	25.8	4.6	0	1	0
	T16-11	9-2094*	265	25.2	--	11	214	25.2	4.9	1	0	0
	Y33-1	9-2094*	261	24.8	--	12	213	24.1	4.4	0	3	0
	Y33-8	9-1079*	232	24.6	--	9	227	26.1	3.8	0	1	0
	Y34-C	9-1079*	248	25.8	--	8	209	26.1	4.6	0	0	0
	812	244*	223	24.3	4.0	10	175	25.8	3.7	1	0	1
	912	244*	249	24.0	4.2	5	211	27.0	4.5	0	0	0
	855	1118*	238	25.0	--	14	180	26.0	4.7	4	0	0
	858	1118*	272	25.0	--	22	148	25.7	4.2	2	1	0
	859	1118*	241	25.2	--	9	200	26.2	4.1	2	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)		Qualified (no.)		Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)					Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg prod. wt.	Egg wt.	Body wt.
Crescent Farms Bradenton, Fla. (Continued)	Dam	Sire mate	289	--	--	9	6	225	27.0	4.4	0	0	0	0	0
	971	1118*													
	1463	62	259	25.7	3.7	14	5	146	24.6	3.8	2	1	0		
	55287	62	242	26.3	4.9	8	5	211	25.4	3.9	2	1	0		
	751	54121	241	25.9	4.9	17	9	176	26.1	4.2	3	0	0		
	836	54121	240	25.5	4.6	17	9	192	26.0	4.0	4	2	0		
	887	54121	283	--	--	17	6	165	25.4	4.0	8	3	1		
	1649	54121	259	25.8	4.8	12	6	177	26.1	4.4	3	0	0		
	601	54318	239	26.0	4.6	9	5	159	25.7	4.7	1	0	0		
Dembro Poultry Farm Sewell, N. J.	1126	54318	249	25.8	3.6	18	7	154	25.6	4.4	6	0	0		
	744	48	255	26.1	4.0	11	5	--	--	--	1	0	0		
	667	278	215	27.5	3.6	17	6	--	--	--	0	0	0		
	E-5674	E-1544*	255	24.2	3.5	5	4	216	24.8	4.7	0	0	0		
	E-5768	E-1544*	234	24.2	5.0	9	4	155	24.5	5.0	0	1	0		
	E-6762	E-1546*	248	24.0	3.6	6	4	180	25.7	4.6	0	0	0		
Densmore Poultry Farm Roanoke, Va.	E-5616	E-1548	201	27.4	4.4	7	4	140	25.9	4.8	0	0	0		
	E-5700	E-1548	230	24.8	3.9	10	4	128	24.7	4.3	1	0	0		
	E-6742	E-1548	218	24.4	3.5	12	5	179	24.6	4.3	0	3	0		
	C-2287	C-2137	235	25.3	4.4	7	5	197	26.1	4.5	1	0	0		
	C-4094	C-4191	238	28.3	4.8	12	4	119	27.6	4.4	4	0	0		
	C-4150	C-4191	231	24.9	4.4	16	7	185	25.7	4.3	4	1	0		
	C-693	C-4225	257	25.6	4.0	11	5	180	24.6	4.4	5	2	1		
	C-228	C-4308*	225	24.4	3.9	8	5	212	27.3	4.5	3	0	0		
* Sire mate also met the requirements for U.S.R.O.M.	C-309	C-4308*	205	24.3	4.0	9	5	183	27.0	4.2	3	1	0		
	C-545	C-4308*	249	26.4	4.0	15	5	155	27.5	4.5	6	0	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Daughters		No. completing year but failing to qualify because of low -						
		Entered		Average performance	Egg wt. (oz. per doz.)	Body wt. (lbs.)							
		Entered (no.)	Qualified (no.)										
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.			
Densmore Poultry Farm Roanoke, Va. (Continued)	C-4025	C-4308*	259	25.7	4.2	11	5	159	26.5	4.4	5	0	0
	C-4061	C-4308*	236	25.1	4.8	8	4	173	25.7	4.8	2	0	0
	C-752	C-4947	258	26.8	3.9	13	5	156	25.8	4.4	4	1	0
	C-46	C-5111	282	26.7	3.8	9	4	140	25.4	4.7	1	1	0
	C-617	C-5111	288	26.4	4.6	8	4	160	26.0	4.7	1	0	0
	C-3975	C-5111	275	24.3	4.6	14	5	177	25.0	5.0	2	3	0
	C-3996	C-5111	235	24.7	4.1	11	4	170	25.0	4.5	4	2	0
	C-4010	C-5111	239	25.9	4.9	15	6	152	24.7	4.7	4	1	0
	C-2291	C-5116	248	27.1	4.4	7	4	209	24.8	4.4	4	1	0
	C-3958	C-5116	250	27.2	4.6	12	4	166	26.4	4.4	6	6	0
	C-137	C-6109	214	25.6	3.9	18	7	141	25.8	4.5	6	1	0
	C-298	C-6109	233	25.3	4.4	11	7	183	25.8	4.6	1	0	0
	C-4060	C-6109	269	25.8	4.6	12	4	146	25.4	4.5	6	1	0
	C-738	C-6150	237	27.4	4.8	13	6	168	25.7	4.7	3	1	0
	C-3970	C-6151	229	24.7	4.3	14	6	161	25.0	4.5	3	1	0
	K-184	1434	266	25.0	3.9	5	4	235	25.2	4.3	1	0	0
	J-3252	1447*	303	26.1	4.1	8	5	187	26.4	4.3	2	0	0
	K-23	1447*	277	29.1	4.1	12	10	262	27.2	4.0	1	0	1
	K-96	1447*	271	25.7	4.9	7	5	206	25.6	4.2	1	0	0
K-65	1536*	291	27.3	4.8	8	5	223	25.8	4.1	2	2	0	
K-70	1536*	292	25.9	3.9	8	5	211	24.2	4.0	2	2	0	
K-109	1536*	292	26.3	4.3	6	4	211	24.2	4.3	2	2	0	
J-3396	1543*	287	25.6	4.6	9	5	164	26.0	4.5	3	0	0	
J-3404	1543*	274	25.7	4.1	7	5	234	25.8	4.4	4	1	0	
K-1	1543*	320	25.8	4.5	14	7	182	25.2	4.1	1	0	0	
K-19	1543*	291	26.1	4.2	10	7	247	26.1	4.2	2	1	0	
Dickey, P. S. Puyallup, Wash.													

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams

Breeder's name and address	U.S.P.O.P. Reg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)			Egg wt. (oz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Dickey, P. S. Puyallup, Wash. (Continued)	K-51	1543*	266	26.8	4.3	10	6	184	26.0	4.3	2	0	0	
	K-11	2724*	272	26.8	4.6	8	4	199	26.5	3.9	1	0	2	
	K-15	2724*	326	28.0	4.3	7	5	223	26.8	4.2	1	0	0	
	K-83	2724*	326	26.3	4.6	7	5	219	25.5	3.9	1	0	0	
	K-94	2724*	261	25.4	4.4	5	5	260	26.4	3.8	0	0	0	
	K-149	2724*	330	27.1	4.5	5	4	226	27.0	4.2	1	0	0	
Egg and Apple Farm Trumansburg, N. Y.	K-8324	(K-22599 (L-13578)	262	26.4	4.6	10	5	213	24.3	4.3	0	2	0	
	K-8619	(K-22599 (L-13578)	217	26.4	4.6	12	5	175	25.0	4.5	0	1	0	
	I-875	K-22950	284	24.0	3.9	13	5	176	23.4	3.7	0	2	1	
	I-1035	K-22950	272	27.6	4.5	10	4	140	24.6	4.6	0	0	0	
	K-8114	K-22950	255	27.6	4.9	12	6	169	25.6	4.7	2	0	0	
	K-8391	K-22950	239	27.6	5.9	15	8	195	25.7	5.0	4	1	0	
	K-8841	K-22950	256	24.0	5.2	10	5	175	25.1	4.5	2	1	0	
	C14-17	K-22957*	211	25.2	4.3	10	5	160	25.6	4.2	2	0	0	
	I-1077	K-22957*	239	25.2	3.9	8	4	214	26.0	4.2	2	0	1	
	J-6101	K-22957*	246	26.4	3.9	7	4	207	25.4	4.1	0	1	0	
	J-6329	K-22957*	238	26.4	4.3	6	5	238	25.4	4.3	0	0	0	
	K-8662	K-22957*	210	26.4	4.9	11	6	199	25.5	4.7	3	1	0	
	K-8178	(K-23524* (L-13510)	236	26.4	5.0	9	5	209	25.5	4.1	3	1	2	
	K-8414	(K-23524* (L-13510)	244	26.4	5.0	9	4	208	25.2	4.5	3	0	1	
	K-8688	(K-23524* (L-13510)	230	27.6	4.2	9	6	207	25.7	4.1	2	0	1	

1/ For explanation of abbreviations, units, symbols, etc., see introduction.
2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.P.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Period of laying		Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Egg and Apple Farm Trumansburg, N. Y. (Continued)	K-8808	(K-23524* L-13510)	270	24.6	4.2	10	5	182	24.5	4.3	1	1	0
	J-6371	(K-23596* L-13510)	231	26.4	5.4	8	4	183	26.4	5.0	3	0	0
	K-8241	(K-23596* L-12135)	251	26.4	4.1	14	7	192	25.4	4.4	1	0	2
	K-8296	(L-12135 L-13561)	256	25.2	4.5	8	5	171	25.3	4.4	0	0	0
	K-8425	(L-12135 L-13561)	256	30.0	5.4	7	5	223	26.7	4.0	2	0	2
	P12-10	(L-12135 L-13561)	248	24.5	4.5	8	4	199	25.2	4.7	3	1	0
	J-6184	(L-12154* L-12154*)	263	24.0	3.8	11	8	207	24.4	4.4	0	0	0
	K-8520	(L-12154* L-12154*)	269	26.4	5.1	10	4	165	24.8	4.8	2	1	0
	K-8707	(L-12154* L-12154*)	208	26.4	5.6	9	5	195	25.6	4.7	1	1	0
	K-8715	(L-12154* L-12167)	261	25.2	4.7	17	6	151	25.0	4.5	0	1	0
	C15-5	(L-12167 L-12177)	256	25.7	5.4	9	5	178	24.5	4.4	0	0	0
	I-906	(L-12177 L-12270)	221	26.4	5.0	15	5	193	24.8	4.7	5	3	0
	J-6723	(L-12270 L-13507*)	242	26.4	4.1	10	5	192	26.4	4.3	3	0	1
	K-8113	(L-12326 L-13590)	284	26.4	4.2	12	4	219	24.1	4.2	3	5	2
	K-8448	(L-12326 L-13590)	238	26.4	5.1	13	5	185	24.4	4.6	2	2	0
	I-99	(L-12348* L-12348*)	239	24.0	4.2	16	11	201	24.9	4.2	1	1	2
	I-900	(L-12348* L-12348*)	205	26.4	4.1	16	9	210	25.1	4.2	3	2	2
	J-6033	(L-12348* L-12348*)	216	26.4	4.4	10	4	186	26.3	4.1	3	0	2
	J-6175	(L-12348* L-12348*)	234	26.4	3.9	14	6	197	25.6	3.9	1	0	4

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -				Dam's first- year record			Daughters		No. completing year but failing to qualify because of low -			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Entered (no.)	Unlittered (no.)	Average performance		Egg prod. wt.	Egg wt.	Body wt.	
								Egg2/ prod. (no.)	Egg wt. (oz.) per doz.				
Egg and Apple Farm Trumansburg, N. Y. (Continued)	J-6234	L-12348*	255	25.2	4.2	19	7	182	25.0	4.2	7	2	2
	K-8362	L-12348*	238	27.6	4.8	16	8	185	25.8	4.3	3	0	0
	K-8691	L-12348*	233	25.2	4.6	13	7	205	24.9	4.0	4	1	2
	L-14-5	L-12381	216	25.8	5.0	15	6	157	25.0	4.7	0	0	0
	K-8631	L-12381	267	27.6	4.8	10	7	218	25.2	4.2	0	1	0
	J-6352	L-12388*	278	24.0	4.4	16	8	208	24.6	4.3	4	4	1
	K-8153	L-12388*	216	26.4	5.2	11	4	232	23.8	4.5	0	4	0
	K-8243	L-12388*	229	26.4	4.8	10	5	186	24.9	4.6	1	0	0
	K-8486	L-12388*	232	26.4	4.2	15	5	175	26.0	4.4	2	3	1
	L-188	L-13507*	265	25.2	4.4	14	9	208	25.4	4.6	3	1	1
	J-6638	L-13571*	289	25.2	4.7	12	7	224	24.3	4.6	1	2	0
	K-8116	L-13571*	249	25.2	5.2	12	7	192	25.0	4.7	1	1	0
Empire Hatchery and H. I. Weller Columbus Grove, Ohio	H-2	G-3000*	280	25.1	4.3	17	8	216	24.2	4.5	0	5	0
	F-184	G-3000*	226	24.4	4.7	6	4	232	24.7	4.7	0	1	0
	H-120	G-3000*	254	26.4	4.5	5	4	199	25.5	4.9	0	0	0
	H-301	G-3000*	283	26.7	5.0	8	6	236	25.1	4.6	1	0	0
	H-30	H-4163	289	26.7	4.4	10	5	181	26.0	5.1	0	0	0
	H-252	H-4163	289	24.4	5.0	8	4	201	24.8	5.2	0	1	0
	F-10	H-4164*	253	26.9	5.1	4	4	277	27.3	5.1	0	0	0
	F-27	H-4164*	274	28.1	5.1	6	4	192	26.9	5.6	0	0	0
	H-44	H-4164*	254	25.5	5.0	11	7	205	25.2	4.9	0	1	0
	H-47	H-4581*	259	25.5	4.8	7	4	192	25.5	4.5	0	0	0
	H-101	H-4581*	254	27.5	6.5	4	4	229	26.8	5.0	0	0	0
	H-334	H-4581*	291	24.5	4.8	7	6	277	24.8	4.8	0	1	0
	G-30	M-1008	248	27.7	5.6	7	4	167	26.4	4.9	0	0	0
	F-170	M-1008	256	26.1	5.5	10	5	197	25.5	4.7	1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered breeding		Daughters			No. completing year but failing to qualify because of low -		
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Average performance	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg prod. wt.	Body wt.
Gasson's Poultry Farms Versailles, Ohio	G-347	(F-340 (G-1229	281	24.5	4.9	10	10	274	25.3	4.8	0	0	0
	H-884	(F-340 (G-1229	267	25.5	4.7	4	4	247	24.9	4.4	0	0	0
	F-1174	F-367*	275	25.0	5.2	11	6	192	24.7	5.2	2	2	0
	G-762	F-367*	284	25.0	4.7	10	6	182	25.5	5.0	0	0	0
	G-1098	F-367*	272	25.5	4.1	4	4	248	26.0	4.9	0	0	0
	H-333	F-367*	270	25.3	4.4	5	4	226	25.6	4.8	1	0	0
	G-712	G-1059*	280	25.4	4.4	6	5	224	26.0	4.9	0	0	0
	G-1190	G-1059*	282	25.8	4.4	6	4	235	26.4	4.5	0	0	0
	H-422	G-1059*	279	24.3	4.8	14	13	256	26.1	4.9	0	0	0
	H-514	G-1059*	276	25.7	5.3	6	6	255	25.1	4.9	0	0	0
	D-363	H-491*	267	25.2	--	7	4	268	24.4	4.8	1	3	0
	D-417	H-491*	273	25.4	--	8	6	236	26.0	4.7	1	0	0
	D-1431	H-491*	278	26.4	--	5	5	291	25.4	4.6	0	0	0
	H-839	H-528*	270	26.0	4.8	7	4	231	25.0	4.7	0	0	0
	G-832	H-774*	276	25.4	4.7	8	5	184	25.6	5.0	1	0	0
	H-156	H-774*	277	25.2	5.4	11	4	131	26.0	5.5	1	0	0
	H-1232	H-774*	277	25.2	4.1	16	9	189	25.6	4.9	0	0	0
	H-1277	H-774*	277	25.2	5.1	14	7	180	26.5	5.0	1	2	0
	F-332	H-806*	306	24.1	4.5	5	5	273	25.4	4.8	0	0	0
	G-592	H-806*	297	24.0	4.6	11	4	168	24.8	5.0	0	1	0
	H-297	H-806*	302	24.1	5.0	10	5	181	24.9	5.2	1	2	0
	H-1092	H-806*	283	26.1	5.5	9	7	227	25.1	5.0	0	0	0
	H-1204	H-806*	298	24.1	5.0	6	4	202	24.9	4.6	1	0	0
	H-826	H-901*	266	25.8	4.1	9	5	196	25.4	4.8	3	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Daughters			No. completing year but failing to qualify because of low -	
			Average performance										
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.			
Gasson's Poultry Farms Versailles, Ohio (Continued)	H-33	H-901*	265	27.0	5.3	9	6	183	25.4	5.0	0	0	
	H-247	H-901*	265	25.8	4.7	6	5	211	26.3	4.9	1	0	
	H-295	H-901*	266	25.3	4.0	5	4	206	26.3	4.6	0	0	
	H-807	H-901*	266	24.2	5.1	9	4	138	25.7	4.9	0	0	
	H-1221	H-901*	266	25.2	4.6	8	4	224	24.9	4.6	0	0	
	H-1451	H-901*	265	24.0	4.7	9	5	192	25.8	4.8	1	0	
	G-545	H-937*	268	27.7	5.6	7	5	216	26.7	4.6	0	0	
	G-572	H-937*	267	25.8	4.8	7	5	212	25.9	4.6	1	0	
	G-665	H-937*	268	26.1	4.7	8	6	240	25.9	4.4	0	0	
	H-14	H-937*	267	25.0	4.8	5	4	241	25.4	4.4	0	0	
	H-268	H-937*	267	26.2	5.0	9	7	245	26.4	4.7	0	0	
	H-1160	H-937*	267	24.7	4.5	6	4	217	25.7	4.4	1	0	
	E-1056	H-1147*	287	24.8	5.1	7	6	210	25.8	4.9	0	0	
	H-210	H-1147*	281	24.5	4.3	5	4	253	24.7	4.4	0	0	
	H-1270	H-1147*	285	25.0	4.7	6	5	219	25.5	4.4	0	0	
	H-1292	H-1147*	289	26.9	4.5	11	7	212	27.1	4.6	1	0	
	H-1322	H-1147*	313	24.2	4.4	5	4	194	27.9	5.1	0	0	
	H-290	H-1164	253	25.1	4.5	6	4	245	24.0	4.2	1	0	
	H-434	H-1164	252	25.8	5.0	15	5	160	24.6	4.7	0	0	
	F-384	H-1203*	292	25.3	5.4	7	6	231	25.4	4.8	0	0	
	H-139	H-1203*	283	25.9	4.5	10	4	181	24.8	4.7	1	0	
	H-1189	H-1203*	290	25.4	4.9	4	4	257	26.6	5.0	0	0	
	H-1193	H-1203*	288	25.8	4.9	11	5	182	24.9	4.9	0	0	
	H-1373	H-1203*	284	25.5	4.7	12	5	202	25.0	4.7	1	0	
	H-1557	H-1203*	287	25.7	4.5	12	7	206	24.8	4.8	0	0	
	G-83	H-1252*	269	27.8	5.3	5	4	295	25.0	4.8	1	0	

For explanation of abbreviations, units, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -				
		Daughters					Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)		
		Dam	Sire mate	Egg wt. (oz. per doz.)										
													Body wt. (lbs.)	
Gasson's Poultry Farms Versailles, Ohio (Continued)		H-1180H-1252*	269	26.3	4.8	8	7	228	26.3	5.0	0	0		0
		H-1246H-1252*	268	25.0	5.2	7	5	239	25.0	4.8	0	1	0	
		G-553 H-1254*	293	26.4	4.6	9	7	228	25.8	4.7	0	1	0	
		G-817 H-1254*	298	25.1	4.7	11	6	219	25.0	4.9	1	1	0	
		H-188 H-1254*	288	24.3	4.5	6	4	248	25.3	4.9	1	0	0	
		H-690 H-1254*	283	24.6	4.0	14	6	155	25.0	4.6	1	1	0	
		F-376 H-1267*	286	24.7	4.5	10	4	176	24.6	4.7	0	1	0	
		F-1303H-1267*	289	24.9	4.9	12	7	205	25.7	5.1	1	1	0	
		G-1116H-1267*	293	24.5	5.4	11	7	231	25.0	4.8	3	1	0	
		G-1140H-1267*	290	24.7	4.1	9	4	160	25.1	4.8	1	1	0	
		G-1242H-1267*	314	24.5	4.5	10	5	177	24.9	4.7	0	0	0	
		H-393 H-1267*	286	24.7	5.5	9	4	168	25.1	5.0	1	0	0	
		H-469 H-1267*	284	25.0	4.8	16	9	198	25.3	4.7	1	1	0	
		G-97 H-1281*	260	26.8	4.7	8	5	195	25.3	5.2	2	0	0	
		H-19 H-1281*	264	26.1	5.3	10	6	191	26.8	5.2	0	1	0	
		H-236 H-1281*	257	26.2	4.9	8	5	204	24.7	4.9	2	0	0	
		H-266 H-1281*	258	25.5	4.3	6	4	242	24.3	5.4	0	2	0	
		H-475 H-1281*	256	25.3	5.2	11	5	199	25.2	5.4	2	0	0	
		H-52 H-1283*	307	24.6	4.2	7	4	186	26.0	4.7	0	0	0	
		G-818 H-1454*	279	25.1	4.8	10	5	172	25.2	4.4	2	0	0	
		G-1445H-1454*	277	25.1	4.4	8	5	190	26.1	5.1	0	0	0	
		H-1317H-1454*	278	24.5	4.8	7	5	217	25.2	4.8	0	0	0	
		G-393 H-1652*	275	26.4	5.3	10	5	165	26.8	4.8	1	0	0	
	Gause, C. B. Holcomb, N. Y.		Y13-6 (L-12994*	263	24.6	--	7	4	210	26.4	4.3	2	0	1
			(L-12995											

Gause, C. B.
Holcomb, N. Y.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -		
									Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.		
Gauss, C. B. Holcomb, N. Y. (Continued)	J-3916	(L-12994* (L-12995	255	26.4	4.1	8	4	208	27.2	4.5	2	0	0	
	K-5102	L-15098*	251	25.2	4.9	6	4	184	26.0	4.2	0	0	0	
	K-5226	(L-12994* (L-12995	259	25.2	4.4	10	6	207	26.5	4.2	0	0	0	
	K-5257	(L-12405 (L-15098*	270	24.0	4.5	12	6	219	24.5	4.2	1	2	1	
	K-5261	(L-12424 (L-12431	252	25.2	4.2	13	7	195	25.1	4.6	3	2	0	
	K-5274	(L-12994* (L-12995	252	25.2	3.9	10	6	218	25.8	3.9	0	0	0	
	K-5307	(L-12994* (L-12995	248	26.4	4.3	7	5	229	26.1	4.8	1	0	0	
	K-5350	(L-12424 (L-12431	258	25.2	4.1	12	5	168	24.9	4.8	1	0	0	
	K-5425	(L-12994* (L-12995	277	25.2	4.9	14	10	202	26.4	4.1	0	0	1	
	Goetgeluck, Oscar St. Marys, W. Va.	B-1555	D-1719*	243	25.0	4.4	11	6	172	26.0	4.7	5	1	0
D-1408		D-1719*	234	27.1	3.5	5	4	201	25.3	4.1	0	0	0	
B-669		D-1724*	214	26.2	3.8	10	6	193	26.7	4.4	2	0	0	
D-480		D-1724*	217	26.0	3.8	6	4	183	27.1	4.5	1	0	0	
145		376*	240	24.0	3.8	10	5	215	24.5	4.1	0	2	0	
Golden Rule Poultry Farm Bryan, Tex.	388	376*	231	24.0	4.8	11	5	199	23.5	4.1	2	2	0	
	391	376*	257	24.0	4.5	9	4	225	24.3	4.2	2	4	0	
	395	376*	233	25.0	4.5	9	6	217	25.0	4.2	0	1	0	
	150	377*	256	25.0	4.7	11	5	195	25.0	4.6	0	1	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Daughters																		
Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -								
		Egg prod. (no.)					Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)				
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)														
Golden Rule Poultry Farm Bryan, Tex. (Continued)		Dam	Sire mate															
		383	377*		268	26.0	5.1	11	7	223	24.8	4.9	1	2	0	0	0	0
		389	377*		297	--	--	9	6	229	25.2	4.9	2	0	0	0	0	0
		M-5496	L-1280	243	26.3	4.5	11	5	166	25.3	4.5	3	1	0	0	0	0	0
Hamilton Poultry Farms, Inc. Hamilton, Mich.		M-5526	L-1382	242	27.4	4.0	6	4	183	24.3	4.2	0	0	0	0	0	0	0
		M-5545	L-2618	266	25.1	3.6	6	4	210	25.1	4.3	1	0	0	0	0	0	0
		M-5530	M-89	229	25.7	5.2	6	4	173	24.4	4.6	1	1	0	0	0	0	0
		K-5281	323	306	24.6	4.0	6	4	213	25.2	4.4	0	0	0	0	0	0	0
Hansen's Leghorn City Puyallup, Wash.		K-5219	325*	282	26.5	4.4	6	6	291	27.5	4.4	0	0	0	0	0	0	0
		K-5343	325*	328	25.4	4.0	5	5	269	27.6	4.2	0	0	0	0	0	0	0
		I-4872	340*	300	26.1	4.0	11	8	251	25.0	4.9	1	1	0	0	0	0	0
		K-5226	340*	292	25.8	4.2	7	5	232	24.7	4.6	0	0	0	0	0	0	0
		K-5242	340*	294	25.8	4.7	10	10	278	25.0	4.9	0	0	0	0	0	0	0
		K-5252	340*	268	27.3	4.7	10	9	273	27.1	4.8	1	0	0	0	0	0	0
		K-5267	340*	306	27.6	4.4	13	9	293	24.8	4.6	0	4	0	0	0	0	0
		K-5421	340*	296	25.5	4.3	8	7	286	24.6	4.7	0	0	0	0	0	0	0
		K-5491	340*	296	25.9	4.4	10	7	245	24.9	4.8	1	0	0	0	0	0	0
		K-5254	350	291	26.0	4.2	5	4	256	26.0	4.6	1	0	0	0	0	0	0
		K-5367	350	251	26.9	5.3	4	4	290	26.0	4.7	0	0	0	0	0	0	0
		K-5342	354*	258	26.9	4.7	4	4	244	27.5	4.5	0	0	0	0	0	0	0
		K-5483	354*	283	25.0	5.2	6	4	225	26.9	4.5	0	0	0	0	0	0	0
		J-5094	2339*	296	26.6	4.6	5	4	245	25.9	4.5	0	0	0	0	0	0	0
		J-5156	2339*	283	26.2	5.7	6	5	224	27.2	5.0	0	0	0	0	0	0	0
		K-5232	2339*	271	25.7	5.5	9	7	237	25.8	4.7	1	0	0	0	0	0	0
	K-5323	2339*	261	25.4	4.4	7	6	254	25.1	4.3	0	1	0	0	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. Leg- band number of -		Dam's first-year record			Entered		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.
Hansen's Leghorn City Puyallup, Wash. (Continued)	K-5403	2339*	289	25.5	4.2	5	5	264	25.5	4.5	0	0
	K-5386	2335	273	25.5	4.3	8	7	254	25.9	4.3	1	0
	K-5278	2358	253	27.3	4.4	4	4	264	27.0	4.5	0	0
	K-5475	2358	297	25.6	4.3	5	4	226	26.0	4.5	0	0
	K-5492	2416	257	26.3	4.0	6	5	256	26.4	4.5	0	0
	J-5064	2419*	280	24.3	4.9	6	4	234	25.2	4.4	0	1
	K-5225	2419*	267	26.2	4.3	9	6	214	25.4	4.3	0	1
	K-5442	2419*	262	24.9	4.5	6	6	273	25.3	4.4	0	0
	K-5446	2419*	279	27.7	4.6	4	4	298	26.2	4.4	0	0
	J-4977	2434	287	25.9	4.5	4	4	256	27.2	4.8	0	0
	K-5259	2435*	261	26.7	4.4	5	5	246	27.4	4.5	0	0
	K-5261	2435*	277	24.6	3.7	4	4	260	27.0	4.2	0	0
	K-5288	2435*	269	27.9	5.3	7	6	242	28.0	4.7	0	0
	K-5398	2435*	257	27.8	4.8	5	4	233	27.0	4.9	0	0
	K-5450	2435*	274	24.9	4.3	10	10	270	25.4	4.4	0	0
	4-145	8-1452*	301	25.4	--	6	5	211	27.5	5.1	1	0
	4-587	9-1092*	327	24.0	--	7	4	246	25.7	5.2	0	0
Hanson, J. A. Corvallis, Oreg.	4-1633	8-1452*	324	24.6	--	4	4	239	27.8	4.8	0	0
	5-48	8-1452*	320	24.0	5.1	9	6	254	27.2	4.8	1	0
	5-119	9-1518*	311	25.4	5.5	12	8	231	25.9	5.2	1	1
	5-226	9-1518*	301	26.1	5.0	10	6	223	25.7	5.0	2	0
	5-1723	9-1384*	302	25.6	4.4	11	5	178	24.8	4.6	2	1
	5-1884	8-1452*	307	26.3	4.3	5	5	264	27.1	4.8	0	0
	5-1997	6-753*	315	24.8	4.5	8	5	279	24.5	4.6	0	2
	6-24	9-1384*	333	24.7	5.2	6	4	276	25.3	5.4	1	1
	6-69	9-1384*	304	25.6	5.6	5	5	286	26.4	5.0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record		Entered		Produced		Average performance		No. completing year but failing to qualify because of low -	
Daughters	U.S.R.O.P. leg- band number		Dam's first- year record		Entered		Produced		Average performance		No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	(no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt. Body wt.
Hanson, J. A. Corvallis, Oreg. (Continued)	6-402	9-1196*	305	26.4	4.5	5	5	5	292	25.9	0	0
	6-436	9-1196*	301	24.1	5.0	8	5	5	240	25.0	1	2
	6-559	9-1196*	302	26.7	4.3	7	4	4	211	26.2	0	1
	6-622	9-1037*	300	26.4	5.4	8	8	8	284	26.0	0	0
	6-659	7-709*	310	24.3	5.4	10	6	6	254	24.6	0	1
	6-1291	9-1092*	315	24.8	5.1	11	7	7	238	26.2	0	0
	6-1344	9-1431*	300	24.6	4.6	6	4	4	226	26.3	1	1
	6-1881	9-1092*	354	25.4	5.6	13	8	8	234	25.6	2	0
	6-1914	7-709*	321	25.3	4.8	10	7	7	261	25.9	1	1
	7-290	9-1037*	308	25.2	5.2	9	5	5	204	26.2	1	0
	7-320	9-1037*	311	25.5	4.6	8	6	6	222	25.3	1	0
	7-325	9-906*	305	24.8	5.1	7	5	5	282	24.8	1	2
	7-476	9-1196*	317	25.7	4.3	7	5	5	229	25.9	1	0
	7-479	9-918*	332	25.8	4.7	11	10	10	256	25.8	0	0
	7-647	9-916*	300	25.7	4.6	6	5	5	231	26.4	0	0
	7-663	9-916*	301	27.6	5.4	9	7	7	249	26.7	0	1
	7-667	9-1196*	300	26.9	5.0	9	8	8	258	26.7	0	0
	7-672	9-1196*	300	25.2	5.0	10	9	9	291	25.7	0	1
	7-698	9-1037*	304	28.3	4.6	19	16	16	273	26.8	0	1
	7-730	9-1196*	306	28.0	6.0	8	7	7	271	26.4	0	0
	7-752	9-1196*	328	27.0	5.3	6	6	6	273	26.6	0	0
	7-759	9-1196*	302	26.8	4.4	9	6	6	230	27.2	0	0
	7-900	9-1249	300	26.1	5.2	7	4	4	261	27.6	0	0
	7-1134	9-1431*	319	24.9	5.0	9	9	9	280	26.0	0	0
	7-1150	6-690*	341	26.2	4.8	15	12	12	275	26.3	0	1
	7-1164	6-690*	333	24.6	4.9	12	7	7	269	26.1	0	0

1/ For explanation of abbreviations, units symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.		
Hanson, J. A. Corvallis, Oreg. (Continued)	7-1169	6-690*	313	25.8	5.1	8	7	269	25.7	5.1	0	1	0	
	7-1184	9-1431*	316	24.4	4.3	12	8	268	26.6	5.0	0	0	0	
	7-1253	6-690*	310	24.5	4.2	8	6	275	25.1	4.8	0	0	0	
	7-1271	9-1431*	317	24.0	4.7	11	6	188	26.2	5.3	1	0	0	
	7-1289	9-1431*	336	24.7	4.1	14	9	225	27.4	5.0	4	0	0	
	7-1291	6-690*	301	24.8	4.3	6	4	194	26.2	4.9	0	0	0	
	7-1299	9-1431*	327	24.1	4.4	9	6	229	25.8	5.1	1	1	0	
	7-1477	9-1384*	302	24.4	5.3	6	4	300	24.8	4.7	0	1	0	
	7-1546	9-916*	303	25.4	5.4	8	5	216	26.5	5.2	1	0	0	
	7-1580	6-753*	323	25.2	4.9	10	5	242	25.0	5.0	0	2	0	
	7-1605	6-753*	312	27.8	4.9	5	5	285	26.1	4.4	0	0	0	
	7-1640	6-690*	312	25.4	5.0	16	14	270	25.8	5.1	0	0	0	
	7-1669	9-1037*	301	24.6	4.9	7	5	274	24.8	5.2	0	2	0	
	7-1737	9-1134	331	24.9	4.9	12	12	259	25.7	5.2	0	1	0	
		9-1249												
	7-1798	9-1092*	325	26.1	5.1	22	22	222	25.3	5.1	3	1	3	0
	8-30	8-1663*	307	25.7	4.7	6	6	5	225	25.4	4.7	1	0	0
		9-1465*												
	8-31	9-1182*	302	27.6	5.0	7	7	5	247	26.4	5.3	1	0	0
	8-89	9-1051*	301	26.0	4.6	13	13	9	283	25.7	5.0	0	2	0
		9-1175*												
	8-124	9-1465*	317	25.9	4.8	4	4	4	270	25.6	5.3	0	0	0
	8-149	9-1475*	321	24.9	4.9	10	10	7	274	25.1	4.8	0	2	0
	8-185	8-1663*	332	27.4	5.1	10	10	9	247	26.3	5.5	1	0	0
		9-1465*												

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	Daughters										No. completing year but failing to qualify because of low -		
	U.S.R.O.P. leg- band number of -		Dam's first- year record		Entered pen (no.)	Un- tilted (no.)	Average performance						
							Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.
Hanson, J. A. Corvallis, Oreg. (Continued)	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
	8-213	(9-1051* (9-1175*	309	25.2	4.6	5	5	275	25.8	4.7	0	0	0
	8-219	9-1182*	313	26.0	5.1	6	6	261	26.1	5.7	0	0	0
	8-224	9-1475*	319	24.8	4.4	9	7	240	24.9	4.5	0	1	0
	8-260	(8-1663* (9-1465*	318	25.8	5.5	11	4	219	25.6	5.5	4	1	0
	8-302	9-1475*	306	25.9	4.5	6	4	236	25.3	4.7	0	0	0
	8-338	(8-1663* (9-1465*	310	26.7	5.0	5	4	288	26.2	5.3	0	0	0
	8-361	(8-1663* (9-1465*	306	27.1	4.8	8	6	232	26.4	5.2	1	0	0
	8-368	9-906*	307	24.2	4.2	17	10	234	25.0	4.5	2	4	0
	8-403	9-906*	324	24.7	4.9	17	15	288	25.8	5.0	1	1	0
	8-413	9-1313*	332	24.5	4.9	11	7	258	24.9	5.2	0	1	0
	8-414	9-1313*	340	25.2	4.3	28	24	262	25.8	5.2	1	1	0
	8-415	7-709*	328	26.5	4.0	6	4	229	26.1	4.6	0	0	0
	8-432	(8-1087* (9-1390	304	26.0	4.9	8	7	241	26.0	5.0	0	0	0
	8-435	9-1313*	306	25.4	4.7	5	4	238	27.2	5.4	0	0	0
	8-443	(9-1390 (8-1087*	331	24.4	4.6	11	6	263	24.9	5.0	1	2	0
	8-448	7-709*	311	26.8	5.1	19	11	221	25.8	5.2	0	0	0
	8-462	6-753*	304	27.2	5.2	7	4	203	25.6	4.9	0	1	0
	8-486	9-906*	309	25.7	5.1	9	6	244	26.1	5.4	1	1	0
	8-524	8-1087*	300	24.8	4.6	12	8	280	24.8	5.0	0	3	0
	8-535	7-709*	312	27.9	4.2	24	16	212	27.2	5.2	1	0	0

For explanation of abbreviations, units, symbols, etc., see Introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams

1/

Breeder's name and address	U.S.R.C.P. leg- band number of -	Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.	
											Egg prod. (no.)
Hanson, J. A. Corvallis, Oreg. (Continued)	Dam	Sire mate									
	8-543	9-908*	310	25.6	4.9	8	243	27.0	5.2	1	0
	8-550	6-1*	302	26.6	5.4	15	251	26.2	5.0	0	2
	8-551	9-1384*	302	27.2	5.0	7	270	25.6	5.0	0	0
	8-584	8-1087*	333	25.0	4.5	8	241	26.2	4.9	0	1
	8-597	(6-753* (9-844	302	26.9	5.1	21	274	26.0	5.1	1	2
	8-627	8-1087*	330	24.0	4.7	13	277	25.0	5.0	1	2
	8-651	(9-1051* (9-1175*	301	24.5	4.5	5	302	25.0	4.1	0	1
	8-658	8-1087*	315	25.7	4.6	10	286	26.6	5.0	0	0
	8-681	(9-1390 (8-1087*	306	26.5	4.7	8	202	25.6	4.7	2	0
	8-723	9-908*	304	24.1	4.4	8	258	25.5	4.6	1	1
	8-726	8-1087*	327	26.1	5.2	7	280	26.2	5.3	0	1
	8-733	6-753*	307	27.2	4.9	17	260	25.1	4.8	0	1
	8-751	9-908*	341	25.6	4.7	9	270	26.3	4.9	0	0
	8-754	9-1384*	301	27.1	5.2	5	271	26.3	5.2	0	0
	8-766	9-908*	317	25.6	3.9	7	296	25.5	4.6	0	0
	8-779	6-753*	300	28.5	5.1	6	229	27.0	5.6	1	0
	8-804	(8-1525* (8-1679*	321	24.9	4.4	12	270	25.8	4.7	0	2
	8-807	8-1679*	319	24.6	4.0	9	263	24.7	4.4	2	2
	8-823	8-1679*	306	24.3	4.8	7	224	25.9	5.0	1	0
	8-834	8-1525*	301	26.9	5.2	9	273	26.2	5.1	0	0
	8-838	8-1739*	313	26.6	5.0	13	280	26.1	5.4	1	0
	8-849	8-1525*	302	25.4	4.7	11	248	26.3	5.0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Entered (no.)	Performance (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Performance (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Hanson, J. A. Corvallis, Oreg. (Continued)	8-883	8-1679*	307	24.0	4.3	5	5	276	26.1	4.7	0	0	0
	8-928	8-1525*	311	25.7	4.9	8	6	267	25.6	4.9	0	1	0
	8-934	8-1679*											
	8-934	8-1525*	306	26.3	5.6	12	8	225	26.0	5.1	0	2	0
	8-947	8-1679*	315	25.2	5.2	10	5	282	25.2	4.9	0	1	0
	8-948	8-1739*	309	27.0	4.0	5	5	257	26.3	4.5	0	0	0
	8-975	8-1739*	328	24.6	5.1	5	4	263	25.5	5.4	1	0	0
	8-984	8-1679*	305	26.0	4.0	14	9	264	25.2	4.6	2	3	0
	8-986	8-1525*	315	25.0	4.9	7	6	262	26.8	5.2	1	0	0
	8-1007	8-1525*	301	26.8	4.9	9	8	271	26.5	5.0	0	0	0
	8-1020	8-1525*	301	26.0	5.4	8	5	220	26.4	5.0	1	0	0
	8-1043	8-1051*	307	25.4	4.8	9	6	225	25.1	4.6	1	1	0
		8-1175*											
	8-1119	8-1679*	323	26.0	5.4	16	14	282	26.4	4.9	2	0	0
		8-1525*											
	8-1122	8-1051*	328	25.9	4.6	10	7	272	24.7	4.9	0	1	0
	8-1175*												
8-1174	8-1739*	310	24.2	4.3	5	5	278	25.1	4.7	0	0	0	
8-1175	8-1525*	300	24.7	4.2	15	7	262	24.2	4.5	0	5	0	
	8-1679*												
8-1208	8-1663*	332	26.4	4.4	5	5	274	25.9	5.1	0	0	0	
	8-1488*												
8-1223	8-906*	310	26.2	5.3	11	11	281	25.9	5.0	0	0	0	
8-1235	8-906*	300	24.0	4.5	6	5	279	25.9	5.1	0	0	0	
8-1236	8-1475*	300	26.8	4.5	6	5	276	26.0	4.9	0	0	0	
8-1247	8-1475*	308	25.8	4.7	16	9	261	25.3	4.6	1	4	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. log- band number of -		Dam's first- year record			Performance		Daughters			Average performance			No. completing year but failing to qualify because of low -			
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Per cent (no.)	Per cent (no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.				
		Dam	Sire mate														
Hanson, J. A. Corvallis, Oreg. (Continued)	8-1256	8-1739*	301	26.5	4.3	6	5	267	26.9	4.5	0	0	0	0	0	0	
	8-1273	8-1663* (9-1465*	300	25.1	4.4	12	8	249	26.4	5.1	1	1	0	0	0	0	
	8-1288	8-1739*	317	25.7	4.6	10	9	272	25.8	5.1	0	0	0	0	0	0	
	8-1294	9-1051* (9-1175*	302	25.6	4.3	14	12	282	25.5	4.6	0	1	0	0	0	0	
	8-1303	8-1679*	300	25.8	4.7	7	6	262	25.3	4.6	1	1	0	0	0	0	
	8-1311	6-1*	326	26.1	4.7	13	9	264	25.0	4.3	1	2	0	0	0	0	
	8-1320	8-1087*	306	25.6	4.2	13	7	236	25.3	4.3	4	2	1	0	0	0	
	8-1326	9-1313*	318	27.0	5.2	10	8	256	26.4	5.5	1	0	0	0	0	0	
	8-1338	9-1313*	301	24.7	4.7	7	4	218	25.2	5.1	1	1	0	0	0	0	
	8-1350	8-1679* (8-1525*	340	24.0	4.2	25	15	279	24.8	4.6	1	5	0	0	0	0	0
	8-1360	9-906*	303	24.4	4.8	9	7	287	25.7	5.1	0	0	0	0	0	0	0
	8-1402	9-1475*	325	25.9	5.0	5	4	264	26.0	5.1	0	0	0	0	0	0	0
	8-1505	6-1*	300	25.6	4.4	15	11	247	25.0	4.3	1	2	0	0	0	0	0
	8-1567	8-1663* (9-1465*	336	26.4	4.8	9	7	269	25.6	5.1	1	1	0	0	0	0	0
	8-1583	8-1679*	326	25.2	4.8	12	6	276	24.4	4.7	1	3	0	0	0	0	0
	8-1584	9-1051* (9-1175*	300	25.1	4.6	8	5	276	25.0	4.7	0	2	0	0	0	0	0
8-1593	8-1739*	302	24.0	4.4	12	8	238	25.7	4.8	3	0	0	0	0	0	0	
8-1597	9-1313*	326	25.4	4.6	11	7	284	24.9	5.1	1	3	0	0	0	0	0	
8-1599	9-1313*	308	25.6	4.3	8	8	250	25.8	5.5	0	0	0	0	0	0	0	
8-1615	9-1475*	320	24.5	4.6	13	8	219	25.6	4.5	2	2	0	0	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			Daughters			No. completing year but failing to qualify because of low -
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Egg prod. (no.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Hanson, J. A. Corvallis, Oreg. (Continued)	8-1641	8-1525*	301	27.2	5.1	10	9	279	25.7	5.1	1	0	0	
		(8-1679*												
	8-1690	8-1679*	310	25.9	5.2	6	5	264	26.5	5.2	0	0	0	
	8-1695	9-1313*	308	26.0	4.8	10	4	185	26.4	5.6	3	0	0	
	8-1699	8-1525*	302	27.6	5.3	5	4	272	26.2	5.1	0	0	0	
		(9-904												
	8-1716	9-906*	318	24.0	4.6	14	10	243	26.1	4.7	3	1	0	
	8-1727	8-1087*	303	25.9	4.4	12	9	247	25.6	5.1	2	0	0	
	8-1816	9-1475*	316	27.0	4.9	7	5	241	25.7	5.2	1	0	0	
	8-1817	8-1525*	315	25.4	5.0	6	6	282	25.6	4.9	0	0	0	
Hawley, W. W., Jr. Batavia, N. Y.	8-1894	6-753*	310	26.4	4.6	7	5	212	25.0	4.7	1	0	0	
	8-1906	6-753*	354	26.0	5.1	25	20	267	26.6	5.0	1	0	0	
		(8-1525*												
	8-1930	9-1313*	306	25.8	5.2	15	14	265	26.5	5.5	0	1	0	
	8-1933	9-1182*	300	27.7	5.4	11	8	266	26.6	5.4	1	1	0	
	I-5209	J-23931	260	26.4	4.2	7	4	174	25.2	4.6	3	1	0	
	J-9338	L-12043	248	25.2	4.9	20	10	193	25.7	4.7	5	2	0	
	K-7407	L-12043	282	26.4	5.1	11	4	157	25.1	5.2	4	2	0	
	K-7411	L-12043	249	25.2	4.6	11	4	179	24.6	4.5	4	3	0	
	J-9331	L-12044	253	27.6	4.4	9	5	232	25.7	4.7	2	1	1	
	I-5066	L-12049	242	25.2	3.9	8	4	159	26.2	4.2	1	1	0	
	J-9043	L-12059	228	26.4	3.8	9	4	167	24.1	4.3	2	1	1	
	J-9304	L-12473	253	24.0	4.2	13	6	211	24.0	4.1	4	6	3	
	K-6332	L-12473	274	24.0	3.8	10	5	192	24.0	4.1	3	3	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	
Hile's Poultry Farm Mount Vernon, Ohio	Dam	Sire mate										
	G-17	H-2668*	263	25.5	4.8	11	5	128	27.8	5.3	0	0
	H-61	H-2668*	230	25.7	4.4	10	4	141	26.1	4.9	1	0
	G-262	H-2687	256	26.9	4.9	10	4	130	26.6	4.6	0	0
	H-113	H-2687	266	27.0	4.5	9	4	121	26.7	5.2	0	0
	H-133	H-2687	283	25.1	4.4	12	5	148	26.9	5.4	3	0
	G-21	H-2821	272	24.1	4.8	6	4	227	25.2	4.6	0	1
	H-87	H-2821	228	24.0	4.0	15	5	117	25.5	4.4	2	1
	H-174	H-2821	280	24.3	4.3	5	4	198	25.8	4.6	0	0
	H-268	H-2821	234	24.7	5.0	10	6	186	24.6	4.8	0	1
	G-279	H-2880*	255	24.5	4.5	7	4	171	25.9	4.7	0	0
	H-94	H-2880*	254	25.0	3.5	14	5	112	25.9	4.7	0	0
	H-152	H-2880*	282	24.0	4.6	11	4	173	25.7	4.9	1	2
	H-166	H-2880*	267	24.7	4.8	7	4	161	25.8	4.7	0	0
	G-53	H-2961	272	24.9	4.9	15	6	128	26.2	4.6	1	0
	G-277	H-2961	240	25.3	5.5	14	6	119	25.8	4.6	0	0
G-210	H-2984*	242	24.4	5.5	12	8	202	25.5	4.9	0	1	
G-232	H-2984*	285	25.4	4.7	13	6	160	26.2	4.8	1	1	
H-32	H-2984*	300	24.2	4.0	12	9	210	25.7	4.4	0	0	
Hillcrest Poultry Farm Akron, Ohio	H-144	6944	246	25.7	5.1	15	6	143	24.9	4.6	1	1
Horseshoe Poultry Ranch Wheatland, Wyo.	9-2812	1890	265	25.0	4.0	7	5	215	25.2	4.1	0	0
Hutchings Breeding Farm & Hatchery Springville, Utah	D-5	E-6*	268	25.6	3.7	5	5	264	26.5	3.8	0	0
	D-280	E-6*	271	26.0	4.0	12	4	224	25.7	3.7	3	1
	E-974	E-47	264	26.0	4.3	4	4	244	25.4	4.3	0	0
	D-191	E-110*	266	25.6	3.7	4	4	263	26.9	4.0	0	0

1/ For explanation of abbreviations units, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record				Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
		Egg		Body wt. (lbs.)	Egg2/ prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	
		prod. (no.)	wt. (oz.)										
		Dam	Sire mate										
Hutchings Breeding Farm & Hatchery Springville, Utah (Continued)	E-617	W-1516*	225	26.3	4.7	9	7	240	26.8	4.3	1	0	0
	E-770	W-1516*	311	27.4	4.5	7	4	201	26.6	4.3	1	0	0
	E-825	W-1516*	233	25.4	3.9	7	4	200	26.0	4.0	0	0	0
	E-855	W-1516*	203	26.5	3.7	12	6	190	25.8	4.1	1	1	0
	E-971	W-1516*	242	26.3	4.3	10	5	190	27.1	4.1	1	0	0
	E-979	W-1516*	235	24.8	3.7	12	9	224	26.1	3.9	1	0	1
Johnson, N. K. Route 4 Snohomish, Wash.	K-870	L-5861	263	24.2	4.0	5	4	258	24.7	3.9	0	1	0
	K-1015	L-5872	303	25.6	4.3	4	4	228	26.2	4.2	0	0	0
	K-898	L-5892*	288	27.0	4.2	9	6	213	27.1	4.3	0	1	0
	K-904	L-5892*	294	26.6	4.5	10	5	195	26.9	4.4	1	0	0
	J-5878	L-5899*	315	25.7	4.3	7	5	183	26.4	4.2	0	0	0
	J-5880	L-5899*	307	24.9	3.9	5	4	209	26.2	4.3	0	0	0
Kellar and Cockell Ranier, Oreg.	K-1060	L-5911	280	25.8	4.3	5	4	255	25.3	4.3	0	1	0
	8-246	M-9	300	26.1	4.3	6	4	231	27.0	4.6	1	0	0
	8-466	M-9	229	25.6	4.8	4	4	283	27.5	5.0	0	0	0
	8-33	M-31	314	24.9	4.1	10	7	256	26.1	4.4	0	1	0
		M-88*											
	8-111	M-31	283	24.8	4.8	7	7	247	25.6	5.1	0	0	0
	8-208	M-31	294	25.4	5.0	8	4	151	27.4	4.8	1	0	0
		M-88*											
	8-220	M-77*	267	24.9	4.0	10	9	228	26.3	5.0	0	0	0
	8-457	M-77*	226	27.6	4.8	5	4	230	25.2	5.1	0	0	0
	8-204	M-31	281	26.4	5.0	12	8	257	27.6	4.6	1	0	0
		M-88*											
	8-231	M-88*	281	26.3	4.5	4	4	286	27.0	4.3	0	0	0
	8-62	M-2123*	268	26.5	4.5	9	7	218	26.6	4.6	1	0	0

For explanation of abbreviations, units, symbols, etc., see Introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
	Dam	Sire mate											
Kellar and Cockell Ranier, Oreg. (Continued)	8-70	M-2123*	267	27.6	5.0	8	7	260	27.2	4.5	1	1	0
	8-116	M-2123*	294	24.6	4.6	6	5	259	25.3	4.6	0	0	0
	8-120	M-2123*	292	25.0	4.4	9	8	278	26.6	4.6	0	0	0
	8-213	M-2123*	275	24.5	4.5	14	11	248	27.6	4.6	3	0	0
	8-371	M-2123*	260	25.8	4.5	5	4	218	28.3	4.9	0	0	0
	8-382	M-2123*	304	27.2	4.1	10	9	267	25.1	4.1	0	0	0
	8-416	M-2123*	302	25.4	4.0	9	6	262	26.7	4.3	3	0	0
	8-417	M-2123*	302	24.9	4.1	7	5	210	27.7	4.2	0	0	0
	8-429	M-2123*	296	26.9	4.5	13	9	237	26.4	4.1	1	1	0
	8-325	M-2123*	223	27.3	5.0	7	6	233	26.8	5.1	0	0	0
	8-106	M-107	286	25.4	5.3	10	5	194	25.4	4.6	0	1	0
	8-296	M-113	289	26.9	4.4	4	4	220	27.5	4.7	0	0	0
6-489	M-224	253	25.2	4.3	6	4	253	24.8	4.6	0	0	0	
8-223	M-246	256	24.1	4.2	10	4	181	24.0	4.1	1	1	0	
8-260	M-246	262	25.5	4.3	9	4	189	24.9	4.0	0	1	0	
8-282	M-246	262	24.5	4.7	15	6	174	24.9	4.6	1	2	0	
6-78	M-1854*	305	26.7	4.5	12	5	239	24.4	3.7	0	4	2	
8-49	M-1854*	300	28.1	4.2	9	4	191	25.6	4.0	0	0	0	
8-95	M-1854*	301	24.1	4.9	8	4	251	25.2	4.3	0	1	0	
8-107	M-1854*	318	27.1	5.0	8	4	238	25.1	4.2	0	1	1	
8-163	M-1854*	332	24.0	4.6	10	5	210	24.7	4.2	0	2	1	
8-311	M-1854*	306	24.5	4.7	11	7	227	25.0	4.1	1	0	0	
8-431	M-1854*	332	25.3	5.0	11	7	224	26.6	4.7	0	0	0	
8-485	M-1854*	306	26.7	4.1	8	7	261	26.2	4.1	0	0	0	
6-168	M-1855*	286	26.5	4.0	10	9	273	25.5	4.3	0	1	0	

For explanation of abbreviations, units, symbols, etc., see Introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.P.O.P. leg- band number of -	Dam's first- year record				Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Egg		Body wt. (lbs.)	Egg wt. (oz.) per doz.			Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	Egg prod.	Egg wt.	Body wt.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Egg prod. (no.)	wt. per doz.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																Egg prod. (no.)	wt. per doz.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Dam	Sire	mate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. reg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -	
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)			Egg 2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	
	Dam	Sire mate											
Larson, Archie M. Weiser, Idaho (Continued)	S-696	340*	253	25.8	3.7	17	9	205	25.2	3.9	0	2	2
	T-57	340*	243	26.0	4.0	13	6	204	25.8	4.3	0	0	0
	T-711	340*	209	25.1	4.6	6	5	240	25.9	4.5	0	0	0
	R-195	439*	240	25.5	4.2	9	7	249	25.8	4.5	0	0	0
	R-573	439*	251	26.2	4.4	7	7	241	27.2	4.4	0	0	0
	S-29	439*	244	27.2	4.0	6	5	222	28.2	4.2	1	0	0
	S-50	439*	252	26.0	4.3	5	5	253	26.6	4.4	0	0	0
	T-105	439*	303	25.5	3.7	19	11	211	26.3	4.1	1	0	1
	S-103	540	237	26.2	4.9	7	5	229	26.2	4.5	0	1	0
	T-573	540	211	27.1	3.7	11	8	218	25.1	3.9	2	1	0
	S-468	640*	250	28.0	4.4	12	9	228	26.8	4.2	2	0	1
	T-416	640*	228	27.1	4.3	12	9	194	26.2	4.2	0	0	0
	S-18	740	241	26.4	3.9	9	4	221	25.5	3.8	0	0	2
	T-555	740	225	28.1	4.1	11	5	202	25.6	4.0	0	1	1
	S-4	839*	213	25.4	4.1	18	9	203	25.6	4.1	3	2	0
	S-96	839*	225	27.1	4.1	4	4	241	27.2	4.2	0	0	0
	S-389	839*	222	26.2	4.1	20	9	201	25.6	3.8	2	2	2
	S-625	839*	266	27.9	4.2	11	7	211	26.8	4.0	0	0	0
	S-17	940*	264	26.4	4.0	7	4	205	26.8	4.5	0	0	0
	S-420	940*	242	26.4	4.5	6	4	217	26.9	4.5	0	0	0
	S-641	940*	266	25.4	3.9	10	7	228	26.4	4.2	0	0	0
	T-373	940*	221	25.2	3.8	8	4	172	26.6	4.2	0	0	0
	T-125	1040	253	27.3	4.6	6	6	248	27.3	4.5	0	0	0
	S-12	1140*	297	25.9	3.8	14	8	213	25.8	4.0	1	0	0
	S-153	1140*	254	26.3	3.6	7	4	223	25.7	3.9	0	1	0
	S-720	1140*	294	24.6	4.4	10	6	201	25.6	4.3	1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	Daughters										No. completing year but failing to qualify because of low -			
	U.S.R.O.P. leg- band number of -		Dam's first- year record		Entered (no.)	Qualified (no.)	Average performance			Egg prod. wt. Body wt. (lbs.)				
							Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg wt. (oz.) per doz.			Body wt. (lbs.)		
													Egg prod. (no.)	Egg wt. (oz.) per doz.
Larson, Archie M. Weiser, Idaho (Continued)	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Egg 2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	
	T-568	1140*	255	25.9	4.3	9	4	177	25.5	4.5	0	0	0	
	T-583	1140*	261	25.2	3.7	15	9	215	25.5	4.0	0	1	1	
	R-95	1240*	275	25.7	4.4	10	5	190	25.2	4.1	1	0	1	
	R-736	1240*	259	25.3	4.1	9	5	203	25.7	4.5	0	0	0	
	T-744	1240*	241	26.2	3.8	10	6	214	25.7	4.3	0	0	0	
	T-52	1340*	240	26.8	4.1	13	5	175	26.1	4.2	0	0	0	
	T-713	1340*	211	25.5	4.6	15	10	211	26.8	4.6	1	0	0	
	T-739	1340*	207	24.7	4.3	14	8	214	26.1	4.4	1	0	0	
	T-745	1340*	206	26.2	3.8	10	4	175	26.9	4.8	1	0	0	
	T-608	1440*	237	25.5	3.5	4	4	260	27.1	4.1	0	0	0	
	T-630	1440*	222	26.6	3.7	8	6	213	26.5	4.4	1	0	0	
	T-632	1440*	287	25.3	4.0	6	6	251	25.2	4.1	0	0	0	
	T-682	1440*	229	24.9	3.7	14	7	192	25.1	3.9	1	0	2	
	Lux Leghorn Land Farm Hopkinton, Iowa	A-77	1607	211	26.6	4.2	8	4	167	25.4	3.7	1	0	0
		B-635	1623	233	26.4	4.3	6	5	220	25.9	4.8	0	0	0
	Manti-Apex Breeding Farm & Hatchery Manti, Utah	C-327	D-78*	255	24.4	3.7	7	4	244	23.9	3.9	0	3	0
		E-120	D-78*	230	25.6	4.1	11	7	233	25.0	3.9	1	1	0
		E-570	D-78*	232	25.7	4.1	10	6	205	25.2	4.1	3	2	2
	E-20	D-141*	281	24.6	3.9	8	4	215	25.3	4.1	0	1	0	
	E-310	D-141*	269	25.8	4.3	20	12	187	25.2	4.2	1	0	0	
	E-572	D-141*	285	25.6	4.1	8	4	196	25.0	4.2	1	1	0	
	E-763	D-141*	238	25.7	4.8	12	6	170	25.1	4.3	2	0	0	
	E-770	D-141*	257	25.4	3.9	10	6	218	26.6	4.5	1	0	0	
	E-811	D-141*	239	24.6	3.6	11	5	147	24.9	4.0	2	2	0	
	E-812	D-141*	247	26.9	4.2	12	5	156	24.9	4.1	3	2	0	
	D-98	D-216*	209	25.5	3.8	9	6	215	25.5	4.0	1	1	1	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Parents			Average performance			No. completing year but failing to qualify because of low -		
		Egg		Body wt. (lbs.)	Egg		Body wt. (lbs.)	Egg		Body wt. (lbs.)	Egg		Body wt.
		prod. (no.)	wt. (oz. per doz.)		prod. (no.)	wt. (oz. per doz.)		2/ prod. (no.)	wt. (oz. per doz.)		prod. (no.)	wt. (oz. per doz.)	
Manti-Apex Breeding Farm & Hatchery Manti, Utah (Continued)	Dam	Sire mate											
	E-257	D-216*	231	26.9	3.7	9	5	143	26.0	4.4	0	0	0
	E-634	D-216*	275	26.9	3.7	7	7	236	26.5	4.0	0	0	0
	E-686	D-216*	204	24.8	3.6	12	7	188	24.9	3.9	0	1	0
	D-146	D-298*	240	26.1	4.1	9	4	149	25.9	4.5	0	0	0
	E-721	D-298*	239	24.0	4.0	10	6	236	24.6	4.4	1	0	0
	D-26	D-460*	215	24.5	4.1	9	6	230	25.7	4.3	2	0	0
	E-373	D-460*	266	28.7	3.5	7	4	213	27.1	3.8	0	0	2
	E-538	D-460*	227	25.1	4.2	14	6	198	25.8	4.2	1	0	1
	D-74	D-562*	262	24.2	4.4	16	6	213	23.8	4.1	1	6	0
	E-342	D-562*	257	25.9	4.0	13	5	168	24.8	4.1	2	2	0
	E-366	D-562*	272	26.1	4.3	17	12	199	25.6	4.2	2	0	0
	E-652	D-562*	301	26.0	4.0	11	5	218	25.4	4.2	2	2	1
	E-11	D-751*	274	25.8	4.4	9	9	253	26.1	4.3	0	0	0
	E-607	D-751*	263	25.9	4.3	15	9	174	26.4	4.2	1	0	0
	E-748	D-751*	242	27.0	4.4	5	4	223	27.0	4.3	0	0	0
	E-789	D-751*	270	24.3	3.7	7	5	207	25.7	4.4	1	0	0
	E-831	D-751*	202	27.3	4.5	9	6	185	26.3	4.8	1	0	0
Manwaring Leghorn Farm Montone, Ind.	E-29	E-132	262	25.1	3.7	15	5	193	24.2	3.8	2	4	1
	E-216	E-132	228	24.1	4.1	9	4	185	24.6	4.0	0	1	0
	M-81	9-2939	222	26.4	5.4	11	4	200	24.9	4.9	7	2	0
	M-88	9-2939	220	26.4	4.7	11	8	224	25.2	4.8	2	0	0
	M-1529	9-2940	235	28.1	5.3	6	4	198	25.9	4.7	1	0	0
	M-1637	9-2940	249	27.4	5.3	8	5	226	26.4	4.8	2	0	0
	M-252	9-2941	281	25.0	4.7	9	4	129	25.6	4.8	0	0	0
	M-1509	(9-2941 (9-2943*	253	25.1	5.4	8	4	230	24.4	4.8	1	3	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			No. hatched	No. failed	Average performance			No. completing year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
Manwaring Leghorn Farm Mentone, Ind. (Continued)	Dam	Sire mate											
	M-383	9-2947*	243	26.8	5.7	12	11	225	26.3	4.6	1	0	0
	M-398	9-2947*	241	25.7	4.1	7	7	253	26.2	4.2	0	0	0
	M-153	9-2948*	215	26.9	5.8	18	14	232	25.2	5.0	3	1	0
	M-154	9-2948*	202	24.6	5.3	7	4	189	25.2	4.6	2	0	0
	M-163	9-2948*	214	24.6	4.3	12	8	217	25.4	4.2	2	1	0
	M-213	9-2948*	214	26.2	4.9	12	8	196	26.4	4.6	2	0	0
	M-84	9-2950*	279	25.9	4.5	11	5	185	27.0	4.8	3	0	0
	M-426	9-2950*	279	25.4	4.5	12	7	183	26.3	4.7	1	0	0
	M-1602	9-2950*	304	26.1	4.8	12	9	233	26.9	4.9	0	0	0
	M-1611	9-2950*	284	26.1	4.3	11	7	226	25.8	4.8	1	6	0
	M-35	9-2951*	254	25.9	5.4	16	16	220	23.8	5.1	1	4	0
	M-134	9-2951*	278	26.6	4.2	13	6	220	24.7	4.4	4	1	0
	M-382	9-2951*	277	26.0	3.9	11	4	159	24.6	4.6	0	2	0
	M-1578	9-2951*	275	26.3	4.1	12	6	208	25.4	4.5	2	0	0
	M-1651	9-2951*	289	25.8	5.2	5	4	224	24.9	4.6	1	2	0
	M-1786	9-2951*	236	27.5	4.6	9	4	201	24.3	4.4	4	1	0
	M-103	9-2952*	250	25.9	3.8	6	4	218	24.6	4.4	4	0	0
	M-279	9-2952*	270	25.2	4.5	6	4	195	25.5	4.8	0	0	0
	M-280	9-2952*	258	25.4	5.1	7	6	218	24.4	4.9	1	1	0
	M-304	9-2952*	258	26.7	4.6	5	4	241	25.1	4.6	1	1	0
	M-355	9-2953*	266	25.3	4.5	14	10	210	26.0	5.1	1	0	0
	M-422	9-2953*	258	26.1	4.8	10	6	190	25.3	4.9	1	1	0
	M-441	9-2953*	263	25.7	4.4	9	5	198	25.8	4.8	1	1	0
	M-1507	9-2953*	266	25.2	4.7	12	8	189	25.4	4.9	1	1	0
	M-1543	9-2954*	272	27.5	4.3	7	4	167	27.2	4.6	0	0	0
	M-1618	9-2954*	264	24.0	4.9	6	4	221	26.1	5.2	2	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record				Entered		Average performance			No. completing year but failing to qualify because of low -	
		Egg		Body		Entered (no.)	(no.)	Egg wt. (oz. per doz.)	Egg prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
		prod. (no.)	wt. (oz.)	wt. (lbs.)	wt. (lbs.)							
Manwaring Leghorn Farm Mentone, Ind. (Continued)	Dam	Sire mate										
	M-405	9-2943*	256	24.8	4.7	7	4	174	24.7	4.6	0	0
	M-420	9-2943*	252	25.6	4.3	12	4	190	24.6	4.5	2	3
	M-431	9-2943*	251	26.5	5.3	13	6	184	24.8	4.7	1	1
	M-462	9-2943*	264	26.3	5.0	16	11	207	25.8	4.5	1	0
	M-463	9-2943*	255	24.9	5.3	15	6	195	24.3	4.7	1	4
	M-477	9-2943*	251	24.9	4.5	13	8	209	25.0	4.6	3	0
	M-498	9-2943*	254	24.5	4.6	14	7	217	24.5	4.5	3	2
	M-1545	9-2943*	255	26.4	5.9	15	9	199	25.4	4.5	3	0
	M-210	9-2942*	257	25.2	4.4	6	4	193	25.0	4.4	0	0
	M-219	9-2942*	268	25.3	3.7	9	6	203	24.7	4.3	0	1
	M-322	9-2942*	264	25.5	4.5	10	7	214	25.2	4.6	1	1
	M-50	9-2944	233	28.9	5.5	19	8	185	24.3	4.8	1	3
	M-1669	9-2944	263	26.7	5.7	13	7	256	24.0	4.7	0	0
	M-110	9-2945	236	27.0	4.7	6	4	165	26.5	4.7	0	0
	M-157	9-2945	242	26.1	5.6	5	4	229	24.7	5.1	0	1
	M-218	9-2946*	245	24.8	5.1	11	4	237	24.5	4.6	2	5
	M-224	9-2946*	237	26.1	5.4	10	6	194	25.0	5.0	3	1
	M-246	9-2946*	238	27.1	4.8	12	5	214	24.9	4.9	2	2
	M-276	9-2946*	246	26.3	4.4	15	10	248	25.3	4.5	1	3
	M-281	9-2946*	233	28.7	5.5	13	9	251	26.0	4.8	2	0
	M-311	9-2946*	244	28.1	4.6	8	6	203	25.9	4.6	1	0
	M-318	9-2946*	241	28.1	5.0	13	4	149	26.1	5.1	2	1
	M-320	9-2946*	225	27.4	5.3	7	6	234	26.6	5.1	0	1
	M-343	9-2946*	247	26.2	4.8	10	4	241	24.0	4.8	1	6
	M-361	9-2947*	227	27.6	5.3	16	8	184	26.9	4.6	1	0
	M-375	9-2947*	243	25.6	4.7	11	5	166	26.0	4.2	0	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. Leg- band number of -		Dam's first- year record			No. of daughters		Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Telephone (no.)	Polish (no.)	Egg wt. (oz. per doz.)	Egg 2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Manwaring Leghorn Farm Mentone, Ind. (Continued)	M-1751	9-2954*	241	26.1	4.8	9	4	26.3	216	4.9	1	0
	M-1788	9-2954*	209	28.4	4.8	8	5	26.0	220	4.9	1	1
	M-393	9-2955*	241	25.7	4.4	8	6	24.9	230	4.6	1	1
	M-1564	9-2955*	225	25.4	4.7	9	5	24.9	182	4.6	1	0
	M-492	9-2956	216	25.1	4.5	9	6	26.0	167	4.3	0	0
	M-1730	9-2956	230	26.2	4.4	7	7	26.0	252	4.4	0	0
Meyer Brothers Route 6 Olympia, Wash. Michotte, G. Mount Clare, W. Va.	K-5570	9-1383	295	24.2	4.2	4	4	25.1	251	4.6	0	0
	D-64	B-1079	255	25.0	3.7	7	5	25.5	212	3.9	1	0
	D-65	B-1079	266	25.6	4.1	9	6	25.7	221	4.1	2	0
	D-14	D-40*	272	26.4	5.3	5	4	26.6	228	4.8	0	0
	D-34	D-40*	250	27.8	4.4	6	4	27.4	219	4.6	2	0
	D-8	D-52*	260	26.0	4.8	8	5	26.2	216	4.3	3	0
Moll Breeding Farm Wauseon, Ohio	D-13	D-52*	238	26.1	4.8	5	4	26.5	212	4.9	0	0
	D-38	D-52*	245	27.7	3.9	6	4	26.5	195	4.3	1	0
	D-93	D-52*	265	26.2	4.5	7	4	26.1	183	4.6	1	0
	D-105	D-58*	258	24.0	5.1	6	4	25.8	200	4.2	1	0
	H-122	M-972*	288	24.8	5.0	10	6	26.0	210	5.5	1	2
	H-188	H-4269	285	25.3	4.7	7	5	26.8	208	5.2	0	0
H-232	H-4269	H-4269	290	26.6	4.7	7	4	27.7	193	5.3	0	0
	H-27	H-4267*	263	24.1	4.1	13	5	25.5	172	4.4	1	1
H-49	H-4267*	H-4267*	250	27.5	5.0	11	6	27.5	163	5.1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
 2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -			
			Dam	Sire mate	Egg prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Moli Breeding Farm Wauseon, Ohio (Continued)	H-59	H-4267*	254	26.6	4.6	11	4	137	27.0	4.9	1	0	0	
	H-11	H-4268	248	27.4	4.6	17	9	165	27.0	5.0	0	0	0	
	H-170	H-4268	217	27.1	4.4	10	6	169	27.0	4.8	0	0	0	
	G-268	H-4271*	291	24.9	4.6	10	7	211	26.6	4.8	0	0	0	
	H-132	H-4271*	282	25.5	4.4	9	4	183	26.3	4.6	0	0	0	
	H-175	H-4271*	274	26.8	4.1	10	4	141	27.3	4.4	0	0	0	
Munk, William Manti, Utah	D-132	H-156	250	24.4	4.5	8	4	196	25.7	5.2	1	1	0	
	4152	709	262	24.1	3.6	9	5	190	24.8	4.3	2	2	0	
	5011	709	223	24.0	3.7	8	4	195	24.8	3.8	2	1	1	
	4141	5341	245	24.7	3.8	4	4	238	25.7	3.9	0	0	0	
	4133	3361	227	25.0	4.2	9	4	185	25.1	4.7	1	0	0	
	2997	3393	218	25.0	3.8	8	4	203	24.9	3.9	1	1	0	
Parker, V. A. Blachly, Oreg.	4137	3899	241	26.1	3.6	6	5	221	25.1	4.1	0	0	0	
	8-3313	9-1924	250	25.0	4.7	5	4	252	24.4	4.5	0	1	0	
	8-2786	9-1925	293	24.5	3.5	10	5	232	24.6	3.9	0	2	0	
	8-2957	9-1925	277	25.1	3.9	9	4	246	24.6	4.3	0	1	0	
	8-2445	9-1930	277	26.5	4.2	4	4	276	26.2	4.4	0	0	0	
	8-3412	9-1930	277	26.1	4.1	6	5	248	25.8	4.9	0	0	0	
Peninsula Poultry Farms Port Clinton, Ohio	G-287	F-1056	308	25.8	5.0	11	5	187	25.2	4.8	2	0	0	
	G-169	H-2208*	235	24.7	4.3	13	9	196	25.7	4.8	1	1	0	
	G-378	H-2208*	239	28.0	6.2	5	4	234	25.8	5.1	1	0	0	
	H-18	H-2208*	239	25.1	4.5	13	6	207	26.5	4.9	0	0	0	
	H-126	H-2254	234	28.4	4.7	7	5	181	25.6	5.0	0	0	0	
	G-212	H-2391	250	27.9	5.9	8	4	169	26.1	5.3	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Daughters			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Average performance			
	Dam	Sire mate						Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Peninsula Poultry Farms Port Clinton, Ohio (Continued)	H-101	H-3529	248	24.1	5.4	10	4	188	4.9	0	1
	H-278	H-3529	262	25.4	4.6	8	5	177	5.0	0	0
Perry Poultry Plant Route 3 Provo, Utah	E-124	D-126	273	25.1	4.4	6	4	238	4.0	0	0
	E-222	E-117*	270	27.8	4.4	7	4	204	4.1	0	2
	D-466	E-142*	304	25.9	4.6	5	5	244	4.0	0	0
	D-487	E-142*	301	26.1	4.5	10	6	215	4.3	1	0
Plymell Poultry Farm & Hatchery London, Ohio	E-83	F-366	234	24.7	4.8	12	6	179	5.0	3	0
	H-53	H-4148	254	24.3	3.6	14	5	110	4.1	0	0
Rowley, H. K., (Monon- galia County, W. Va.) Mt. Morris, Pa.	C-323	D-1212	231	26.0	4.6	9	8	230	4.3	1	0
	B-191	D-1243*	256	26.4	5.0	9	8	242	4.5	0	0
	C-288	D-1243*	217	25.3	3.6	14	7	176	4.1	3	1
	C-436	D-1243*	228	26.2	4.5	9	8	250	4.6	1	0
	D-515	D-1243*	277	24.9	3.8	9	6	206	4.3	2	1
	C-372	D-1259	236	27.6	4.9	9	7	204	4.2	1	0
	C-378	D-1259	255	25.0	4.0	9	6	214	4.3	2	0
	D-373	D-1273	265	25.3	4.7	5	4	241	4.1	1	0
	D-522	D-1273	232	26.3	5.3	12	7	208	4.3	1	1
	C-388	D-1287*	250	27.8	4.8	11	8	246	4.6	2	1
	C-442	D-1287*	297	24.1	3.8	14	8	187	4.5	4	0
	D-376	D-1287*	236	26.6	5.0	6	5	277	4.6	0	1
	D-372	D-1291	214	27.4	4.9	12	6	191	4.0	5	1
	C-318	D-1294*	209	27.3	4.8	6	5	248	4.4	0	1
	D-510	D-1294*	220	27.0	4.5	13	11	224	4.6	0	0
	D-521	D-1294*	253	24.9	4.6	14	8	251	4.4	0	5

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Egg		Body wt. (lbs.)			Egg wt. (oz. per doz.)	Egg prod. (no.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)	Egg prod.	Egg wt.	Body wt.
		prod. (no.)	wt. (oz. per doz.)										
Rowley, H. K., (Monon- galia County, W. Va.) Mt. Morris, Pa. (Continued)	Dam	Sire mate											
	D-528	D-1305	241	24.9	4.2	7	6	228	27.0	4.1	0	0	0
	C-397	D-1315*	269	25.4	4.6	6	4	194	24.8	4.4	2	2	0
	D-377	D-1315*	250	24.1	3.8	6	4	236	24.1	4.0	1	2	0
	C-23	D-1353*	269	24.6	4.1	16	12	213	25.7	4.1	2	0	0
	D-526	D-1353*	213	24.0	3.8	9	4	223	25.0	4.3	3	1	0
	D-543	D-1353*	257	24.8	3.8	8	8	279	27.3	4.7	0	0	0
Rowley, P. B. Puyallup, Wash.	K-6120	8-1347	302	25.2	4.9	10	5	216	25.5	3.9	2	2	0
	K-6084	9-2135	284	25.2	4.3	6	4	182	25.4	3.8	0	0	0
	J-2149	9-2193*	289	27.2	4.1	5	4	249	26.4	3.8	1	0	0
	J-4407	9-2193*	289	24.0	4.0	9	7	249	24.6	3.8	2	1	1
	K-6064	9-2193*	278	25.5	4.5	5	4	230	25.2	3.8	0	0	0
	K-6071	9-2869	250	25.6	4.4	6	4	216	25.1	4.0	1	0	0
	J-2065	9-2888*	255	24.5	4.5	9	5	225	24.7	3.8	0	3	0
	K-6118	9-2888*	273	27.8	4.5	10	7	237	25.1	3.8	2	1	0
	K-6264	9-2888*	294	24.2	4.0	16	7	238	24.1	3.8	1	7	0
	H-29	H-4275	303	24.9	6.1	7	4	234	25.5	5.0	1	1	0
Rupp's Delta Hatchery Delta, Ohio Sand Springs Home-Farms Sand Springs, Okla.	2249	1407	271	24.9	3.9	7	4	224	24.3	4.4	1	3	0
	4039	(3716 (3818	262	24.3	4.8	12	4	206	24.4	4.2	2	5	0
	928	3720	243	25.8	4.1	11	4	204	24.5	4.1	4	4	1
	2158	3720	227	28.3	4.0	9	6	227	25.4	4.0	2	1	0
	2296	3744*	248	24.6	3.8	9	4	183	24.4	3.8	2	2	1
	2345	3744*	248	25.6	3.9	9	7	214	25.2	4.2	0	0	0
	4209	3764	300	25.4	4.2	12	5	178	24.5	4.3	2	2	0
	4222	3764	251	26.1	4.5	10	4	194	24.5	4.1	3	3	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				percentage (no.)	No. completing year but failing to qualify because of low -	Average performance							
			Egg prod. (no.)		Egg wt. (oz.) per doz.				Body wt. (lbs.)		Egg prod. (no.)		Egg wt. (oz.) per doz.		Body wt. (lbs.)	
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)			
Sand Springs Home-Farms Sand Springs, Okla. (Continued)	2245	3800	250	25.7	4.8	13	6	174	25.2	4.4	3	0	0			
	4089	3800	236	25.3	4.8	14	6	175	25.6	4.4	5	2	0			
	4093	3800	248	25.3	3.9	13	6	179	25.7	4.4	2	0	0			
	4280	3839	284	26.2	4.7	13	6	185	25.8	4.5	6	1	0			
	4327	3839	251	25.6	4.7	12	4	149	25.4	4.8	4	0	0			
	2325	3857	260	25.1	4.2	7	4	218	24.6	4.2	1	2	1			
	2322	3867	231	25.7	4.2	7	4	203	25.1	4.3	1	2	0			
Seidel, W. A. P. O. Box 1117 San Antonio, Tex.	65	1506*	292	28.6	5.3	13	12	268	24.6	4.8	0	0	0			
	100	1501*	286	28.4	5.3	14	7	203	25.0	4.8	0	0	0			
	104	1507*	310	25.0	4.0	11	9	245	25.0	4.4	2	0	0			
	120	1503*	310	25.9	5.3	9	7	246	24.6	4.5	0	2	0			
	128	1501*	290	25.0	5.0	12	5	181	25.2	4.9	0	0	0			
	130	1510*	268	28.5	5.3	24	17	223	25.1	4.7	2	0	0			
	133	508*	271	27.7	4.0	23	18	229	25.2	4.3	1	0	0			
	136	649*	322	25.1	5.3	15	7	193	24.8	4.7	4	0	0			
	170	1510*	267	25.3	4.5	10	6	199	24.7	4.3	0	0	0			
	177	1509*	257	24.7	4.8	8	5	220	25.3	4.7	2	0	0			
	231	1501*	280	26.0	5.3	7	4	199	25.4	4.9	0	0	0			
	272	1503*	314	25.9	6.3	11	7	204	25.6	5.0	2	1	0			
	283	1506*	274	25.7	6.0	12	4	162	25.0	4.6	3	0	0			
	287	1506*	240	25.7	5.0	14	6	200	24.1	4.6	2	3	0			
	289	1503*	276	25.7	5.0	18	8	181	25.2	4.7	3	0	0			
	296	650*	291	24.0	5.0	11	7	205	25.7	4.5	0	1	0			
	332	1509*	240	24.9	5.0	13	8	197	26.2	4.9	1	0	0			
	502	(1501*) (1506*)	289	24.6	4.4	30	22	244	24.4	4.7	1	2	0			

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Omitted (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
	Dam	Sire mate												
Seidel, W. A. P. O. Box 1117 San Antonio, Tex. (Continued)	511	508*	266	24.8	3.5	11	5	191	24.9	4.2	1	2	0	
	512	508*	277	24.0	3.5	7	6	270	24.9	4.5	0	1	0	
	516	508*	253	25.2	5.0	8	4	168	26.1	4.6	0	0	0	
	517	647*	281	27.2	4.4	10	5	195	25.4	4.2	0	1	0	
	518	647*	291	24.5	4.1	28	14	233	24.4	4.8	2	6	0	
	520	1506*	295	24.3	4.5	26	16	210	24.7	5.1	1	3	0	
	521	647*	268	24.0	3.5	30	22	212	25.1	4.5	2	0	0	
	525	569*	266	24.0	4.4	30	24	243	25.4	4.7	1	1	0	
	529	573*	265	25.3	4.4	28	13	193	25.2	4.6	3	1	0	
	530	647*	320	25.0	4.4	7	5	234	25.0	4.4	0	1	0	
	531	569*	273	25.6	4.2	18	9	203	25.3	4.3	4	0	0	
	532	1510*	287	25.0	4.3	26	15	211	25.8	4.7	4	0	0	
	533	647*	279	25.5	4.2	30	19	206	25.6	4.3	0	0	0	
	534	573*	287	24.3	4.3	10	4	161	24.5	4.3	0	0	0	
	539	647*	304	24.0	5.0	11	6	192	24.9	5.0	2	0	0	
	541	1507*	263	26.2	4.1	19	7	156	26.6	5.1	4	0	1	
	543	569*	268	24.5	4.1	33	17	184	25.1	4.8	3	0	0	
546	1507*	305	24.0	3.5	16	8	163	25.2	4.5	1	0	0		
547	649*	321	24.6	4.2	12	8	224	25.2	4.9	1	0	0		
548	573*	276	25.6	5.0	31	23	215	26.0	4.6	4	0	0		
556	649*	273	24.0	3.5	18	7	157	25.5	4.3	4	1	1		
557	569*	290	24.7	5.0	16	8	161	25.5	4.6	0	1	1		

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.C.P. leg- band number of -	Dam's first- year record				Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Egg wt. (oz.)		Body wt. (lbs.)	Egg wt. (oz.)			Egg prod. per (no.) doz.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
		Egg prod. (no.)	per doz.										prod. per (no.) doz.	prod.
		Dam	Sire mate											
Seidel, W. A. P. O. Box 1117 San Antonio, Tex. (Continued)		558	562*	293	25.6	4.2	17	14	218	26.2	4.6	1	0	0
		559	562*	294	24.5	5.0	20	9	175	25.2	4.5	4	2	0
		563	647*	287	25.0	4.3	21	15	217	25.2	4.4	3	0	0
		564	647*	286	25.3	4.3	11	6	198	24.9	4.2	0	0	0
		565	669*	278	28.6	5.4	23	12	186	26.0	4.7	6	0	0
		566	669*	273	24.0	4.5	21	8	153	25.3	4.6	2	1	0
		567	647*	286	26.2	4.6	26	20	236	25.0	4.8	1	0	0
			1506*											
		568	669*	273	24.7	5.2	29	21	216	25.4	4.8	3	0	0
		570	669*	264	24.3	4.0	15	12	210	25.6	4.8	0	0	0
		571	1510*	264	25.9	4.4	9	6	198	26.4	4.8	1	0	0
		572	608*	273	26.2	5.1	13	7	203	26.7	4.8	1	0	0
		574	1509*	256	24.3	4.3	10	9	240	24.8	4.3	0	0	0
		575	1509*	249	26.2	5.2	6	4	209	27.7	4.8	2	0	0
		577	1509*	238	25.3	5.0	14	10	221	25.3	4.6	0	0	0
		578	1509*	237	25.2	4.3	18	10	215	25.1	4.6	1	0	0
		580	1509*	230	25.9	5.0	5	4	230	25.8	5.1	0	0	0
		582	1509*	238	26.2	4.3	10	7	183	26.7	4.7	0	0	0
		583	1509*	240	25.0	4.0	16	8	213	25.7	5.2	4	0	0
		585	1509*	256	24.9	4.2	19	10	173	25.8	4.6	3	0	0
		586	1509*	254	25.9	5.2	30	10	159	25.0	4.6	5	0	0
		589	573*	267	24.5	5.0	17	12	200	24.8	4.5	0	0	0
		590	573*	276	24.3	4.2	13	6	162	24.8	4.3	1	1	0
		591	1506*	297	25.7	5.0	17	11	227	24.9	5.2	3	0	0
		592	573*	278	24.0	4.3	9	5	200	24.9	4.1	0	1	0
		593	650*	297	24.7	5.4	8	7	230	25.3	4.9	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Entered (no.)	Returned (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Seidel, W. A. P. O. Box 1117 San Antonio, Tex. (Continued)	597	1503*	282	25.8	5.3	18	15	242	25.9	4.9	0	1	0
	598	1503*	258	25.9	5.2	9	5	159	24.7	4.4	0	1	0
	608	638*	276	25.2	4.3	25	15	193	25.6	4.9	1	0	0
	609	1504*	269	25.6	5.2	9	7	221	25.3	4.8	0	0	0
	611	638*	270	24.6	5.0	12	10	233	25.0	4.9	1	0	0
	613	638*	274	24.9	4.3	8	7	227	26.2	5.2	0	0	0
	614	1504*	265	25.0	5.6	17	15	266	25.4	4.6	1	1	0
	615	638*	259	26.2	4.5	14	8	206	25.7	4.4	1	0	0
	616	638*	282	23.7	5.3	9	7	239	35.5	5.1	0	0	0
	618	1504*	264	25.2	5.0	18	9	186	24.4	4.5	2	1	0
	621	562*	291	25.9	4.5	17	11	185	25.6	4.6	1	0	0
	623	573*	272	25.0	5.1	7	6	240	25.9	4.5	1	0	0
	624	573*	276	25.1	4.2	26	15	189	25.0	4.5	2	0	0
	625	1507*	309	24.4	4.4	12	6	190	25.2	4.8	1	1	0
	626	573*	267	26.0	5.4	20	13	198	26.7	4.7	2	0	0
	633	562*	281	27.8	5.1	13	7	185	26.0	4.8	3	0	0
	634	562*	288	24.7	5.2	22	12	208	25.9	4.5	3	1	0
	636	573*	263	27.5	5.4	28	21	218	26.6	4.8	4	0	0
	637	562*	290	24.2	4.2	15	5	157	25.1	4.3	1	1	0
	639	573*	261	25.1	5.1	25	13	197	25.7	4.5	2	2	0
	642	573*	279	24.0	4.4	17	7	170	25.6	4.5	2	0	0
	643	573*	270	25.8	5.0	8	5	187	25.5	4.6	0	0	0
	645	573*	266	25.3	5.0	16	9	201	26.2	4.7	5	0	0
	646	573*	264	25.5	4.2	23	16	210	25.5	4.6	2	0	0
	648	508*	270	24.5	4.4	8	6	229	25.0	4.5	0	0	0
		1304	1501*	292	26.6	5.3	12	4	193	24.8	4.8	4	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			No. of records	Average performance			No. completing year but failing to qualify because of low -							
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)		Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.					
Seidel, W. A. P. O. Box 1117 San Antonio, Tex. (Continued)	Dam	Sire	mate	1376	1510*	263	26.3	4.5	18	11	185	25.7	4.6	1	0	0
				1381	508*	272	27.6	5.5	9	7	235	25.0	4.6	0	0	0
				1430	649*	315	25.4	5.0	11	6	162	26.1	4.8	0	0	0
				1452	650*	295	28.0	4.8	26	14	185	25.9	4.5	2	0	0
				1459	1503*	286	25.4	6.3	12	7	215	24.5	4.7	1	1	0
				1498	1509*	253	25.5	5.5	14	8	192	25.5	4.8	2	0	0
				1501	1509*	254	25.4	5.5	7	4	220	26.7	5.0	3	0	0
				1510	1504*	280	25.1	5.3	8	5	212	24.5	4.4	2	1	0
				1512	1504*	283	24.8	5.0	10	4	155	24.5	4.2	1	1	0
				1517	1504*	258	25.4	4.5	9	7	224	25.1	4.2	0	0	0
Seifert's White Leghorn Farm Green Bay, Wis.	H-440	34694*		247	28.0	6.0	6	223	27.8	5.6	0	0	0	0	0	0
	H-448	34694*		260	25.0	4.5	8	273	26.1	5.0	0	0	0	0	0	0
	H-486	34694*		254	28.0	4.9	8	7	229	27.0	5.3	0	0	0	0	0
	H-521	34694*		262	25.0	4.8	7	6	228	25.7	5.1	0	0	0	0	0
	H-341	37505*		245	29.0	5.2	9	8	229	27.9	5.1	0	0	0	0	0
	H-356	37505*		235	27.0	6.1	6	5	228	26.2	5.4	0	0	0	0	0
	H-381	37505*		234	29.0	5.1	5	4	225	27.8	5.0	0	0	0	0	0
	H-382	37505*		257	27.0	5.7	5	4	237	26.8	5.5	0	0	0	0	0
	H-402	37505*		245	26.0	4.6	8	8	244	27.5	4.9	0	0	0	0	0
	H-344	37794*		290	27.0	5.0	6	4	222	27.6	5.4	1	0	0	0	0
	H-538	37794*		249	27.0	4.8	5	4	222	26.8	5.0	0	0	0	0	0
	G-2747	37808		283	26.0	6.3	5	4	217	26.5	5.1	0	0	0	0	0
	Smith, H. E. Route 2 Puyallup, Wash.	K-5034	9-3096		292	24.3	3.7	10	4	190	25.4	4.2	3	2	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record		Entered		Average performance			No. completing year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Daughters	Sire mate	Dam	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No. completing year but failing to qualify because of low -
Stephens, Frank Star City, Ind.	9-62*	M-542	279	27.1	5.4	5	4	--	--	0
	9-62*	M-657	277	25.5	4.7	6	4	--	--	0
	9-186*	M-607	270	25.1	5.3	13	9	--	--	0
	9-186*	M-664	265	25.6	4.0	9	6	--	--	0
	9-186*	M-699	255	25.9	5.4	11	5	--	--	0
	9-186*	M-764	274	25.0	4.9	12	8	--	--	0
	9-345*	L-5481	264	26.5	5.8	10	4	--	--	0
	9-345*	M-537	260	25.7	4.5	6	5	--	--	0
	9-345*	M-680	254	25.6	4.3	6	6	--	--	0
	9-345*	M-752	258	26.7	5.3	8	6	--	--	0
	9-345*	9-7570	--	--	--	13	5	--	--	0
	9-345*	9-7637	312	--	--	7	6	--	--	0
	9-345*	9-7771	241	--	--	4	4	--	--	0
	9-345*	9-7798	--	--	--	8	4	--	--	0
Thornhill Leghorn Farm Rustburg, Va.	C-4774	2581	228	25.3	5.2	13	5	164	24.4	4
	C-4774	3056	207	24.2	4.5	15	5	168	24.7	7
	C-5708	3097	238	24.3	3.8	9	4	202	24.8	5
	C-5708	3146	230	25.3	5.3	13	6	188	25.2	7
	C-5708	3252	259	25.0	4.1	11	7	193	25.7	4
Town Line Poultry Farm Zeeland, Mich.	C-5708	3374	267	24.7	3.8	10	5	186	25.4	5
	L-2215	L-4401	276	25.2	4.0	6	4	247	24.2	1
	L-2215	M-5398	269	25.7	4.4	8	5	221	24.9	3
	L-2924	M-5402	237	24.7	4.4	8	5	229	25.5	1
	L-2964*	X-3005	260	24.2	4.1	7	4	204	25.7	3
	L-2964*	M-5375	267	24.2	4.5	16	7	179	25.2	6
	L-2964*	M-5407	264	24.2	3.5	11	5	159	25.5	3

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Parents		Average performance		No. completing year but failing to qualify because of low -		
			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Dam	Sire mate	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	(no.)	(no.)	(no.)	(no.)	(no.)	(no.)	(no.)	(no.)	(no.)
Town Line Poultry Farm Zeeland, Mich. (Continued)	M-5453 M-5433	L-2964* L-2999*	250 260	4.2 4.3	24.6 25.6	11 8	10 5	216 201	25.9 25.4	4.7 4.2	0 3	0 2	0 0
Wayne Poultry Farms Wooster, Ohio	H-1 H-341 F-380 H-282	H-119 H-159 H-385 H-3746	271 254 248 277	5.0 4.2 3.9 4.3	26.8 24.7 27.2 25.3	14 10 8 11	7 4 4 4	159 143 184 140	25.4 25.2 25.7 25.7	4.7 4.2 4.4 4.2	0 0 1 1	0 1 0 0	0 0 0 0
Whittenburg, D. H. Richfield, Utah	E-567 E-588 E-779 D-328 E-659	E-27* E-27* E-27* E-316 E-408	246 248 241 263 239	3.7 4.3 3.6 4.4 4.3	25.7 25.4 25.2 25.4 26.4	6 8 10 7 5	4 4 5 5 4	191 220 179 221 195	24.7 25.3 26.2 26.9 26.6	3.9 4.0 4.1 4.4 3.9	0 1 3 1 0	0 2 0 0 0	0 0 0 0 0
Winthrop Farm Rock Hill, S. C.	7-101 8-198 8-513 8-686	148* 148* 148* 796	275 286 285 254	-- -- -- 3.7	24.5 30.0 26.0 24.4	8 5 10 12	5 5 8 5	240 239 230 188	24.3 26.3 26.3 24.3	4.6 4.6 4.8 4.1	2 0 1 0	1 0 1 4	0 0 0 0
Woodlawn Farm Mrs. J. T. Ramage Temple, Tex.	K-6351 K-6355 K-6367 K-6444 K-6468 J-2782 K-6349 K-6493	797* 797* 9-983* 9-983* 9-983* 9-5180 9-5180 9-5180	287 275 269 252 255 292 297 252	4.8 4.3 4.2 4.2 3.7 4.3 3.9 4.7	25.0 24.4 25.5 24.6 24.3 24.6 27.6 25.3	10 9 7 12 7 9 6 6	9 9 6 10 4 5 4 4	252 253 233 262 220 215 236 227	25.5 25.4 25.8 24.9 24.4 25.9 24.7 25.9	4.8 4.3 4.0 4.3 4.1 4.2 4.1 4.2	0 0 0 0 1 2 0 2	0 0 0 2 2 1 1 0	0 0 0 0 0 0 0 1
Young, E. C. Bellingham, Wash.													

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Leghorn Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Totaling (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
	Dam	Sire mate											
Young, B. C. Bellingham, Wash. (Continued)	J-2629	9-5181	262	25.0	4.0	12	4	242	23.8	4.1	0	7	0
	J-2616	9-5181	267	27.4	3.7	7	6	273	25.1	4.4	0	1	0
	I-1214	9-5186*	257	27.7	5.1	10	5	210	26.6	5.0	5	0	0
	K-6313	9-5186*	306	25.3	3.9	5	4	266	26.1	4.3	0	1	0
	K-6330	9-5186*	270	25.7	4.6	9	7	236	25.5	4.3	1	0	0
	K-6340	5200*	255	27.1	3.7	11	10	250	25.7	4.3	1	0	0
	K-6381	5200*	294	26.7	4.1	12	11	271	26.2	4.5	1	0	0
	K-6308	9-5204*	255	26.7	5.0	5	4	255	25.0	4.3	0	1	0
	K-6320	9-5204*	284	27.3	4.7	8	6	232	27.0	4.7	1	0	0
	K-6321	9-5204*	276	27.3	4.3	6	4	200	25.9	4.1	1	0	0
	K-6339	9-5204*	285	25.1	4.1	11	8	227	25.8	4.7	0	1	0
	J-2590	9-5208	297	26.0	4.5	6	5	284	25.0	4.2	0	1	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Poulters (no.)	Poulters (no.)	Average performance		No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.	No. comp. year but failing to qualify because of low -	No. comp. year but failing to qualify because of low -
Alampi Breeding Farm Williamstown, N. J.	24913	257	25.0	--	4	8	76	38	--	--	23	4	4
Crawford, H. A. Temple, Okla.	24914	275	25.0	--	5	9	96	35	--	--	35	2	10
Dave-Co Farm David Cohen Guilford, Conn.	5492	277	25.3	6.5	1	12	63	24	163	25.0	13	9	0
Lockwood Poultry Plant Route 2 Harrison, Ohio	5276	245	26.3	5.5	2	12	62	31	204	25.3	6	8	0
McRae, J. H. Milwaukee, Oreg.	H-3268	314	24.5	--	1	14	47	23	211	24.2	0	2	0
	7-2808	245	24.5	5.0	6	12	94	53	203	27.5	27	1	0
	8-167	262	24.8	6.3	5	12	59	38	225	26.4	16	1	0
	9-2667	278	26.9	6.0	3	14	89	40	200	25.7	28	13	0
	9-2668	251	26.2	5.2	6	11	80	56	229	26.2	12	6	0
	9-2669	251	24.7	5.8	5	13	85	44	194	26.7	27	4	0
	9-2670	253	24.7	5.8	6	14	125	50	197	25.4	39	22	0
	9-2671	291	25.1	6.0	5	13	93	56	209	26.3	17	4	0
	9-2672	253	24.7	5.8	4	12	81	42	196	26.6	27	3	0
	9-2673	248	24.4	5.7	8	10	94	59	220	26.0	20	7	0
	9-2674	264	24.9	5.5	7	14	109	63	199	27.4	25	1	0
Mt. Fair Farm	902	222	27.3	6.3	3	9	34	25	235	25.7	5	4	0
S. McLean Buckingham	5180	232	25.4	6.9	3	12	47	28	235	25.3	8	9	0
Watertown, Conn.	5220	232	25.4	6.9	3	11	38	29	232	26.2	7	2	0
	5230	239	28.0	6.9	4	8	39	28	250	25.4	2	7	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Man-bred family average.

Single-Comb Rhode Island Red Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates			Entered (no.)	No. of daughters (no.)	Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal	Egg 2/ prod. (no.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.	
Norfolk Country Agri- cultural School Walpole, Mass.	B-27578	283	24.0	6.1	2	6	40	23	218	24.7	6.3	6	0	
	D-27580	268	25.0	5.8	5	6	78	47	216	24.4	5.8	10	0	
	E-27581	276	25.0	5.2	2	2	27	20	226	25.5	6.1	4	0	
	F-27582	276	24.0	5.0	5	8	73	52	207	26.6	5.9	16	2	
	G-27533	277	26.0	5.5	4	7	63	42	202	25.8	6.1	9	0	
	H-27594	330	24.0	6.3	4	7	62	33	230	24.6	6.2	10	0	
	I-27585	274	24.0	5.8	3	5	40	25	231	24.6	6.0	6	0	
	J-27586	266	28.0	5.2	3	3	32	23	223	25.0	6.4	2	0	
	14	323	25.0	--	2	10	43	23	199	24.0	5.8	6	0	
To-Lani Farm T. C. Hudman Route 1, Old Redan Road Stone Mountain, Ga.														

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
 2/Hen-housed family average.

Breeder's name and address	U.S.R.O.P. reg- band number of -	Dam's first- year record				Entered (no.)	Entered (no.)	Average performance				No. completing year but failing to qualify because of low -	
		Egg prod.		Body wt. (lbs.)	Egg wt. (oz.) per doz.			Egg prod. (no.)	Body wt. (lbs.)	Egg wt. (oz.) per doz.	Egg prod. (no.)		Body wt. (lbs.)
		Egg prod. (no.)	Egg wt. (oz.) per doz.										
Alampi Breeding Farm Williamstown, N. J.	60	24913*	208	27.7	5.9	18	15	--	3	1	0		
	66	24913*	220	27.8	6.3	9	5	--	2	1	0		
	67	24913*	208	25.5	6.5	20	9	--	8	1	1		
	69	24913*	215	27.9	6.8	7	4	--	3	0	0		
	50	24914*	235	25.5	5.3	15	7	--	3	0	4		
	53	24914*	230	27.2	6.4	14	5	--	5	1	0		
	55	24914*	247	26.1	6.0	10	5	--	4	0	0		
	57	24914*	223	27.6	6.8	9	4	--	2	0	0		
Arbor Acres Henry Saglio Glastonbury, Conn.	58	24914*	223	28.8	6.3	11	5	--	5	0	2		
	653	72712	217	25.8	5.6	14	6	25.3	6.1	2	0		
	745	72712	296	25.9	6.2	10	4	26.1	6.2	1	0		
	658	72794	218	26.4	5.2	11	6	26.9	6.1	5	0		
	620	72708	210	26.3	6.2	10	8	25.8	6.0	1	0		
	L-101	386	244	25.8	4.7	7	4	24.4	5.2	1	0		
	L-106	386	301	24.1	6.1	12	5	24.7	5.9	0	0		
	L-110	386	201	25.1	4.7	12	4	24.6	5.2	1	0		
Bravard, John Route 1 Sumas, Wash.	L-251	395	251	25.5	5.9	12	3	25.6	5.9	0	0		
	L-284	395	258	25.3	5.1	11	5	25.4	6.2	2	0		
	L-285	431	250	24.8	6.1	5	4	24.8	5.1	0	1		
	K-2	5771	325	26.6	6.2	7	4	24.2	5.3	1	0		
	1819	2912	212	26.2	6.4	7	4	25.2	5.7	0	0		
	1271	2919	245	26.6	5.9	11	3	26.6	6.0	4	0		
	1377	5491*	250	26.4	6.6	9	7	24.7	5.9	0	0		
	1378	5494	248	26.9	5.7	8	6	26.0	6.1	1	0		
Crawford, H. A. Temple, Okla.	1755	5494	206	26.2	5.8	9	4	26.2	6.9	2	0		

1/ For explanation of abbreviations, etc., see Introduction.

2/ Noted family average.

* Sire note also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams 1/

Breeder's name and address	U.S.R.O.P. log- band number of -		Dam's first- year record			No. of eggs		Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)
Dave-Co Farm David Cohen Guilford, Conn.	1000	160	254	24.5	5.5	5	25.9	220	25.9	5.7	0	0	0
	3216	5276*	266	25.7	4.9	5	26.0	230	26.0	5.4	1	0	0
	3342	5276*	273	25.8	5.7	10	25.7	228	25.7	5.7	1	1	0
	3046	5277	239	27.5	5.6	5	26.2	210	26.2	6.1	0	0	0
	3179	5277	264	27.6	6.3	9	25.1	188	25.1	6.0	2	0	0
Fellows Brothers Norwichtown, Conn.	3028	557	221	26.0	7.3	9	25.4	207	25.4	6.4	3	1	0
	B-1559	D-1741	222	28.7	6.0	8	25.3	177	25.3	6.0	3	0	0
Goetgeluck, Oscar St. Marys, W. Va.	4832	1003	234	28.1	6.5	6	26.3	202	26.3	6.9	1	0	0
	4833	1003	281	24.4	5.6	6	26.3	223	26.3	5.9	2	0	0
	4844	1003	279	24.6	6.1	4	26.0	226	26.0	6.4	0	0	0
	855-13	519	299	24.2	5.9	5	25.2	204	25.2	5.7	1	0	0
	5066	719	231	26.1	5.4	6	24.8	226	24.8	5.5	2	0	0
Lockwood Poultry Plant Route 2 Harrison, Ohio	H-58	H-3253	306	24.3	5.8	4	25.8	249	25.8	6.9	0	0	0
	H-164	H-3268*	230	25.2	7.6	6	25.0	198	25.0	6.8	0	0	0
	H-10	H-4612	285	26.9	7.1	5	25.6	192	25.6	6.9	0	0	0
	H-123	H-4612	255	24.4	5.4	6	25.5	210	25.5	6.8	0	0	0
	202	136	217	24.4	5.3	4	25.1	258	25.1	6.9	0	0	0
Mazanec, Anton Route 4 Waco, Tex.	6-8331	7-2808*	262	24.8	6.3	9	27.5	179	27.5	5.7	3	0	0
	7-9003	7-2808*	239	25.2	6.1	14	27.4	250	27.4	5.9	1	0	0
	7-9063	7-2808*	275	25.5	5.6	19	27.1	223	27.1	6.0	5	0	0
	7-9488	7-2808*	250	27.2	6.0	11	28.0	186	28.0	6.4	1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Parents (no.)	Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg2/ prod. (no.)			Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. wt.		Egg wt.
Alampi Breeding Farm Williamstown, N. J.	60	24913*	208	27.7	5.9	18	13	---	---	---	3	1	0
	66	24913*	220	27.8	6.3	9	5	---	---	---	2	1	0
	67	24913*	208	25.5	6.5	20	9	---	---	---	8	1	1
	69	24913*	215	27.9	6.8	7	4	---	---	---	3	0	0
	50	24914*	235	25.5	5.3	15	7	---	---	---	3	0	4
	53	24914*	230	27.2	6.4	14	5	---	---	---	5	1	0
	55	24914*	247	26.1	6.0	10	5	---	---	---	4	0	2
	57	24914*	223	27.6	6.8	9	4	---	---	---	2	0	0
Arbor Acres Henry Saglio Glastonbury, Conn.	58	24914*	223	26.8	6.3	11	5	---	---	---	5	0	2
	633	72712	217	25.8	5.6	14	8	169	25.3	6.1	6	2	0
	745	72712	296	26.9	6.2	10	4	161	26.1	6.2	1	0	0
	658	72894	218	26.4	5.2	11	6	203	26.9	6.1	5	0	0
	620	72708	210	26.3	6.2	10	6	176	25.8	6.0	1	1	0
	L-101	386	244	25.8	4.7	7	4	207	24.4	5.2	1	2	0
	L-106	386	301	24.1	6.1	12	5	139	24.7	5.9	0	0	0
	L-110	386	201	25.1	4.7	12	4	139	24.6	5.2	1	2	0
Bravard, John Route 1 Sumas, Wash.	L-251	395	251	25.5	5.9	12	8	200	25.6	5.9	0	1	0
	L-284	395	258	25.3	5.1	11	5	148	25.4	6.2	2	0	0
	L-285	433	250	24.8	6.1	5	4	263	24.8	5.1	0	1	1
	K-2	5772	325	26.6	6.2	7	4	173	24.2	5.3	1	1	0
	1819	2902	212	26.2	6.4	7	4	210	25.2	5.7	0	1	0
	1271	2969	245	26.6	5.9	11	5	167	26.6	6.0	4	1	0
	1377	5492*	250	26.4	6.6	9	7	216	24.7	5.9	0	1	0
	1376	5494	248	26.9	5.7	8	6	201	26.0	6.1	1	0	0
Crawford, H. A. Temple, Okla.	1756	5494	206	26.2	5.8	9	4	169	26.2	6.9	2	0	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Non-banded family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt.	Body wt.	
Dave-Co Farm David Cohen Guilford, Conn.	1000	160	254	24.5	5.5	5	4	220	25.9	5.7	0	0	0
	3216	5276*	266	25.7	4.9	5	4	230	26.0	5.4	1	0	0
	3342	5276*	273	25.8	5.7	10	7	228	25.7	5.7	1	1	0
	3046	5277	239	27.5	5.6	5	4	210	26.2	6.1	0	0	0
	3179	5277	264	27.6	6.3	9	5	188	25.1	6.0	2	0	0
Fellows Brothers Norwichtown, Conn.	3028	557	221	26.0	7.3	9	5	207	25.4	6.4	3	1	0
	B-1559	D-1741	222	28.7	6.0	8	5	177	25.3	6.0	3	0	0
St. Marys, W. Va. Goodenough, D. I. Rural Route Torrington, Conn.	4832	1003	234	28.1	6.5	6	4	202	25.3	6.9	1	0	0
	4833	1003	281	24.4	5.6	6	4	223	26.3	5.9	2	0	0
	4844	1003	279	24.6	6.1	4	4	226	26.0	6.4	0	0	0
	855-13	519	299	24.2	5.9	5	4	204	25.2	5.7	1	0	0
	5066	719	231	26.1	5.4	6	4	226	24.8	5.5	2	0	0
Lockwood Poultry Plant Route 2 Harrison, Ohio	H-58	H-3253	306	24.3	5.8	4	4	249	25.8	6.9	0	0	0
	H-164	H-3268*	230	25.2	7.6	6	4	198	25.0	6.8	0	0	0
	H-10	H-4612	285	26.9	7.1	5	4	192	25.6	6.9	0	0	0
	H-123	H-4612	255	24.4	5.4	6	4	210	25.5	6.8	0	0	0
	202	136	217	24.4	5.3	4	4	258	25.1	6.9	0	0	0
Mazanec, Anton Route 4 Waco, Tex. McRae, J. R. Milwaukee, Oreg.	6-8331	7-2808*	262	24.8	6.3	9	5	179	27.5	5.7	3	0	0
	7-9003	7-2808*	239	25.2	6.1	14	13	250	27.4	5.9	1	0	0
	7-9063	7-2808*	275	25.5	5.6	19	13	223	27.1	6.0	5	0	0
	7-9488	7-2808*	250	27.2	6.0	11	7	186	28.0	6.4	1	0	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- and number		Dam's first- year record				Entered		Average performances			No. completing year but failing to qualify because of low -	
	U.S. no.	Sire date	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.
McRae, J. R. Milwaukie, Oreg. (Continued)	7-9631	7-2808*	251	24.7	5.8	10	27.3	6.0	3	27.3	6.0	0	0
	7-9756	7-2808*	264	24.9	5.5	6	27.0	6.3	1	27.0	6.3	0	0
	7-9452	8-167*	248	24.4	5.7	8	26.3	5.7	2	26.3	5.7	0	0
	7-9462	8-167*	264	25.0	4.7	10	25.7	5.6	0	25.7	5.6	0	0
	7-9534	8-167*	278	26.9	6.0	9	27.2	5.9	3	27.2	5.9	0	0
	7-9622	8-167*	258	24.4	5.3	4	25.6	5.7	0	25.6	5.7	0	0
	7-9760	8-167*	243	27.3	4.7	8	26.0	5.5	1	26.0	5.5	0	0
	7-9100	9-2667*	263	25.9	5.6	14	25.9	5.8	3	25.9	5.8	0	0
	7-9406	9-2667*	252	24.9	4.6	11	27.0	5.3	5	27.0	5.3	1	0
	7-1003	9-2667*	210	24.3	6.0	10	25.7	5.9	6	25.7	5.9	1	0
	7-9086	9-2668*	290	24.4	6.6	7	26.2	5.9	1	26.2	5.9	0	0
	7-9447	9-2668*	270	24.3	6.1	7	26.1	5.5	2	26.1	5.5	0	0
	7-1044	9-2668*	272	26.4	6.9	11	26.6	5.9	0	26.6	5.9	0	0
	7-10472	9-2668*	263	25.2	6.3	9	25.5	5.3	0	25.5	5.3	0	0
	7-10527	9-2668*	218	25.9	7.0	15	26.6	5.9	1	26.6	5.9	1	0
	7-10547	9-2668*	238	24.7	6.7	11	26.5	5.7	3	26.5	5.7	0	0
	7-9047	9-2669*	226	24.8	7.1	11	26.1	6.4	2	26.1	6.4	1	0
	7-9816	9-2669*	258	24.7	6.9	10	25.9	6.6	2	25.9	6.6	0	0
	7-10136	9-2669*	248	24.7	6.2	8	27.2	5.8	3	27.2	5.8	0	0
	7-10246	9-2669*	240	26.7	6.3	14	27.6	6.5	5	27.6	6.5	0	0
	7-10481	9-2669*	248	27.0	6.9	8	27.8	6.5	2	27.8	6.5	0	0
	7-9449	9-2670*	291	25.1	6.0	5	24.7	5.8	0	24.7	5.8	1	0
	7-9844	9-2670*	233	26.5	6.8	16	26.1	6.1	4	26.1	6.1	1	0
	7-10258	9-2670*	254	24.6	6.4	15	24.8	6.2	3	24.8	6.2	4	0
	7-10297	9-2670*	221	24.6	6.0	11	25.1	6.0	5	25.1	6.0	2	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Non-louped family average.

* Sire date also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			No. of pullets	No. of chicks	Average performance			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)			Egg 2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. wt.	Body wt.
McRae, J. R. Milwaukie, Oreg. (Continued)	8-70460	9-2670*	245	26.8	6.2	8	4	208	25.1	5.9	2	0
	8-10461	9-2670*	256	24.1	5.8	7	5	242	24.5	6.1	0	0
	8-9836	9-2671*	243	25.9	6.2	10	6	224	25.4	6.3	1	0
	8-9965	9-2671*	283	24.6	6.6	10	8	217	26.0	6.3	2	0
	8-10271	9-2671*	217	25.9	8.1	5	4	242	26.2	6.9	1	0
	8-10381	9-2671*	219	27.2	6.7	16	9	225	26.2	6.1	3	0
	8-10481	9-2671*	232	25.0	6.3	19	14	223	25.5	6.2	2	0
	7-9060	9-2672*	224	25.5	5.9	13	9	200	27.0	5.7	2	0
	8-10271	9-2672*	218	26.2	6.7	15	6	191	26.3	6.5	7	0
	8-10281	9-2672*	243	28.3	7.5	6	4	217	26.6	6.2	2	0
	8-10451	9-2672*	233	28.5	7.2	9	5	202	27.2	6.6	4	0
	7-9028	9-2673*	227	24.9	5.7	8	4	217	26.0	5.7	3	0
	7-9430	9-2673*	263	26.7	5.5	16	12	242	26.2	6.0	2	0
	7-9755	9-2673*	253	24.7	5.8	10	9	230	27.3	5.6	1	0
	8-10041	9-2673*	262	24.3	6.0	8	6	235	25.3	5.7	1	0
	8-10261	9-2673*	237	24.8	6.1	12	7	223	25.3	5.7	2	0
	8-10271	9-2673*	302	25.5	6.3	16	9	211	25.1	5.9	4	0
	8-10311	9-2673*	251	29.7	6.6	5	4	204	27.9	6.2	1	0
	8-10441	9-2673*	260	25.8	6.3	5	4	251	25.9	5.7	0	0
	8-10011	9-2674*	278	24.6	5.6	12	6	202	27.0	5.8	4	0
	8-10061	9-2674*	255	29.4	6.3	9	5	171	27.9	6.2	0	0
	8-10161	9-2674*	249	24.0	5.7	11	8	219	27.2	6.0	2	0
	8-10211	9-2674*	256	24.2	5.6	7	7	237	26.8	5.9	0	0
	8-10261	9-2674*	276	25.5	5.9	8	4	193	27.6	6.5	3	0
	8-10261	9-2674*	233	24.0	5.6	16	13	220	27.1	6.0	2	0
	8-10551	9-2674*	229	25.3	6.0	15	10	224	27.8	6.5	4	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. reg- band number of -	Sire mate	Dam's first- year record			Entered (no.)	Admitted (no.)	Average performance		No. completing year but failing to qualify because of low -			
			Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)			Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Mt. Fair Farm S. McLean Buckingham Watertown, Conn.	2941	558	211	25.7	6.8	4	4	236	25.5	5.9	0	0	0
	2582	584	259	25.6	6.7	6	4	228	26.3	6.8	1	1	0
	4158	902*	251	29.0	7.5	5	4	233	26.5	7.0	0	0	0
	4195	902*	220	25.5	5.2	6	5	238	25.3	6.3	0	1	0
	4223	902*	257	26.5	7.1	10	9	255	26.0	6.7	1	0	0
	349-1	905	256	25.3	--	7	6	251	24.9	6.2	0	1	0
	4325	925	243	25.9	6.8	4	4	248	27.6	7.2	0	0	0
	4629	925	240	26.2	6.4	5	4	233	28.2	6.7	1	0	0
	4366	5107	227	25.4	5.1	5	4	225	25.7	6.1	1	0	0
	4121	5180*	276	24.5	6.1	7	6	273	25.5	5.8	0	1	0
	4194	5180*	277	26.5	6.4	6	5	264	26.1	6.0	0	1	0
	4471	5180*	234	24.7	8.9	10	6	235	25.2	6.0	2	2	0
	4025	5203	303	26.2	5.7	7	4	218	26.4	6.4	1	1	0
	4055	5203	224	24.9	6.4	7	4	219	24.9	6.1	2	1	0
	4269	5220*	225	27.8	7.0	4	4	239	14.8	6.8	0	0	0
	4357	5220*	272	25.2	6.7	9	7	252	25.5	6.3	0	2	0
	4414	5230*	266	27.1	6.7	4	4	250	25.7	6.9	0	0	0
	4019	5230*	277	25.1	6.5	5	4	220	25.9	6.7	0	0	0
	4135	5230*	254	25.5	7.5	6	6	274	26.2	6.3	0	0	0
	4421	5230*	246	27.8	6.1	5	4	227	26.9	6.9	0	0	0
	4537	5230*	242	25.2	6.7	9	5	251	24.7	6.1	1	2	0
Norfolk County Agri- cultural School Walpole, Mass.	A-44	A-27577	281	24.0	5.4	8	7	259	24.4	6.0	0	1	0
	A-87	A-27577	253	24.0	5.8	10	6	232	25.1	5.9	1	2	0
	B-72	B-27578	295	24.0	5.2	14	9	246	24.1	6.3	1	3	0
	B-264	B-27578	259	25.0	5.6	10	6	192	24.6	6.2	2	1	0
	C-211	C-27579	255	24.0	5.9	6	4	257	23.7	5.6	0	2	0

For explanation of abbreviations, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hereditary family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Produced (no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Norfolk County Agri- cultural School Walpole, Mass. (Continued)	C-101	C-27579	282	26.0	5.8	13	6	219	24.1	6.0	2	5	0
	D-47	D-27580*	262	25.0	5.6	12	7	217	24.2	5.9	4	2	0
	D-132	D-27580*	256	26.0	6.4	12	10	199	25.8	6.3	0	0	0
	D-237	D-27580*	259	25.0	4.7	16	7	188	23.9	5.6	3	3	0
	D-360	D-27580*	256	26.0	5.6	10	6	204	24.6	5.7	1	0	0
	D-474	D-27580*	296	24.0	5.4	19	14	258	24.6	5.8	1	4	0
	E-128	E-27581*	281	24.0	5.8	14	10	224	25.4	6.1	4	1	0
	E-356	E-27581*	281	24.0	5.6	13	10	228	25.5	6.1	0	1	0
	F-5	E-27582*	284	27.0	6.4	13	8	214	27.0	6.0	4	0	0
	F-144	F-27582*	269	25.0	5.5	13	10	196	27.3	5.7	2	0	0
	F-160	F-27582*	261	27.0	6.1	17	11	200	26.9	6.0	3	0	0
	F-253	F-27582*	286	25.0	5.8	9	7	231	26.0	5.8	1	0	1
	F-335	F-27582*	280	24.0	5.5	16	12	211	26.5	5.9	1	0	1
	G-62	G-27533*	265	26.0	6.0	15	8	179	25.8	6.2	4	0	0
	G-233	G-27533*	296	27.0	5.6	16	14	237	26.2	5.8	0	0	0
	G-394	G-27533*	284	28.0	6.7	8	8	263	25.6	6.6	0	0	0
	413	G-27533*	261	26.0	5.9	9	8	232	26.8	6.0	1	0	0
	H-36	H-27584*	320	25.0	6.9	18	9	225	24.3	6.4	2	5	0
	H-137	H-27584*	256	25.0	5.8	12	6	229	24.7	6.4	2	4	0
	H-142	H-27584*	275	25.0	6.0	10	7	225	24.8	5.9	2	1	0
	H-213	H-27584*	271	24.0	5.5	9	5	246	24.6	6.0	2	3	0
	I-78	I-27585*	270	25.0	5.6	8	5	246	24.9	5.9	1	1	0
	I-337	I-27585*	276	24.0	5.0	15	12	234	25.1	6.0	2	0	0
	I-431	I-27585*	253	24.0	4.9	5	4	253	24.0	6.0	0	1	0
	J-127	J-27586*	269	27.0	6.1	11	8	198	25.6	6.5	1	0	0
	J-397	J-27586*	271	26.0	6.6	7	6	221	25.3	6.9	1	0	0

For explanation of abbreviations, units, symbols, etc., see introduction.

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb Rhode Island Red Dams

1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Litters (no.)	Average performance			No. completing year but failing to qualify because of low -		
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)
Norfolk County Agri- cultural School Walpole, Mass. (Continued)	J-595	J-27586*	268	25.0	5.8	14	9	245	24.4	6.1	0	4	0
Pineland Plantation	544	113	236	24.8	5.6	7	4	205	24.6	6.5	2	2	0
Mayesville, S. C.	546	113	248	25.4	6.0	10	4	139	24.9	6.3	1	1	0
To-Land Farm	15	14*	291	25.2	--	11	10	258	24.9	5.8	0	1	0
T. C. Hudman	510	14*	238	25.8	--	9	5	210	23.9	5.2	1	3	0
Route 1, Old Redan Road	2649	(4	272	26.0	--	8	6	255	24.5	6.0	0	1	0
Stone Mountain, Ga.	(5												
Wilson's Red Farm	164	150	255	24.3	6.0	5	4	223	24.9	5.4	1	1	1
Box 415													
Greenville, S. C.													

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Egg wt. (oz. per doz.)	Egg prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Body wt.
Atwood, Allen Franklin, N. H.	575 1084 1086	246 259 262	24.7 25.3 25.5	5.5 6.6 5.4	3 3 3	13 10 13	94 61 65	33 26 34	139 163 174	26.4 25.9 26.5	5.8 6.0 5.8	9 8 9	2 1 0
Blodgett, George W. Derry, N. H.	644	265	27.9	5.8	4	6	39	25	201	26.9	6.3	14	0
Brightwater Farms Hendersonville, N. C.	M-1577 M-1910	275 266	25.5 26.1	6.1 6.1	4 6	15 14	78 70	43 49	215 209	24.9 27.3	6.4 6.3	21 21	19 0
Forest Hills Poultry Farm C. Bruyneel & Son North Weare, N. H.	E-1052 F-579	229 264	-- --	-- --	0 0	11 10	62 42	29 22	213 167	25.4 25.2	6.6 6.3	20 5	8 3
Helms, H. Bernard Box 183 Monroe, N. C.	930 1713	221 207	27.4 25.7	5.9 5.1	6 2	12 9	66 70	36 27	188 171	27.0 25.4	5.2 5.4	23 26	1 9
Larrabee, E. N. Peterboro, N. H.	A-815 A-840 A-852 A-873 A-878 A-903 A-904 A-967 B-102 D-53	269 282 268 259 270 301 277 273 243 270	24.5 25.6 25.0 27.0 25.6 24.1 24.3 24.5 27.1 25.6	6.0 5.6 5.8 5.5 6.0 5.7 5.4 5.5 5.8 6.0	3 4 6 3 7 7 7 6 3 4	8 9 11 8 14 9 12 11 4 7	58 79 89 66 107 87 86 73 34 60	26 38 44 27 56 54 59 35 21 32	217 189 189 193 215 197 229 191 197 201	24.7 26.1 26.1 25.2 26.0 25.8 25.2 25.2 25.2 25.8	5.7 5.9 5.8 6.3 5.9 5.9 5.5 5.9 5.7 5.7	3 5 7 5 4 4 0 4 1 4	8 3 4 5 6 4 8 5 2 3
Little, Harry F. Camillus, N. Y.	L-20210	266	27.6	6.8	2	7	50	21	177	26.6	5.9	15	1

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Man-housed family average.

New Hampshire Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered		Qualified		Average performance			No. comp. year but failing to qualify because of low -	
		Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	U.S. R.O.M.	tal	(no.)	(no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.		
Pine Top Poultry Farm, Inc. W. C. Goodson Tamworth, N. H.	B-4 B-15	214 248	26.1 24.0	6.5 5.2	2 3	8 8	61 58	23 20	168 166	26.5 25.7	6.2 6.5	27 28	2 5	0 0	
Twichell, H. S. and M. E. Exeter, N. H.	903 989 1217	223 273 316	24.3 25.5 25.9	5.4 6.0 --	3 3 4	10 13 9	82 80 60	29 28 30	145 151 182	25.1 24.9 25.8	5.9 5.9 5.9	10 6 5	2 6 7	0 0 0	

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/Non-banded family average.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered		Produced		Average performance			No. completing year but failing to qualify because of low -		
			Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
	Dam														
Atwood, Allen Franklin, N. H.	277	564	239	24.9	6.0	12	6	195	26.6	6.5	1	0	0	0	0
	189	575*	211	25.1	7.4	11	5	145	26.8	5.5	1	0	0	0	0
	293	575*	208	25.6	6.9	10	5	174	25.5	5.7	1	0	0	0	0
	337	575*	214	27.5	7.8	9	4	171	27.1	6.1	1	0	0	0	0
	46	1084*	242	27.0	5.9	9	5	165	26.6	5.8	0	0	0	0	0
	233	1084*	242	25.5	8.0	9	5	175	26.6	6.3	1	0	0	0	0
	273	1084*	227	25.1	6.0	7	4	185	25.7	5.9	1	0	0	0	0
	355	1085	258	25.3	6.0	7	4	149	27.0	6.4	0	0	0	0	0
	8	1086*	264	25.0	6.2	8	4	151	26.1	5.9	1	0	0	0	0
	50	1086*	240	26.5	5.9	7	5	220	26.6	5.9	0	0	0	0	0
	118	1086*	232	25.0	5.2	5	4	238	27.2	5.6	1	0	0	0	0
	179	1089	247	25.2	6.6	12	8	188	26.9	6.2	0	0	0	0	0
	J-160	644*	237	24.4	6.4	6	4	203	26.1	6.5	2	0	0	0	0
	K-114	644*	231	26.3	5.1	8	5	213	27.1	6.5	6	0	0	0	0
Blodgett, George W. Derry, N. H.	K-315	644*	272	27.0	5.1	9	6	228	27.2	5.7	2	0	0	0	0
	L-456	644*	248	25.9	5.6	10	7	183	27.2	6.5	2	0	0	0	0
	J-235	677	263	26.7	6.5	8	5	199	26.6	6.0	1	0	0	0	0
	K-164	677	240	26.4	5.8	9	4	186	27.3	5.9	3	1	0	0	0
	K-124	691	238	24.9	5.1	7	4	164	24.9	6.4	1	0	0	0	0
	K-189	726	260	26.4	6.1	5	4	214	25.3	5.9	0	0	0	0	0
	K-314	726	238	25.1	5.5	6	4	164	25.7	5.8	1	0	0	0	0
	L-154	1272	270	26.2	5.6	11	6	147	25.6	6.2	0	0	0	0	0
	L-385	1272	270	24.8	5.6	10	4	162	25.3	6.5	1	0	0	0	0
	L-69	L-188	276	24.1	5.2	9	5	200	25.1	6.2	2	0	0	0	0
	K-38	629	230	25.6	6.2	5	4	217	26.2	6.0	0	0	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -				
			Egg prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)			Egg wt. (oz.) per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.)	Body wt. (lbs.)			
	Dam	Sire mate													
Blodgett, George W. Derry, N. H. (Continued)	L-457	643	258	27.0	5.7	8	4	184	28.0	6.4	4	0	0	0	
	1727	M-1577*	252	25.5	6.5	10	7	234	25.0	6.6	2	1	0	0	
	1736	M-1577*	264	27.3	6.9	9	4	228	24.5	6.7	2	4	0	0	
	1801	M-1577*	309	28.1	5.9	11	9	217	25.8	6.4	2	0	0	0	
	1848	M-1577*	298	24.4	6.3	8	4	204	24.6	6.1	3	1	0	0	
	603	M-1688	241	24.7	7.5	11	5	178	25.2	6.8	6	1	0	0	
	1228	M-1688	268	24.4	6.5	7	6	244	25.2	6.5	1	1	0	0	
	1500	M-1910*	253	24.2	5.5	12	9	201	27.7	6.1	3	0	0	0	
	1501	M-1910*	229	28.7	7.0	7	5	223	28.0	6.7	2	0	0	0	
	1820	M-1910*	257	26.6	6.4	6	5	218	26.7	6.2	1	0	0	0	
	1855	M-1910*	283	26.7	5.9	7	5	221	27.3	6.5	2	0	0	0	
	1952	M-1910*	256	24.6	6.0	7	4	186	26.6	6.1	3	0	0	0	
	1954	M-1910*	254	24.5	5.8	6	5	229	27.4	6.7	1	0	0	0	
	Helms, H. Bernard Box 183 Monroe, N. C.	A-317	(956 1718)	211	27.8	5.8	9	4	189	27.5	5.8	4	0	0	0
		A-341	1720	271	24.5	6.5	6	4	186	24.9	6.3	1	0	0	0
	A-356	(956 1718)	223	30.0	6.4	6	4	208	25.4	6.0	1	0	0	0	
	A-483	1719	225	24.5	4.5	6	5	186	25.8	5.7	0	0	0	0	
	B-2144	930*	220	24.9	5.3	7	5	218	27.0	4.7	2	0	0	0	
	B-2222	930*	206	26.0	6.3	9	4	188	26.0	5.4	3	0	0	0	
	B-2234	1713*	215	25.8	5.8	20	11	190	25.0	5.5	3	2	0	0	
	B-2237	930*	220	26.3	6.1	7	4	183	28.2	5.5	2	0	0	0	
	B-2269	1717	243	27.9	6.8	6	4	199	25.5	7.1	0	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)			Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Helms, H. Bernard Box 183 Monroe, N. C. (Continued)	Sire mate	B-2271	1710	222	27.5	6.9	6	4	199	26.9	6.1	2	0
			(1714										
	B-2275	1710	225	27.2	6.3	10	4	144	26.1	5.4	5	0	0
			(1714										
	B-2285	1713*	215	25.8	6.3	11	7	185	26.4	5.6	2	0	0
			247	24.9	5.6	7	4	215	24.8	5.3	2	0	0
	B-2318	1710	214	25.3	5.6	10	6	192	26.1	5.8	0	0	0
			(1714										
	B-2452	930*	228	24.4	5.8	5	4	193	26.1	5.2	0	0	0
			240	24.7	5.1	7	5	209	25.7	4.9	2	0	0
Larrabee, E. N. Peterboro, N. H.	B-2517	930*	222	24.0	5.1	8	5	210	27.5	5.0	2	0	0
			267	25.9	5.0	9	7	253	25.9	5.8	1	0	0
	J6-48	A-815*	256	24.3	5.0	14	7	233	24.4	5.6	0	2	0
			253	24.5	5.3	15	8	215	24.6	5.9	0	2	0
	I7-1	A-840*	257	24.8	5.6	12	6	170	25.8	5.9	0	0	0
			301	24.1	5.7	15	12	250	25.5	5.8	0	1	0
	I7-39	A-840*	253	25.7	5.8	11	5	170	26.2	5.8	3	0	0
			244	27.5	5.5	9	5	217	27.4	6.0	0	0	0
	J6-91	A-840*	227	24.3	5.6	14	9	222	26.1	5.5	0	0	0
			225	26.0	5.6	6	4	191	26.6	5.9	0	0	0
	J5-80	A-852*	239	26.5	6.4	13	5	155	26.6	6.2	1	0	0
			233	27.8	6.2	10	4	195	27.7	6.0	1	1	0
	J5-84	A-852*	236	25.7	5.4	11	5	179	25.8	5.6	1	0	0
			288	24.2	5.4	10	7	223	25.2	5.8	2	1	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. log- band number of --		Dam's first- year record			No. completing year but failing to qualify because of low --		Average performance			No. completing year but failing to qualify because of low --	
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg 2/ prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	Egg prod.	Egg wt.
Larrabee, E. N.	A-873*	271	24.4	5.4	12	4	197	24.2	6.2	0	1	0
Peterboro, N. H.	A-873*	294	24.2	5.6	15	8	208	25.5	6.7	0	2	0
(Continued)	A-873*	234	25.3	5.2	8	4	187	25.6	6.1	1	1	0
	A-878*	277	24.7	5.4	15	10	254	25.9	6.2	1	1	0
	A-878*	229	24.8	5.5	12	4	196	25.4	5.7	2	0	0
	A-878*	229	24.5	6.1	6	4	219	27.3	6.4	0	0	0
	A-878*	237	27.7	5.8	8	7	245	27.0	6.3	0	0	0
	A-878*	226	24.3	5.3	9	5	230	26.3	5.4	0	0	0
	A-878*	233	25.9	5.0	7	4	211	25.8	5.6	0	0	0
	A-878*	240	25.5	5.8	16	9	226	25.5	5.8	1	1	0
	A-903*	250	25.8	6.2	11	5	180	26.5	6.2	2	0	0
	A-903*	262	26.4	6.2	11	7	197	25.9	6.3	2	1	0
	A-903*	273	25.4	5.5	9	7	230	25.3	6.0	0	0	0
	A-903*	226	26.5	5.4	8	4	202	26.7	5.7	0	1	0
	A-903*	249	25.2	5.3	17	11	208	25.6	5.7	0	1	0
	A-903*	240	24.9	5.4	8	6	200	25.4	5.5	0	0	0
	A-903*	259	26.4	5.1	12	10	229	25.8	5.8	0	1	0
	A-904*	248	26.0	6.1	11	8	239	25.3	5.7	0	2	0
	A-904*	246	26.1	--	8	7	250	25.3	5.8	0	1	0
	A-904*	249	25.7	5.6	10	8	219	25.6	5.4	0	0	0
	A-904*	265	27.1	6.6	4	4	245	24.7	6.0	0	0	0
	A-904*	249	25.8	6.0	10	8	273	25.2	5.7	0	1	0
	A-904*	245	27.0	5.9	12	10	241	26.3	5.7	0	0	0
	A-904*	247	26.8	6.0	7	5	200	24.6	5.2	0	0	0
	A-967*	258	25.5	5.8	5	4	206	25.2	6.2	0	0	0
	A-967*	282	27.5	5.9	5	4	211	25.5	5.9	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Han-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record			Percentage Entered (no.)	Average performance			No. completing year but failing to qualify because of low -			
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)		Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Dam	Sire mate											
Larrabee, E. N. Peterboro, N. H. (Continued)	JD-62	A-967*	230	26.9	5.4	11	221	25.0	6.1	0	1	0
	JD-81	A-967*	247	26.5	5.2	7	236	25.6	6.1	0	0	0
	JL0-37	A-967*	250	25.3	5.8	11	226	25.1	5.8	2	1	0
	H3-6	B-102*	273	24.5	5.5	10	213	24.9	5.7	0	1	0
	H3-37	B-102*	254	24.3	5.3	9	191	25.1	6.0	1	1	0
	H4-30	B-102*	267	24.1	5.0	13	197	25.7	5.3	0	0	0
	H3-54	D-53*	282	25.6	5.6	12	206	25.6	5.6	1	1	0
	H5-56	D-53*	259	27.0	5.6	13	198	26.4	5.7	1	0	0
	H9-40	D-53*	268	25.0	5.8	8	229	25.9	6.0	0	0	0
	H9-69	D-53*	247	27.0	5.2	12	216	25.9	5.6	1	0	0
	JL-23	A-967*	259	27.1	5.2	7	228	25.4	6.1	0	1	0
Little, Harry F. Camillus, N. Y.	K-2402	K-30146	228	24.0	6.0	15	192	24.8	5.5	3	3	1
	K-24018	K-30146	240	25.2	5.7	6	243	25.4	5.7	1	1	0
	K-24035	L-20210*	271	25.2	5.4	11	186	26.1	5.9	4	0	0
	K-24395	L-20210*	300	24.0	5.7	7	216	26.3	5.6	1	1	0
	K-24135	L-20212	242	24.0	6.1	18	183	26.0	5.7	6	0	2
	K-24187	L-20213	273	24.0	5.4	13	205	25.5	5.4	2	1	2
	K-24195	L-20213	230	25.2	5.8	5	187	25.5	5.1	0	0	0
	K-24312	L-20235	294	24.0	5.9	10	199	24.2	5.3	3	2	1
	2551	B-3	270	24.3	5.2	16	192	24.7	5.3	4	2	0
	A-981	B-4*	255	25.7	5.9	9	195	26.2	5.7	4	0	0
	R-270	B-4*	253	26.8	6.1	14	171	27.5	6.6	5	0	0
W. C. Goodson Tamworth, N. H.	B-54	B-10	220	26.5	5.5	10	230	24.7	6.1	1	3	0
	B-243	B-10	228	24.7	4.7	14	166	25.4	5.8	2	1	0
	2510	B-13	280	26.7	5.7	9	188	24.7	5.1	4	1	0
	A-950	B-15*	258	27.9	5.5	11	189	25.8	6.0	4	1	0
	For explanation of abbreviations units, symbols, etc., see Introduction.											

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Han-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

New Hampshire Dams 1/

Breeder's name and address	U.S.R.O.P. leg-band number of -		Dam's first-year record			Period of laying (no.)		Period of production (no.)		Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No. completing year but failing to qualify because of low -
Pine Top Poultry Farm, Inc. W. C. Goodson Tamworth, N. H. (Continued)	1334	B-15*	212	25.6	6.4	11	25.6	6.4	4	25.6	6.4	6	25.6	6.4	0
	1379	B-15*	212	26.1	6.2	9	26.1	6.2	4	26.1	6.2	3	26.1	6.2	0
	A-737	B-66	240	25.2	5.9	14	25.2	5.9	5	25.2	5.9	7	25.2	5.9	0
	2397	B-66	217	26.4	5.9	5	26.4	5.9	4	26.4	5.9	0	26.4	5.9	0
	2611	B-66	278	24.9	5.0	7	24.9	5.0	4	24.9	5.0	2	24.9	5.0	0
	2617	B-66	236	24.0	5.0	11	24.0	5.0	5	24.0	5.0	1	24.0	5.0	0
	3706	B-66	240	24.3	6.2	11	24.3	6.2	8	24.3	6.2	1	24.3	6.2	0
	A-575	B-78	241	27.1	6.2	12	27.1	6.2	6	27.1	6.2	3	27.1	6.2	1
	A-375	B-119	210	25.0	6.0	10	25.0	6.0	4	25.0	6.0	1	25.0	6.0	0
	B-838	B-132	254	27.1	5.4	11	27.1	5.4	5	27.1	5.4	2	27.1	5.4	0
	1725	783	280	26.4	6.6	8	26.4	6.6	4	26.4	6.6	1	26.4	6.6	0
	301	903*	243	24.8	5.5	10	24.8	5.5	4	24.8	5.5	0	24.8	5.5	0
Twichell, H. S. and M.E. Exeter, N. H.	314	903*	226	25.6	6.1	12	25.6	6.1	5	25.6	6.1	0	25.6	6.1	0
	408	903*	229	26.5	5.8	7	26.5	5.8	4	26.5	5.8	2	26.5	5.8	0
	25	989*	278	24.6	6.2	13	24.6	6.2	9	24.6	6.2	0	24.6	6.2	0
	26	989*	243	24.8	6.4	11	24.8	6.4	4	24.8	6.4	1	24.8	6.4	0
	113	989*	246	25.0	5.2	11	25.0	5.2	4	25.0	5.2	0	25.0	5.2	0
	218	999	225	24.3	6.0	9	24.3	6.0	4	24.3	6.0	0	24.3	6.0	0
	7-12	999	237	24.6	---	15	24.6	---	5	24.6	---	3	24.6	---	0
	27	1217*	242	28.5	6.4	12	28.5	6.4	7	28.5	6.4	2	28.5	6.4	0
	60	1217*	221	25.8	---	6	25.8	---	4	25.8	---	0	25.8	---	0
	263	1217*	249	24.3	6.1	13	24.3	6.1	6	24.3	6.1	1	24.3	6.1	0
	338	1217*	267	24.9	5.0	9	24.9	5.0	6	24.9	5.0	0	24.9	5.0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Barred Plymouth Rock Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered as (no.)	Produced (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	U.S. R.O.P.	To- tal			Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.		
Ayrlawn Farms Bethesda, Md.	258	246	25.7	6.5	3	14	57	24	164	25.8	5.8	8	1	0
Cowdrey, Mr. & Mrs. Irving West Cheshire, Conn.	303	280	26.3	6.7	3	10	88	35	172	25.8	6.0	31	4	0
	5622	262	26.5	7.0	1	12	51	20	172	25.0	6.1	15	8	1
	5662	230	25.3	4.6	4	9	58	25	181	26.0	6.0	20	5	0
	5666	339	25.9	6.4	3	11	56	23	196	24.4	5.8	14	13	0
	5673	237	27.0	7.2	2	8	61	25	186	24.7	5.8	17	10	0
Dave-Co Farm	192	270	25.5	6.6	2	10	55	20	172	25.3	6.3	10	4	0
David Cohen														
Guilford, Conn.	562	249	27.8	6.5	0	10	36	20	194	26.5	6.0	5	0	0
Fellows Brothers														
Norwichtown, Conn.	151	279	24.1	6.5	3	11	61	21	177	24.3	6.1	16	9	0
Golden Rule Poultry Farm														
Bryan, Tex.	C-4829	254	25.6	7.0	3	12	81	35	204	24.3	6.1	4	14	0
Mooring, F. K.														
Beach, Va.	C-7067	233	24.5	6.1	2	8	64	22	174	25.4	6.2	33	10	1
Van Valzah, Mrs. Robert														
Goby, Va.	39	261	24.8	6.9	4	5	38	33	253	25.5	6.7	2	0	0
Wilcox, T. N.	1603	261	24.8	6.9	3	7	33	26	245	26.4	7.1	0	1	0
Tryon, N. C.	27294	302	26.0	--	7	8	63	56	265	26.1	6.2	2	2	0
	27295	283	27.0	--	5	9	74	46	252	24.6	6.7	6	13	0
M-880	246	24.5	6.9		3	4	27	21	242	25.2	6.2	1	2	0
M-886	320	24.2	6.4		5	7	58	47	248	26.1	6.6	4	2	0
Willis, J. L.	186	305	24.1	--	4	9	44	27	185	25.6	5.6	1	0	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.

2/Har-boned family average.

Barred Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -	Dam's first- year record				Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -		
		Dams						Daughters					
		Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.			Body wt. (lbs.)	Egg wt. (oz.) per doz.	Egg2/ prod. (no.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.
Ayr-lawn Farms Bethesda, Md.	414	258*	268	25.8	6.0	9	6	210	26.0	5.7	0	1	0
	806	258*	240	24.1	5.5	7	4	220	25.1	6.2	1	0	0
	1703	258*	228	24.0	6.0	9	6	165	26.1	5.4	0	0	0
	661	144925	229	24.4	5.5	8	4	187	24.5	5.8	1	0	0
Bishop, R. Walter Guilford, Conn.	7239	403	311	26.7	6.0	15	5	175	26.3	5.9	1	0	0
	7251	424	217	25.9	6.8	10	4	139	25.8	5.8	0	0	0
	8597	426	300	25.2	6.0	6	4	203	26.0	5.3	0	0	0
	7370	4351	300	25.2	6.2	10	4	116	25.5	6.3	0	0	0
Broad Acres Farm M. E. Jones West Cheshire, Conn.	711	598	261	27.2	5.6	9	5	190	28.6	5.7	1	0	0
	741	599	215	25.0	5.8	6	5	207	26.0	5.5	0	0	0
Cowdrey, Mr. & Mrs. Irving West Cheshire, Conn.	4473	302	217	26.8	5.5	8	4	184	25.8	5.7	3	0	0
	4578	302	241	24.0	5.9	8	5	205	26.1	6.2	2	1	0
	4506	303*	286	24.8	5.4	12	9	223	25.7	5.8	3	0	0
	4520	303*	251	26.2	6.2	14	5	173	25.0	6.3	3	0	0
	4539	303*	211	25.2	5.8	23	9	167	25.7	6.0	10	1	0
	4398	5622*	226	24.3	6.2	6	4	193	26.0	6.4	0	0	0
	4458	5662*	232	25.3	7.1	11	4	175	25.4	6.0	5	2	0
	4461	5662*	266	25.9	5.8	9	4	188	26.8	5.6	5	0	0
	4490	5662*	249	26.5	6.4	14	6	169	25.7	6.5	3	1	0
	4648	5662*	213	27.9	6.3	9	5	187	27.2	6.0	3	0	0
	4358	5666*	227	27.6	5.7	6	4	215	24.2	5.5	1	1	0
	4425	5666*	260	24.7	5.2	18	8	189	24.9	5.9	6	2	0
4495	5666*	223	27.0	6.1	6	4	241	24.6	5.8	1	1	0	
2619	5673*	228	28.1	6.2	8	4	171	26.1	6.6	1	1	0	
4481	5673*	280	26.3	6.7	17	9	201	25.1	5.7	3	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Barred Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered (no.)	Produced (no.)	Average performance			No. completing year but failing to qualify because of low -	
U.S.R.O.P. leg- band number of -	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)
Dave-Co Farm David Cohen Guilford, Conn.	1838 1860 1936 2567 2662 2751 Y6-39 Y12-39 2514 2845 1859 3297	68 68 68 71 71 187 192* 192* 194 194 5487 560	303 304 217 301 248 321 273 287 287 267 252 223	24.5 26.3 26.1 27.5 25.2 24.9 25.7 24.2 24.6 25.5 26.1 24.1	5.9 7.3 7.8 6.6 6.1 6.4 6.6 5.5 5.9 5.8 6.8 6.0	10 8 7 8 9 5 9 8 10 6 6 8	5 5 5 7 4 4 5 5 5 4 4 5	180 207 228 209 193 242 211 208 181 221 196 233	24.5 25.6 26.6 27.7 25.7 24.9 25.1 26.2 24.5 25.6 25.3 25.2	5.4 6.3 6.3 6.4 6.0 6.4 6.3 5.8 6.0 6.6 6.3 6.1	3 0 1 1 5 1 2 2 2 1 0 2	1 1 0 0 0 1 1 0 1 1 0 0
Fellows Brothers Norwichtown, Conn.	154 156 926	151* 151* 151*	219 254 252	24.0 24.0 --	6.3 5.5 --	9 8 8	4 4 4	192 183 203	24.5 24.1 24.5	5.6 5.7 6.3	2 0 3	0 0 1
Moorings, F. K. Beach, Va.	3101 3121 1570 1625 1654	C-4803 C-4803 C-4829* C-4829* C-4829*	275 272 263 287 254	25.1 24.0 25.3 25.0 25.1	6.2 6.6 6.2 7.1 6.5	9 10 10 8 9	4 6 4 4 9	208 205 216 205 247	25.9 25.4 24.4 24.2 25.3	5.8 6.2 6.0 6.0 5.9	0 1 0 0 0	1 0 3 1 0
Peach Blow Farm T. J. Frizzell Charlestown, N. H.	B-62 B-127	B-1072 B-1072	202 227	24.1 26.4	5.8 5.7	9 9	4 6	156 194	26.1 27.1	5.7 5.5	1 1	0 0
Sunny Poultry Farm Mandan, N. Dak.	8-456	Cl-63	223	24.1	6.5	10	4	164	24.1	7.4	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Barred Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg-band number of -		Dam's first-year record			Entered		Daughters			No. completing year but failing to qualify because of low -	
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Egg2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg Body wt.
Triple Bar Ranch Beeler, Kans.	J-5152	214	212	24.2	6.4	6	4	214	24.9	6.3	0	0
	K-6142	424	243	25.3	5.6	10	4	161	25.2	6.7	0	0
	K-6165	424	216	24.6	5.6	8	4	187	24.9	6.8	0	0
Van Valzah, Mrs. Robert Goby, Va.	4102	C-5550	251	26.2	5.4	10	6	193	25.3	5.0	3	0
	1544	C-7067*	258	25.3	6.1	10	5	194	25.7	6.3	5	1
	3921	C-7067*	240	26.5	5.5	15	7	193	24.8	6.2	8	3
Wilcox, T. N. Tryon, N. C.	529	38	299	26.8	6.1	6	5	211	28.2	6.8	0	0
	633	38	275	26.6	7.5	8	6	226	27.2	7.2	2	0
	510	39*	321	26.4	5.6	9	8	256	25.3	6.1	0	0
	581	39*	252	26.9	6.6	8	7	241	25.1	6.9	0	0
	584	39*	272	25.8	5.6	8	7	249	26.8	6.2	1	0
	604	39*	261	25.6	8.0	11	9	251	25.3	7.3	1	0
	651	1603*	251	25.2	6.8	13	12	265	26.2	7.2	0	0
	658	1603*	243	26.3	6.0	6	5	225	26.7	7.1	0	0
	887	1603*	227	26.1	7.5	4	4	273	26.2	7.5	0	0
	502	27294*	230	26.1	6.6	8	5	244	25.0	6.1	0	0
	503	27294*	234	28.4	6.3	10	9	271	26.6	6.1	1	0
	556	27294*	260	27.6	6.8	8	8	281	26.4	6.2	0	0
	610	27294*	332	26.9	7.3	11	11	275	26.7	6.5	0	0
	659	27294*	242	25.6	6.0	12	10	273	25.2	6.3	0	0
	664	27294*	277	27.3	7.3	8	8	255	26.8	6.2	0	0
	1121	27294*	314	25.5	6.0	5	5	254	26.0	5.8	0	0
	513	27295*	297	25.5	7.1	11	9	270	25.3	6.9	0	0
	519	27295*	299	24.2	7.1	11	6	267	24.7	6.6	0	0
	551	27295*	286	25.5	6.5	12	4	231	24.2	6.8	2	4
	572	27295*	261	24.5	6.5	9	7	257	24.4	6.7	1	1

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Barred Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Registered (no.)			Daughters permitted (no.)			Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)							Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.	
Wilcox, T. N. Tryon, N. C. (Continued)	587	27295*	300	24.9	6.5	21	14	254	24.3	6.8	1	2	0				
	596	M-44	254	26.0	6.4	8	5	242	25.7	7.0	2	2	0				
	1093	M-44	230	24.9	7.3	5	5	247	24.9	7.4	0	0	0				
	523	M-45	246	26.0	5.4	7	6	244	25.7	6.8	0	0	0				
	605	M-45	308	25.9	7.3	10	10	276	26.7	6.7	0	0	0				
	508	M-880*	299	27.8	6.5	8	6	231	25.1	6.5	0	0	0				
	564	M-880*	286	25.5	6.6	12	9	258	24.8	6.2	1	2	0				
	622	M-880*	311	25.3	6.3	6	5	216	26.5	5.9	0	0	0				
	606	M-886*	280	27.9	6.3	8	7	227	27.9	6.8	0	0	0				
	608	M-886*	261	24.8	6.9	7	6	242	26.1	6.1	1	0	0				
	611	M-886*	302	26.4	6.9	13	10	243	25.9	6.6	0	1	0				
	1084	M-886*	283	24.9	6.5	9	6	240	26.1	6.4	2	0	0				
	1109	M-886*	296	24.3	6.5	15	14	286	25.6	6.7	0	1	0				
	607	M-1601	290	25.8	6.6	6	6	264	26.0	6.6	0	0	0				
	1072	M-1601	278	26.6	7.0	7	5	195	27.0	7.4	0	0	0				
	647	M-1602	279	24.7	6.8	5	5	268	25.3	6.5	0	0	0				
Willis, J. L. Clio, S. C.	750	181	304	26.5	5.5	16	19	201	25.5	5.2	1	2	1				
	753	186*	243	25.5	6.5	4	4	247	25.1	6.3	0	0	0				
	779	186*	326	25.7	6.8	11	9	243	25.4	5.8	0	0	0				
	797	186*	262	26.8	6.0	8	5	199	26.5	5.5	0	0	0				
	808	186*	312	26.9	5.9	9	4	133	25.1	5.7	0	0	0				

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
 2/ Hen-housed family average.
 * Sire mate also met the requirements for U.S.R.O.M.

White Plymouth Rock Sires 1/

Breeder's name and address	Sire's U.S. R.O.P. leg- band No.	Sire's dam's record			Number of mates		Entered (no.)	Qualified (no.)	Average performance			No. comp. year but failing to qualify because of low -		
		Egg prod. (no.)	Egg wt. (oz.) per doz.	Body wt. (lbs.)	U.S. R.O.M.	To- tal			Egg wt. (oz.) per doz.	Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.) per doz.	Egg prod. (no.)	Egg wt. (oz.) per doz.
Echo Glen Farm Troy, Kans.	K-484	272	24.9	5.4	2	8	49	21	155	25.7	5.7	0	0	0
Holtzapple Poultry Farm Elida, Ohio	H-3028	225	28.4	6.2	3	10	50	21	156	25.7	6.0	4	2	0
Rutter, E. R. Derry, N. H.	1106	271	25.7	5.9	0	13	24	20	227	25.4	6.1	4	0	0
Smith, Dudley C., Jr.	B-796	254	--	--	4	9	47	30	203	25.6	6.3	2	1	0
Tryon, N. C.	M-144	258	25.1	6.4	0	12	58	25	171	26.2	6.2	3	1	0
Thoreson, Mrs. James G. Fingal, N. Dak.	B-22116	236	28.0	5.7	4	8	63	23	156	25.6	6.1	24	3	1
Ward, A. H. Independence, Iowa	K-2738	261	24.9	7.8	2	8	66	27	162	25.5	6.6	9	2	0
	L-355	255	24.7	5.8	9	13	109	68	201	26.6	6.4	3	0	0
	L-669	259	25.8	5.3	5	13	126	48	158	26.2	5.8	1	1	0
	L-845	231	27.3	6.1	3	11	52	25	187	26.4	6.5	1	0	0
	L-1269	282	24.3	5.9	5	8	61	26	160	26.0	6.5	6	0	0
	L-2405	287	24.6	5.5	4	10	99	37	169	25.2	6.5	4	4	0
	L-2431	243	25.8	6.9	3	9	93	42	179	26.2	6.1	2	0	0
	L-2813	203	25.2	6.6	2	13	62	29	185	25.5	6.3	10	3	0

1/For explanation of abbreviations, units, symbols, etc., see Introduction.
2/Non-banded family average.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record				Entered (no.)	Qualified (no.)	Average performance			No. completing year but failing to qualify because of low -			
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg wt. (oz. per doz.)			Body wt. (lbs.)	Egg prod. (no.)	Egg wt. (oz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Bertsch, Mrs. M. A. Salisbury, Mo. Collins and Ripper Poultry Farm Seymour, Iowa	E-4221	E-514	209	25.2	5.0	5	4	209	24.7	5.6	1	0	0		
	E-4421	E-517	203	25.2	5.8	6	4	205	24.9	5.1	1	0	0		
	J-147	501	230	25.1	5.9	15	5	166	27.1	7.0	9	0	0		
	L-27	567	264	26.4	7.0	11	4	173	26.4	6.0	5	0	0		
	L-145	567	242	26.9	6.0	16	7	166	27.0	6.5	8	0	0		
Echo Glen Farm Troy, Kans.	L-12	576	222	25.1	6.5	14	5	160	26.7	5.9	7	0	0		
	J-7402	K-468	251	27.0	5.6	9	5	177	25.6	5.9	0	0	0		
	K-4235	K-483	271	24.7	5.4	9	4	164	25.8	6.3	0	0	0		
	K-4367	K-483	240	25.2	7.1	14	8	168	26.1	6.6	0	0	0		
	K-4126	K-484*	263	26.5	5.8	14	8	168	25.9	5.5	0	0	0		
Fairfield Farms Pacific, Mo. Holtzapple Poultry Farm Elida, Ohio	K-4305	K-484*	270	25.9	7.1	9	4	161	26.7	6.1	0	0	0		
	E-1250	D-1136	237	24.9	6.9	7	5	194	25.5	5.4	0	0	0		
	G-81	G-2459	271	25.8	6.4	11	5	183	25.6	6.2	2	1	0		
	H-129	H-3012	229	25.6	7.4	10	5	168	25.5	5.7	1	0	0		
	H-135	H-3012	253	25.1	5.7	11	5	145	24.9	5.9	0	1	0		
	H-175	H-3012	236	24.6	7.1	12	5	162	26.4	5.7	2	0	0		
	F-170	H-3028*	249	26.7	8.2	6	4	193	26.5	6.8	0	0	0		
	G-303	H-3028*	240	26.0	6.8	8	4	215	25.3	6.3	2	1	0		
	H-324	H-3028*	227	25.8	6.2	7	5	171	26.0	5.7	0	0	0		
	G-199	H-3041	249	26.0	7.3	8	4	136	25.0	6.6	1	0	0		
	P78-13	H-3041	248	24.6	--	11	5	164	24.8	6.6	1	1	0		
	G-433	H-3085	264	25.1	6.1	8	4	184	25.2	6.0	0	1	0		
	G-142	H-3382	250	25.4	7.2	9	4	181	24.4	6.7	0	1	0		
	H-77	H-3382	241	24.1	6.3	12	5	140	24.7	6.4	1	1	0		

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

White Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Parents		Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	Egg 2/ prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Rutter, E. R. Derry, N. H.	K-1008	(104 1115	258	25.3	6.3	5	5	261	25.0	6.2	0	0	0
	J-508	1112	281	26.1	5.6	5	5	230	26.4	5.6	0	0	0
	J-128	1113	263	24.0	5.1	6	6	255	26.5	5.9	0	0	0
	I-386	1114	257	25.9	5.8	6	4	227	26.1	6.3	1	0	0
	K-742	1117	267	26.4	6.9	9	9	242	26.3	6.6	0	0	0
	I-410	1314	271	25.7	5.9	16	12	239	26.0	6.5	2	1	0
Smith, Dudley C., Jr. Tryon, N. C.	N-43	B-796*	295	28.3	7.4	6	4	206	25.0	6.4	0	0	0
	N-67	B-796*	299	27.3	7.3	8	6	214	26.6	6.3	0	0	0
	N-140	B-796*	270	27.2	6.0	11	8	219	25.3	6.3	0	0	0
	N-182	B-796*	266	27.2	7.3	8	4	170	25.7	6.2	1	0	0
Thoreson, Mrs. James G. Fingal, N. Dak.	9-1005	B-22116*	204	24.6	5.7	5	4	178	25.6	6.2	0	0	0
	9-1044	B-22116*	211	25.4	5.5	17	6	142	25.9	5.7	6	0	0
	9-1051	B-22116*	206	24.3	6.8	10	4	164	25.3	6.8	3	0	0
	9-1126	B-22116*	208	26.0	5.6	17	6	160	25.7	5.9	6	1	1
Ward, A. H. Independence, Iowa	L-91	K-1959	238	25.8	5.7	23	8	174	25.5	6.2	1	0	0
	L-99	K-1959	301	25.0	7.1	12	4	188	25.3	6.2	1	2	0
	L-215	K-1959	262	24.2	5.9	12	8	219	24.8	6.0	0	0	0
	L-452	K-1959	278	25.9	6.1	17	8	204	25.2	6.4	1	1	0
	L-829	K-2738*	236	24.5	7.4	12	4	142	25.3	6.8	2	0	0
	L-982	K-2738*	226	24.4	6.4	20	14	211	24.8	6.7	2	0	0
	L-519	(L-299 L-977	238	24.7	5.0	14	9	202	25.8	5.9	1	0	0
	K-5	L-355*	267	25.6	5.8	13	8	235	25.8	6.4	1	0	0
	K-355	L-355*	225	25.5	5.3	4	4	240	27.1	6.3	0	0	0
	K-901	L-355*	200	24.9	5.7	10	8	204	26.9	6.5	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

White Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered		Qualified		Average performance			No. completing year but failing to qualify because of low -	
	Date	Sire mated	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	(no.)	(no.)	(no.)	(no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.
Ward, A. H. Independence, Iowa (Continued)	L-19	L-355*	234	26.8	6.6	9	4	174	28.2	6.7	0	0	0	0
	L-51	L-355*	267	24.9	5.1	16	10	182	26.6	5.9	0	0	0	0
	L-56	L-355*	216	26.0	6.3	6	4	210	27.4	7.1	1	0	0	0
	L-202	L-355*	235	25.3	4.9	8	6	218	26.1	6.0	0	0	0	0
	L-248	L-355*	240	24.8	5.8	8	6	201	26.2	6.4	0	0	0	0
	L-601	L-235*	254	24.4	5.4	13	8	200	27.0	6.6	0	0	0	0
	L-21	L-669*	255	26.1	6.2	16	9	181	26.7	5.8	0	0	0	0
	L-210	L-669*	249	25.5	6.8	9	5	154	27.8	5.8	1	0	0	0
	L-244	L-669*	241	24.8	6.0	10	5	187	26.0	6.0	0	0	0	0
	L-246	L-669*	227	25.2	6.6	16	6	169	25.7	5.9	0	0	0	0
	L-316	L-669*	274	26.9	6.0	13	9	205	26.9	5.7	0	0	0	0
	L-71	L-845*	245	25.9	7.0	7	4	177	26.4	6.3	0	0	0	0
	L-429	L-845*	245	26.5	6.5	8	4	187	27.0	6.4	0	0	0	0
	L-691	L-845*	242	26.1	6.2	10	6	198	26.5	6.5	0	0	0	0
	L-806	L-1269*	208	24.7	8.4	15	5	159	25.3	6.8	2	0	0	0
	L-507	L-1269*	222	26.1	7.9	4	4	238	25.4	6.7	0	0	0	0
	L-879	L-1269*	248	24.3	7.4	8	4	158	25.9	6.3	1	0	0	0
	L-888	L-1269*	218	25.5	6.1	11	5	149	26.8	6.1	0	0	0	0
	L-928	L-1269*	204	24.7	6.2	6	4	152	26.5	6.3	0	0	0	0
	L-163	L-1717	247	26.2	6.5	8	5	206	25.7	6.2	1	0	0	0
	L-555	L-1717	206	25.8	5.5	8	4	196	25.6	5.8	1	0	0	0
	L-819	L-2405*	220	27.0	7.4	10	4	185	25.6	6.7	1	0	0	0
	L-921	L-2405*	226	26.3	7.3	9	7	182	24.8	6.5	0	0	0	0
	L-955	L-2405*	234	27.0	9.0	6	4	200	25.3	7.0	0	0	0	0
	L-979	L-2405*	223	25.8	7.2	11	4	143	24.9	6.5	1	0	0	0
	L-74	L-2451*	245	26.0	7.4	15	10	210	27.4	6.6	1	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see introduction.

2/ Hen-housed family average.

* Sire mated also met the requirements for U.S.R.O.M.

White Plymouth Rock Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record		Entered pen (no.)		Produced (no.)		Average performance			No. completing year but failing to qualify because of low -		
									Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod.	Egg wt.	Body wt.
Ward, A. H. Independence, Iowa (Continued)	L-605 L-671 L-884 L-917	Sire mate	L-2431* L-2431* L-2813* L-2813*	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	23 9 5 7	11 8 5 4	Egg2/ prod. (no.)	25.0 26.6 25.5 25.9	6.0 5.9 6.6 6.7	0 0 0 2	0 0 0 0	0 0 0 0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.
2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

White Wyandotte Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Entered			Daughters			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Entered (no.)	Qualified (no.)	Average performance			Egg prod.	Egg wt.	Body wt.	
Miller, Hugh Checotah, Okla.	1737	2381	210	24.2	6.1	14	5	164	24.7	5.8	3	0	0	0
Taylor, Mrs. E. S. Independence, Mo.	E-363	E-841	245	28.1	6.3	7	5	192	27.1	6.0	1	0	0	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			Percentage		No. of daughters		Average performance			No. completing year but failing to qualify because of low -		
	Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. (no.)	Percentage	No. of daughters	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	Egg prod. wt.	Egg wt.	Body wt.	
Kidwell's Rhode Island White Farm Powhattan, Kans.	J-5714	39	302	25.7	5.7	4	10	4	147	25.2	5.3	0	0	0	
	K-4074	39	302	25.1	4.9	4	10	4	154	24.5	5.6	0	0	0	
	K-4038	218	257	24.6	6.6	4	4	4	242	26.2	6.6	0	0	0	
	K-4008	433	245	24.3	5.5	4	6	4	194	25.5	5.5	0	0	0	

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-banded family average.

* Sire mate also met the requirements for U.S.R.O.M.

Single-Comb White Minorca Dams 1/

Breeder's name and address	U.S.R.O.P. leg- band number of -		Dam's first- year record			No. completing year but failing to qualify because of low -		Daughters		
								Average performance		
								Egg wt. (oz. per doz.)	Body wt. (lbs.)	No. completing year but failing to qualify because of low -
Dam	Sire mate	Egg prod. (no.)	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No. completing year but failing to qualify because of low -	No. completing year but failing to qualify because of low -	Egg prod.	Egg wt. (oz. per doz.)	Body wt. (lbs.)	No. completing year but failing to qualify because of low -
Brown, Tracy D. 529 Mayo Building Tulsa, Okla.	1397	5225	259	24.6	4.9	4	192	26.6	5.1	0
	1801	5225	224	26.5	5.8	5	185	26.4	5.5	0
	1082	5292	202	24.8	4.7	4	239	25.4	5.7	0

1/ For explanation of abbreviations, units, symbols, etc., see Introduction.

2/ Hen-housed family average.

* Sire mate also met the requirements for U.S.R.O.M.

HONOR ROLL FOR SIRES AND DAMS OF DAUGHTERS
WITH HIGH VIABILITY

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)
Single-Comb White Leghorns				
Avery, G. W. Tualatin, Oreg.	Dam:			
	8-488	10	10	276
	7-170	12	11	253
	8-383	10	9	276
	8-214	14	14	265
	8-550	12	11	253
	8-334	11	10	251
	8-467	12	11	231
Becker's Ravenswood Leghorn Farm Oxford, Fla.	8-496	9	9	242
	Dam:			
	9-176	10	9	233
	9-74	12	11	230
Bengtson Brothers Puyallup, Wash.	8-180	11	10	245
	Dam:			
	K 573	9	9	284
Coombs, J. O., and Son Sedgwick, Kans.	Dam:			
	J 1556	9	9	250
Deavenport, J. A. Boulder, Colo.	Dam:			
	1003	10	9	209
Densmore Poultry Farm Roanoke, Va.	Dam:			
	C 3979	10	9	162
	C 228	8	8	212
	C 4025	11	10	159
Dickey, P. S. Puyallup, Wash.	Sire:			
	1447	44	41	206
	Dam:			
	K 23	12	11	222
	K 65	8	8	223
	K 19	10	10	247
Egg and Apple Farm Trumansburg, N. Y.	Dam:			
	I 188	14	13	208
	K 8113	12	11	219
	K 8178	9	9	209
	K 8553	8	8	171
	K 8691	13	12	205
	J 6546	10	10	196
Gasson's Poultry Farms Versailles, Ohio	Dam:			
	H 422	14	13	255
	G 1116	11	10	231

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)

Single-Comb White Leghorns (Continued)

Gauss, C. B. Holcomb, N. Y.	Dam:			
	K 5226	10	9	207
	K 5257	12	11	219
	K 5274	10	9	218
	K 5584	12	12	226
Hansen's Leghorn City Puyallup, Wash.	Sire:			
	340	79	72	270
	2339	45	42	249
	Dam:			
	I 4872	11	10	251
	K 5242	10	9	278
	K 5252	10	10	273
	K 5267	13	13	293
	K 5421	8	8	286
	K 5386	8	8	254
	K 5450	10	9	270
Hanson, J. A. Corvallis, Oreg.	Sire:			
	6-1	67	61	261
	8-1087	114	103	257
	8-1525	115	106	252
	8-1679	160	150	268
	9-906	137	126	258
	9-1037	62	57	257
	9-1182	54	50	236
	9-1431	84	76	236
	Dam:			
	8-1247	16	15	261
	8-1311	13	12	264
	7-1150	15	14	275
	7-1169	8	8	269
	5-1997	8	8	279
	8-597	21	20	274
	6-1914	10	9	261
	5-119	12	11	231
	6-622	8	8	284
	7-672	10	10	291
	7-698	19	18	273
	7-730	8	8	271
	7-1134	9	9	280
	7-1184	12	11	268
	7-1289	14	14	225
	8-149	10	10	274
	8-185	10	10	247
	8-368	17	16	234
	8-403	17	17	288
	8-414	28	26	262
	8-524	12	12	280
	8-627	13	13	277

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)
Single-Comb White Leghorns (Continued)				
Hanson, J. A. (Continued)	Dam: 8-723 8-804 8-807 8-838 8-849 8-928 8-934 8-947 8-984 8-1119 8-1175 8-1223 8-1288 8-1320 8-1326 8-1350 8-1360 8-1567 8-1572 8-1583 8-1584 8-1593 8-1597 8-1615 8-1641 8-1716 8-1906 8-1930 8-1933 8-1167	8 12 9 13 11 8 12 10 14 16 15 11 10 13 10 25 9 9 10 12 8 12 11 13 10 14 25 15 11 8	8 12 9 12 10 8 11 10 14 15 14 11 9 13 9 24 9 9 10 11 12 10 12 10 13 24 15 10 8	258 270 263 280 248 267 225 282 264 282 262 281 272 236 256 279 287 269 274 276 276 238 284 219 279 243 267 265 266 277
Hawley, W. W., Jr. Batavia, N. Y.	Dam: J 9331 K 6276 J 9304 K 6332	9 15 13 10	9 15 13 9	232 148 211 192
Kellar & Cockell Ranier, Oreg.	Dam: 8-220 8-70 8-120 8-213 8-382 8-416 8-204	10 8 9 14 10 9 12	9 8 9 13 9 9 11	228 260 278 248 267 262 257
Kirk, U. J. St. Paul, Oreg.	Dam: 6-168 7-174	10 8	9 8	273 257
Larson, Archie M. Weiser, Idaho	Dam: S-261 T-615 T-573 S-468	11 13 11 12	10 12 10 12	245 245 218 228

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)

Single-Comb White Leghorns (Continued)

Nelson, W. G. Hominy, Okla.	<u>Dam:</u>			
	2466	8	8	215
	4411	8	8	225
Rowley, H. K. (Monongalia County, W.Va.) Mt. Morris, Pa.	<u>Sire:</u>			
	D 1287	57	52	215
	D 1294	47	44	229
	<u>Dam:</u>			
	C 323	9	9	230
	C 436	9	9	250
	C 388	11	11	246
	D 372	12	11	191
	D 521	14	13	251
	D 543	8	8	279
Rowley, P. B. Route 3, Puyallup, Wash.	<u>Dam:</u>			
	J 4250	8	8	219
	J 4407	9	9	249
	K 6118	10	9	237
Sand Springs Home-Farms Sand Springs, Okla.	<u>Dam:</u>			
	928	11	11	204
	2158	9	9	227
	2490	10	10	233
	4280	13	12	185
Seidel, W. A. P. O. Box 1117 San Antonio, Texas	<u>Dam:</u>			
	611	12	11	233
	614	17	17	266
	65	13	12	268
Seifert's White Leghorn Farm Green Bay, Wis.	<u>Dam:</u>			
	H 448	8	8	273
	H 402	8	8	244
Smith, H. E. Route 2, Puyallup, Wash.	<u>Dam:</u>			
	K 5034	10	9	190
Thornhill Leghorn Farm Rustburg, Va.	<u>Sire:</u>			
	C 5708	156	142	164
	<u>Dam:</u>			
	2236	10	9	176
	1915	11	10	155
	1944	8	8	150
	3058	15	14	169
	3061	8	8	156
	3097	9	9	202
	3146	13	13	188
	3226	15	15	178
	3252	11	11	193
	3265	12	11	147
	3374	10	9	186

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)

Single-Comb White Leghorns (Continued)

Young, B. C. Bellingham, Wash.	<u>Sire:</u>			
	9-5186	47	43	227
	<u>Dam:</u>			
	K 6351	10	9	252
	K 6355	9	9	253
	K 6444	12	12	262
	J 2529	12	11	242
	I 1214	10	10	210
	K 6340	11	10	250
	K 6381	12	12	271

Single-Comb Rhode Island Reds

Alampi Breeding Farm Williamstown, N. J.	<u>Dam:</u>			
	60	18	17	--
	58	11	10	--
Goetgeluck, Oscar St. Marys, W. Va.	<u>Sire:</u>			
	D 1741	47	45	175
	<u>Dam:</u>			
	B 1567	12	12	172
	B 1557	11	10	169
	B 1559	8	8	177
McRae, J. R. Milwaukie, Oreg.	<u>Sire:</u>			
	8-167	59	56	225
	9-2668	80	75	229
	9-2673	94	85	220
	<u>Dam:</u>			
	7-9003	14	14	250
	7-9452	8	8	222
	7-9462	10	9	242
	7-9760	8	8	250
	7-9100	14	13	206
	7-9406	11	10	170
	8-10031	10	10	185
	8-10306	11	10	235
	8-10440	11	10	241
	8-10527	15	14	226
	8-10547	11	10	231
	7-9047	11	10	207
	8-10136	8	8	213
	7-9520	8	8	190
	8-10297	11	10	177
	8-10559	10	9	204
	8-10275	15	14	191
	8-10456	9	9	202
	7-9430	16	15	242
	7-9755	10	10	230
	8-10040	8	8	235

U.S.R.O.P.	leg-band No.	Entered (number)	Daughters	
			Completing year	Average egg production (number)

Single-Comb White Leghorns (Continued)

Nelson, W. G. Hominy, Okla.	Dams: 2466	8	8	215
	Sire: 4411	8	8	225
Rowley, H. K. (Monongalia County, W.Va.) Mt. Morris, Pa.	Dams: D 1287 D 1294	57 47	52 44	215 229
	C 323 C 436 C 388 D 372 D 521 D 543	9 9 11 12 14 8	9 9 11 11 13 8	230 250 246 191 251 279
Rowley, P. B. Route 3, Puyallup, Wash.	Dams: J 4250 J 4407 K 6118	8 9 10	8 9 9	219 249 237
	Dams: 928 2158 2490 4280	11 9 10 13	11 9 10 12	204 227 233 185
Sand Springs Home-Farms Sand Springs, Okla.	Dams: 611 614 65	12 17 13	11 17 12	233 266 268
	Dams: H 448 H 402	8 8	8 8	273 244
Selfert's White Leghorn Farm Green Bay, Wis.	Dams: H 448 H 402	8 8	8 8	273 244
	Dams: K 5034	10	9	190
Smith, H. E. Route 2, Puyallup, Wash. Thorntill Leghorn Farm Rustburg, Va.	Sire: C 5708 Dams: 2236 1915 1944 3058 3061 3097 3146 3226 3252 3265 3374	156 10 11 8 15 8 9 13 15 11 12 10	142 10 11 8 14 8 9 13 15 11 12 9	164 176 155 150 169 156 202 188 178 193 147 186

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)

Barred Plymouth Rocks (Continued)

Wilcox, T. N. Tryon, N. C.	<u>Sire:</u>			
	27294	63	60	265
	M 886	70	65	248
	<u>Dam:</u>			
	633	8	8	226
	584	8	8	249
	604	11	10	251
	651	13	12	265
	503	10	10	271
	556	8	8	281
	610	11	11	275
	659	12	11	273
	664	8	8	255
	513	11	10	270
	519	11	10	267
	572	9	9	242
	596	8	8	242
	605	10	10	276
	564	12	11	258
	808	12	12	277
	1109	15	15	286

New Hampshires

Brightwater Farms Hendersonville, N. C.	<u>Dam:</u>			
	1727	10	10	234
	1756	9	9	228
	1801	11	11	217
	1848	8	8	204
	603	11	11	178
	1500	12	12	201
Helms, H. Bernard Box 183, Monroe, N. C.	<u>Sire:</u>			
	930	73	66	192
	<u>Dam:</u>			
	B 2275	10	9	144
Little, Harry F. Camillus, N. Y.	B 2312	10	10	192
	<u>Dam:</u>			
	K 24312	10	9	199

White Plymouth Rocks

Collins and Ripper Poultry Farm Seymour, Iowa	<u>Dam:</u>			
	J 147	15	13	166
	K 59	12	11	163
	L 30	9	9	148
	33-0	8	8	117
	K 18	15	14	143
	L 27	11	10	173

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)

White Plymouth Rocks (Continued)

Collins and Ripper Poultry Farm (Continued)	Dam:			
	L 133	14	14	142
	L 145	16	15	166
	K 128	15	14	139
	L 36	13	12	148

Connecticut Honor Roll for High Viability
(Received too late to be classified
according to breeds)

Arbor Acres, Henry Saglio Glastonbury, Conn. (S.C.R.I.R.)	Dam:			
	663	14	13	169
	658	11	11	203
Broad Acres Farm West Cheshire, Conn. (S.C.W.L.)	Dam:			
	5263	11	11	242
Cowdrey, Mr. and Mrs. Irving West Cheshire, Conn. (B.P.R.)	Dam:			
	4578	8	8	205
	4506	12	12	223
	4328	8	8	172
	4458	11	10	175
Dave-Co Farm, David Cohen Guilford, Conn. (B.P.R.)	4311	10	9	157
	Dam:			
	1838	10	9	180
	2567	8	8	209
Dave-Co Farm, David Cohen Guilford, Conn. (S.C.R.I.R.)	2662	9	9	193
	Dam:			
	3342	10	9	228
Mt. Fair Farm, S. McLean Buckingham Watertown, Conn. (S.C.R.I.R.)	Sire:			
	5180	47	44	235
	Dam:			
	4223	10	9	255
	4471	10	10	235
	4355	9	9	252

Indiana Honor Roll for High Viability
(Received too late to be classified
according to breeds)

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		Average egg production (number)
		Entered (number)	Completing year (number)	
Creighton Brothers Warsaw, Ind. (S.C.W.L.)	<u>Dams:</u>			
	L 8740	12	11	243
	M 4840	11	10	193
	M 5697	10	10	257
	L 8047	12	12	254
	L 8768	14	13	243
	M 2173	12	12	251
	M 2283	12	11	254
	M 4357	11	10	237
	M 5427	10	9	240
	E 48-8	10	9	248
	M 2078	10	9	223
	K 2069	10	9	246
	M 4757	11	10	226
	M 4782	10	9	259
	M 4928	10	9	229
	M 4045	9	9	254
Manwaring Leghorn Farm Mentone, Ind. (S.C.W.L.)	<u>Dams:</u>			
	M 81	11	11	200
	M 88	11	10	224
	M 322	10	9	214
	M 1669	13	13	256
	M 224	10	9	194
	M 276	15	15	241
	M 281	13	12	231
	M 343	10	10	241
	M 383	12	12	225
	M 153	18	17	232
	M 163	12	11	217
	M 134	13	12	220
	M 393	8	8	230
	M 1509	8	8	230
	M 1611	11	10	226
	M 218	11	11	237

Utah Honor Roll for High Viability
 (Received too late to be classified
 according to breeds)

Breeder's name and address	U.S.R.O.P. leg-band No.	Daughters		
		Entered (number)	Completing year (number)	Average egg production (number)
Hutchings Breeding Farm & Hatchery Springville, Utah (S.C.W.L.)	Dam:			
	D-280	12	12	224
	E-617	9	9	240
	E-979	12	11	224
Manti-Apex Breeding Farm & Hatchery, Manti, Utah (S.C.W.L.)	Dam:			
	D 131	10	9	202
	E 570	10	9	205
	E 206	8	8	209
	E 721	10	9	236
	D 26	9	9	230
	E 652	10	10	223
Whittenburg, D. H. Richfield, Utah (S.C.W.L.)	E 11	9	9	253
	Dam:			
	E 588	9	9	223